

Australia and New Zealand Certificate of Suitability

Certificate
ULL-104002

Issue date
2025-07-14

Expiration date
2030-07-14



www.jasanz.org/register

This is to acknowledge that

TCI TELECOMUNICAZIONI ITALIA S.R.L

Via Parma 14, Saronno, VA, 21047
Italy

has had

Electronic Controlgear for LED modules

[refer following page(s) for models list]

evaluated and meets the requirements of the standard(s)

AS 61347.2.13:2018; AS/NZS 61347.1:2016+A1

ANZ Certification Scheme requirements.



Jacky Wong (Certification Officer)

Certification Body:
UL International New Zealand Limited,
54 Tarndale Grove, Albany, Auckland 0632, New Zealand.

Issued for use in Australia and New Zealand only.
All dates are in Year-Month-Day format (YYYY-MM-DD).

Australia and New Zealand Certificate of Suitability

Certificate No: ULL-104002

Date of Issue/Revision: 2025-07-14

Trade Name or Trademark: TCI

Risk Class / NSW Declared Class: EESS OUT OF SCOPE - Non-prescribed / non-declared

IEC Standard Country Differences: AU and NZ

Certification Marking: The RCM may be applied to the product and all the requirements of all relevant parts of AS/NZS 4417 applicable to the article shall be fulfilled.

Additional Certification Conditions: None.

Additional Information:

Model: S-LED 35/350 DALI SLIM

Rating:

PRI: 220-240Vac, 50/60Hz, DC

Pn= 39W, In= 0.18Aac, λ = 0.9C,

186-250Vdc, lin= 0,21Adc

SEC: Uout= 50-220Vdc, Iout= 0.08-0.35A

Pout= 35W, Uout max=250V

ta= -25...+50 °C, tc= 75 °C, Built-in

Model: S-LED 60/350 DALI SLIM

Rating:

PRI: 220-240Vac, 50/60Hz, DC

Pn= 66W, In= 0.3Aac, λ = 0.9C,

186-250Vdc, lin= 0.35Adc

SEC: Uout= 100-300Vdc, Iout= 0.08-0.35A

Pout= 60W, Uout max=330V

ta= -25...+50 °C, tc= 75 °C, Built-in

Model: S-LED 60/500 DALI SLIM

Rating:

PRI: 220-240Vac 50/60 Hz, DC

Pn= 66W, In= 0.3Aac, λ = 0.9C,

186-250Vdc, lin= 0.35Adc

SEC: Uout= 50-220Vdc, Iout= 0.15-0.5A

Pout= 60W, Uout max=250V

ta= -25...+50 °C, tc= 75 °C, Built-in