Certificate Number Report Reference Date	UL-US-L334411-13-70500202-3 E334411-20200507 26-Sep-2023
Issued to:	TCI TELECOMUNICAZIONI ITALIA S.R.L Via Parma 14 Saronno, VA 21047 Italy
This is to certify that representative samples of	FKSZ - Light-emitting-diode Drivers See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 8750, Edition 2, Issue Date 2015-09-15, Revision Date 2022-12-07
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Oebrah Jennings-Corner Deborah Jennings-Conner, VP Regulatory Services UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-US-L334411-13-70500202-3 E334411-20200507 26-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DC MAXI JOLLY SVM 65 YY SLIM, where YY if present may be blank or DALI.	Class P LED driver
MP 65/1400 SVM SLIM	Class P LED driver
SVM 85 700-2100 110-277V XX NFC, Where: XX may be blank or 1-10V or D4i	Class P LED driver

Oebrah Jennings-Corne

Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number UL-CA-L334411-43-70500202-3 **Report Reference** E334411-20200507 Date 26-Sep-2023 TCI TELECOMUNICAZIONI ITALIA S.R.L Issued to: Via Parma 14 Saronno, VA 21047 Italy FKSZ7 - Light-emitting-diode Drivers Certified for Canada This is to certify that representative samples of See Addendum Page for Product Designation(s). Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate. CSA C22.2 No. 250.13, Edition 5, Issue Date 2022-05 Standard(s) for Safety: Additional Information: See the UL Online Certifications Directory at https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Debrah Jennings-Corner Deborah Jennings-Conner VP Regulatory Services ULLIC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-CA-L334411-43-70500202-3 E334411-20200507 26-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DC MAXI JOLLY SVM 65 YY SLIM, where YY if present may be blank or DALI.	Class P LED driver
MP 65/1400 SVM SLIM	Class P LED driver
SVM 85 700-2100 110-277V XX NFC, Where: XX may be blank or 1-10V or D4i	Class P LED driver



Deborah Jennings-Conner, VP Regulatory Services

UL LLC



