



中国国家强制性产品认证证书

证书编号：2024181002049931

认证委托人名称、地址

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

生产者（制造商）名称、地址

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

生产企业名称、地址

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

产品名称和系列、型号、规格

LED 模块用交流电子控制装置（LED 控制装置，内装式，
恒流模式，安全特低电压，定温热保护：100℃）
见附件，220-240V~ 50/60Hz

产品标准和技术要求

GB/T 17743-2021, GB 17625.1-2022, GB 19510.1-2009, GB 19510.14-2009

上述产品符合强制性产品认证实施规则

CNCA-C10-01：2014 的要求，特发此证。

发证日期：2024 年 01 月 05 日 有效期至：2029 年 01 月 04 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。



顾泽波

威凯认证检测有限公司





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE No.: 2024181002049931

NAME AND REGISTERED ADDRESS OF THE APPLICANT

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND ADDRESS OF THE FACTORY

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME, MODEL AND SPECIFICATION

A. C. Supplied Electronic Controlgear For LED Modules
See appendix, 220-240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS

GB/T 17743-2021, GB 17625.1-2022, GB 19510.1-2009, GB 19510.14-2009

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C10-01: 2014).

DATE OF ISSUE: Jan. 5, 2024

DATE OF EXPIRY: Jan. 4, 2029

This certificate can be verified through CNCA's website: www.cnca.gov.cn
or the QR code at the lower left.



Issued by:

Gru Zebbo

CVC Certification & Testing Co., Ltd.

No.3, Tiantaiyi Road, High-tech Industrial Development Zone, Science City, Guangzhou (510663) P. R. China

<http://www.cvc.org.cn>

Tel: +86-20-32293722





中国国家强制性产品认证证书

附录：

第 1 页 共 1 页

证书编号：2024181002049931

序号	产品型号	参数
1	BMU 12W 700mA HPFU	输出：Max.22Vdc,700mA（恒流） 配套光源：Max.12W LED 模块 ,tc=80℃
2	BMU 12W 500mA HPFU	输出：Max.28Vdc,500mA（恒流） 配套光源：Max.12W LED 模块 ,tc=75℃
3	BMU 12W 350mA HPFU	输出：Max.39Vdc,350mA（恒流） 配套光源：Max.12W LED 模块 ,tc=75℃
输入：220-240V~, 50/60Hz, SELV,  , 内装式, 定温热保护：100℃		
备注：铭牌输入*100-*127V~ 仅用于 UL 认证；输入 176-276Vdc 仅用于应急照明		

本页为证书附页，应与证书主页同时使用。

威凯认证检测有限公司

<http://www.cvc.org.cn> 中国·广州·高新技术产业开发区天泰一路3号（510663） 电话：+86-20-32293722