

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.	Other Name	
Address	Via Parma 14 Cap Saronno Varese 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-075
Certification Number	GMA-521156	Revision Number	01
Certificate Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	1/12/2024
Certificate Last Update Date	30/01/2025
Certification Expiry Date	1/12/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 1 of 5

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Built-in Power Supply for LED module	TCI	MPE 18/350 SLIM cod. 127514	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 18/350 SLIM cod. 127514 T	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 42/350 SLIM cod. 127515	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 42/350 SLIM cod. 127515 T	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 60/350 SLIM cod. 127516	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 60/350 SLIM cod. 127516 T	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 75/550 SLIM cod. 127517	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 75/550 SLIM cod. 127517 T	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 80/350 SLIM cod. 127518	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI	MPE 80/350 SLIM cod. 127518 T	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 18/350 SLIM cod. 127514	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 18/350 SLIM cod. 127514 T	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 42/350 SLIM cod. 127515	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 5

Certificate of Suitability

Non declared	Built-in Power Supply for LED module	TN101	MPE 42/350 SLIM cod. 127515 T	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 60/350 SLIM cod. 127516	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 60/350 SLIM cod. 127516 T	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 75/550 SLIM cod. 127517	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 75/550 SLIM cod. 127517 T	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 80/350 SLIM cod. 127518	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TN101	MPE 80/350 SLIM cod. 127518 T	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 18/350 SLIM cod. 127514	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 18/350 SLIM cod. 127514 T	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 42/350 SLIM cod. 127515	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 42/350 SLIM cod. 127515 T	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 60/350 SLIM cod. 127516	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 60/350 SLIM cod. 127516 T	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 75/550 SLIM cod. 127517	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 75/550 SLIM cod. 127517 T	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 3 of 5

Certificate of Suitability

Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 80/350 SLIM cod. 127518	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT Saronno Italy	MPE 80/350 SLIM cod. 127518 T	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 18/350 SLIM cod. 127514	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 18/350 SLIM cod. 127514 T	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 42/350 SLIM cod. 127515	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 42/350 SLIM cod. 127515 T	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 60/350 SLIM cod. 127516	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 60/350 SLIM cod. 127516 T	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 75/550 SLIM cod. 127517	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 75/550 SLIM cod. 127517 T	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 80/350 SLIM cod. 127518	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LIGHT	MPE 80/350 SLIM cod. 127518 T	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 18/350 SLIM cod. 127514	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 18/350 SLIM cod. 127514 T	Vin=220-240 V 50-60 Hz 0,12 A Pin=21 W; Po=10,8-18,9 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 42/350 SLIM cod. 127515	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 4 of 5

Certificate of Suitability

Non declared	Built-in Power Supply for LED module	TCI LED	MPE 42/350 SLIM cod. 127515 T	Vin=220-240 V 50-60 Hz 0,23 A Pin=46 W; Po=25-43,75 W Io=0,2-0,35 A Uout=200 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 60/350 SLIM cod. 127516	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 60/350 SLIM cod. 127516 T	Vin=220-240 V 50-60 Hz 0,31 A Pin=65 W; Po=35-61,25 W Io=0,2-0,35 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 75/550 SLIM cod. 127517	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 75/550 SLIM cod. 127517 T	Vin=220-240 V 50-60 Hz 0,38 A Pin=80 W; Po=74,8-75,6 W Io=0,35-0,55 A Uout=250 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 80/350 SLIM cod. 127518	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI LED	MPE 80/350 SLIM cod. 127518 T	Vin=220-240 V 50-60 Hz 0,42 A Pin=89 W; Po=54-84 W Io=0,2-0,35 A Uout=300 V

RELEVANT TRADEMARK (S)


COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil 2025/01/30 Modification 1 - add alternative construction - add alternative component: bobbin - update marking - add alternative trade names: TN101, TCI LIGHT Saronno Italy, TCI LIGHT, TCI LED

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 5 of 5

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

