



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2026011002879873

NAME AND ADDRESS OF THE APPLICANT

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND ADDRESS OF THE MANUFACTURER

TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND LOCATION OF THE FACTORY

Zhejiang Klite Lighting Holdings Co., Ltd.
No.12 TingChao Road, JianShan New District, HaiNing City, ZheJiang Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (LED Controlgear, Non-dimmable, Built-in, Constant Current Mode, Auto-wound Controlgear, EL, tc:85°C, Temperature Declared Thermally Protected: 110°C)

See Appendix. 220-240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jul.08,2026

Valid until: Jul.07,2031

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2026011002879873

Appendix: Page 1 of 2

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	产品型号	参数
1	MPE 60/350 SLIM G2	输出：200/250/300/350mA（恒流，拨码开关可调）， Uout=250V $\overline{\text{---}}$ ，Max.61.25W LED模块
2	MPE 44/350 SLIM G2	输出：200/250/300/350mA（恒流，拨码开关可调）， Uout=250V $\overline{\text{---}}$ ，Max.43.75W LED模块
2	MPE 25/350 SLIM G2	输出：200/250/300/350mA（恒流，拨码开关可调）， Uout=250V $\overline{\text{---}}$ ，Max.24.5W LED模块

输入：220-240V $\sim$ ，50/60Hz，tc:85℃；内装式，自耦式，，。

备注：

注：MPE 60/350 SLIM G2 拨码开关

拨码开关位置		输出电流	输出电压 (dc)	输出功率
1	2			
OFF	OFF	200mA	80-200V	40W
ON	OFF	250mA	80-200V	50W
OFF	ON	300mA	80-200V	60W
ON	ON	350mA	80-175V	61.25W

注：MPE 44/350 SLIM G2 拨码开关

拨码开关位置		输出电流	输出电压 (dc)	输出功率
1	2			
OFF	OFF	200mA	40-125V	25W
ON	OFF	250mA	40-125V	31.25W
OFF	ON	300mA	40-125V	37.5W
ON	ON	350mA	40-125V	43.75W

注：MPE 25/350 SLIM G2 拨码开关

拨码开关位置		输出电流	输出电压 (dc)	输出功率
1	2			

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.




CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2026011002879873

Appendix : Page 2 of 2

OFF	OFF	200mA	25-70V	14W
ON	OFF	250mA	25-70V	17.5W
OFF	ON	300mA	25-70V	21W
ON	ON	350mA	25-70V	24.5W

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.