

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US ZB3	151570	4	X		X	X	X	X	X	X		X			X	X							X	X			X				X
DC MAXI JOLLY SV ZB3	151572	6	X		X	X	X	X	X	X		X			X	X							X	X		X					X
PROFESSIONALE ZB3	122576	8	X		X	X	X	X	X	X		X			X	X							X	X							
PROFESSIONALE ZB3 BI	122577	8	X		X	X	X	X	X	X		X			X	X							X	X							
MINI ZLL INTERFACE	122550	10										X			X	X						X	X		X	X					X
MINI ZB3 INTERFACE	122553	11										X	X		X	X			X			X	X		X	X					X
DC MAXI JOLLY US CASAMBI	127644	12	X		X	X	X	X	X	X		X			X	X							X	X		X		X			X
DC MAXI JOLLY SV CASAMBI	127645	14	X		X	X	X	X	X	X		X			X	X							X	X		X					X
PROFESSIONALE CASAMBI	127630	16	X		X	X	X	X	X	X		X			X	X							X	X							
PROFESSIONALE CASAMBI BI	127631	16	X		X	X	X	X	X	X		X			X	X							X	X							
PROFESSIONALE HC CASAMBI	127660	18	X				X	X	X	X		X			X	X							X	X							
PROFESSIONALE HC CASAMBI BI	127662	18	X				X	X	X	X		X			X	X							X	X							
MINI CASAMBI INTERFACE TW	127637	20													X	X	X					X			X						
MINI CASAMBI INTERFACE RGBW	127638	20													X	X	X					X			X						X
GA CASAMBI Wh	127634	22			X	X	X					X			X								X	X							
GA CASAMBI Gr	127635	22			X	X	X					X			X								X	X							
GA CASAMBI BI	127636	22			X	X	X					X			X								X	X							
DC MAXI JOLLY US BLL	135006	24			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY US BLL EX	135020	24			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY SV BLL	135021	26			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY SV BLL EX	135022	26			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY HC BLL/2	135001	28							X	X	X	X			X	X							X	X		X					X
DC MAXI JOLLY HC BLL BI	135000	28							X	X	X	X			X	X							X	X		X					X
PROFESSIONALE BLL	135024	30	X		X	X	X	X	X	X		X			X	X							X	X							
PROFESSIONALE BLL BI	135025	30	X		X	X	X	X	X	X		X			X	X							X	X							
MILANOinTRACK 31/325-700 BLL Wh	135050	32			X	X	X					X			X								X	X							
MILANOinTRACK 31/325-700 BLL Gr	135051	32			X	X	X					X			X								X	X							
MILANOinTRACK 31/325-700 BLL BI	135052	32			X	X	X					X			X								X	X							
MILANOinTRACK 31/325-700 BLL PIR Wh	135053	32			X	X	X					X			X								X	X							
MILANOinTRACK 31/325-700 BLL PIR Gr	135054	32			X	X	X					X			X								X	X							
MILANOinTRACK 31/325-700 BLL PIR BI	135055	32			X	X	X					X			X								X	X							
LV RGBW 500mA BLL	135002	34				X									X	X															X
LV RGBW 500mA BLL EX	135003	34				X									X																X
LV HR TRACK BLL 357	135018OF	36			X	X	X					X			X										X						
LV HR TRACK BLL 246	135017OF	36		X								X			X										X						
BLL DALI INTERFACE	135009	37													X				X												
MINI BLL INTERFACE	135008	38													X	X	X					X		X	X			X	X		
SED DCC 2CH BLL	135036	40													X									X	X						
BLL BEACON SENS	135038	41													X									X							
DC 6W 150mA BULL	122604	44										X														X					
DC 9W 250mA BULL	122599	44		X																						X					
DC 4W 350mA BULL/U	122596	44			X							X											X		X						
DC 8W 350mA BULL/U	122598	44			X								X										X		X						
DC 6W 500mA BULL/U	122602	44				X						X											X		X						
DC 8W 350mA STC/U	122633	45			X								X										X		X						
DC 9W 350mA STC/U	122632	45			X																		X		X						
DC 6W 500mA STC/U	122635	45				X						X											X		X						
DC 6W 1200mA STC HC	127010	46										X													X						

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
DC 3W 125mA STM/U	122814	47										X											X		X					
DC 6W 150mA STM/U	122799	47										X											X		X					
DC 6W 250mA STM/U	122812	47		X																			X		X					
DC 8W 350mA STM/U	122811	47			X								X										X		X					
DC 6W 500mA STM/U	122813	47				X							X										X		X					
DC 6W 700mA STM/U	122815	47					X																X		X					
DC 3W 250mA STF/U	122142	48		X																			X		X					
DC 4W 350mA STF/U	122140	48			X																		X		X					
DC 3W 700mA STF/U	122144	48						X															X		X					
DCC 10W 250mA/U S	122358	49		X																			X		X					
DCC 15W 350mA/U S	122350	49			X																		X		X					
DCC 12W 500mA/U S	122356	49				X							X										X		X					
DCC 12W 700mA/U S	122354	49					X																X		X					
DCC H 12W 250/350mA	122610	50		X	X																				X					
DCC H 7W 140/180mA	122611	50									X														X					
DC MICRO Z	122086	51			X																				X					
DC 12W 300mA SLIM/U	122447	52									X												X		X					
DC 15W 350mA SLIM/U	122440	52			X																		X		X					
DC 14W 500mA SLIM/U	122448	52				X							X										X		X					
DC 11W 700mA SLIM/U	122441	52					X																X		X					
DC 13W 12V SLIM/U	122444	52										X											X		X					
DC 13W 24V SLIM/U	122442	52											X										X		X					
DC 14W 350mA AR	122038	53			X																		X		X					
DC 12W 550mA AR	122039	53									X												X		X					
DC 6W 210mA BMU	122796	54									X												X		X					
DC 9W 280mA BMU	122797	54									X												X		X					
DC 12W 350mA BMU	122790	54			X																		X		X					
DC 12W 500mA BMU	122794	54				X							X										X		X					
DC 12W 700mA BMU	122792	54					X																X		X					
DC 10W 350mA KU2	127303	55			X																		X		X					
DC 10W 700mA KU2	127302	55					X																X		X					
DC 10W 12V KU2	127304	55										X											X		X					
DC 10W 24V KU2	127305	55											X										X		X					
DC 12W 350mA RS	122254S	56			X																		X	X	X					
DC 15W 700mA RS	122251	56					X																X	X	X					
DC 20W 500mA NR	122250NR	56				X																	X		X					
DC 10W 24V P	122251A	56										X											X		X					
DC 8W 12V RS	122253S	56										X											X	X	X					
DC 10W 12V TW	122255	57										X											X	X	X					
DC 15W 700mA TW	122256	57					X																X	X	X					
DC 17W 350mA WU S	122246	58			X																		X		X					
DC 20W 500mA WU S	122248	58				X																	X		X					
DC 12W 700mA WU	122233	58					X																X		X					
DC 17W 700mA WU	122234	58					X																X		X					
DC 22W 1050mA WU	122236	58						X															X		X					
DC 18W 1400mA WU	122242	58							X														X		X					
DC 18W 350mA W HPF	127132	59			X																			X	X					
DC 16W 400mA W HPF	127133	59								X														X	X					

NEW - NOVITÀ



# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
PROFESSIONALE 34	127480N	82		X	X	X	X				X													X	X					
PROFESSIONALE 34 BI	127482	82		X	X	X	X				X													X	X					
PROFESSIONALE 42	127484N	84			X	X	X	X	X		X													X	X					
PROFESSIONALE 42 BI	127486	84			X	X	X	X	X		X													X	X					
PROFESSIONALE HC	127690	86					X	X	X		X													X	X					
PROFESSIONALE HC BI	127692	86					X	X	X		X													X	X					
MP 32 TC	122172	88			X	X	X	X			X	X	X											X	X	X				
MP 50 TC	122160	89			X	X	X	X	X		X													X	X		X			X
SMART 50	122220	90			X	X	X	X	X		X													X		X				
SMART 50 BI	122219	90			X	X	X	X	X		X													X		X				
MP 50 K3	122204	92			X	X	X	X	X		X													X	X		X			X
MP 50 BI	122460	92			X	X	X	X	X		X													X	X		X			X
MP 50 SV K3	127500	94			X	X	X	X	X		X													X	X	X				X
MP 50 SV BI	127501	94			X	X	X	X	X		X													X	X	X				X
MP 55 1400 S BI	122207BI	96							X	X	X													X	X					
MP 55 HC/2	127310	98						X	X	X	X													X	X	X				X
MP 55 HC BI	122208	98						X	X	X	X													X	X	X				X
MP 55 1400/2	127310/14	98						X	X	X	X													X	X	X				X
MP 55 1400 BI	122208/14	98						X	X	X	X													X	X	X				X
MP 55/120 HC/2	127154	100						X	X	X	X													X	X	X				X
MP 55/120 HC BI	127156	100						X	X	X	X													X	X	X				X
MP 65 H/2	127071	102			X	X	X	X	X		X													X	X		X			X
MP 65 HBI	127051	102			X	X	X	X	X		X													X	X		X			X
SMART 70	127402	104			X	X	X	X	X		X													X		X				
SMART 70 BI	127400	104			X	X	X	X	X		X													X		X				
ATON PRO 22/125-500	127680	106		X	X	X					X													X	X					
ATON PRO 22/125-500 BI	127681	106		X	X	X					X													X	X					
ATON PRO 30/350-725	127682	108			X	X	X				X													X	X					
ATON PRO 30/350-725 BI	127683	108			X	X	X				X													X	X					
ATON PRO 40/300-1050	127684	110			X	X	X	X	X		X													X	X					
ATON PRO 40/300-1050 BI	127685	110			X	X	X	X	X		X													X	X					
ATON 30/250-700	127362	112		X	X	X	X				X													X	X					
ATON 30/250-700 BI	127360	112		X	X	X	X				X													X	X					
ATON 30/700-1400	127364	114					X	X	X	X	X													X	X					
ATON 30/700-1400 BI	127366	114					X	X	X	X	X													X	X					
SUPERSLIM	127330	116			X	X					X													X	X					
SUPERSLIM OF	127330OF	116			X	X					X													X	X					
SUPERSLIM MM	127335	117			X	X					X													X	X					
SUPERSLIM MM OF	127335OF	117			X	X					X													X	X					
SUPERSLIM HC	127336	118									X													X	X					
SUPERSLIM HC OF	127336OF	118									X													X	X					
MP 32 SLIM	123676	119		X	X	X	X				X		X											X	X	X				
MP 60 SLIM	122211	120			X	X	X	X	X		X													X	X		X			X
MP 60 SLIM HV	122210	121		X	X	X	X				X													X	X		X			X
MP 65/1400 SVM SLIM	127562	122		X	X	X	X	X	X	X	X													X	X	X				
MP 70/1400 SVM SLIM	127560	123			X	X	X	X	X	X	X													X	X					
MP 80/1400 SVM SLIM	127568	124			X	X	X	X	X	X	X													X	X					
MPSE 55/350 SLIM	127524	125		X	X						X													X				X		

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
MPSE 55/700 SLIM	127526	126			X	X	X				X													X					X	
RUS 50/350 SLIM	126112	127			X	X					X													X					X	
MP 50/350 SLIM	122215	128			X	X					X													X					X	
MP 80/350 SLIM	122212	129			X	X					X													X					X	
MP 80/500 SLIM	122214I	130			X	X					X													X					X	
MP 80/700 SLIM	122213	131			X	X	X				X													X					X	
MPX 100/350 277V SLIM	127671	132			X	X					X													X	X				X	
MP 120/700 SLIM	127676	133			X	X	X				X													X					X	
MPX 120/700 277V SLIM	127172	134			X	X	X				X													X	X				X	
MPX 165/800 SLIM	127678	135			X	X	X				X													X	X				X	
DC MICRO JOLLY 6W 350mA	122426	138			X							X			X	X											X			
DC MICRO JOLLY 6W 500mA	122428	138				X						X			X	X											X			
DC 9W 350mA RD57	127342	140			X										X	X											X			
DC 9W 700mA RD57	127344	140					X								X	X											X			
DC MINI JOLLY	123400	142			X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLLY BI	123404	142			X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLLY	125400	144	X	X	X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLLY BI	125404	144	X	X	X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLLY BI	151404	144	X	X	X	X	X	X			X				X	X							X	X	X					
DC MINI JOLLY LC	123401	146			X	X					X	X			X	X							X	X	X					
DC MINI JOLLY LC BI	123401BI	146			X	X					X	X			X	X							X	X	X					
DC MINI JOLLY LC	151401	148	X	X	X	X					X				X	X							X	X	X					
DC MINI JOLLY LC BI	151401BI	148	X	X	X	X					X				X	X							X	X	X					
DC MINI JOLLY HV	123399	150			X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLLY HV BI	123399BI	150			X	X	X	X			X	X	X		X	X							X	X	X					
DC MINI JOLED	127104	152			X						X				X	X							X	X	X					
DC JOLLY US	125421	154			X	X	X	X	X		X	X	X		X	X							X	X	X	X				
DC JOLLY US BI	125450	154			X	X	X	X	X		X	X	X		X	X							X	X	X	X				
DC JOLLY US	126421	156	X	X	X	X	X	X	X		X	X	X		X	X							X	X	X	X				
DC JOLLY US	151421	156	X	X	X	X	X	X	X		X				X	X							X	X	X	X				
DC JOLLY US BI	126450	156	X	X	X	X	X	X	X		X	X	X		X	X							X	X	X	X				
DC JOLLY US BI	151450	156	X	X	X	X	X	X	X		X				X	X							X	X	X	X				
DC JOLLY HC MV	127021	158			X	X	X	X	X		X				X	X									X	X				
DC JOLLY HC BI	127022	158			X	X	X	X	X		X				X	X									X	X				
JOLLY DIN	127100	160			X	X	X	X	X		X	X	X		X	X								X	X	X				
PROFESSIONALE 1-10V	127496	162	X		X	X	X	X	X		X				X									X	X					
PROFESSIONALE 1-10V BI	127497	162	X		X	X	X	X	X		X				X									X	X					
DC MAXI JOLLY US	127411	164	X		X	X	X	X	X		X				X	X							X	X	X		X		X	
DC MAXI JOLLY US	151411	164	X		X	X	X	X	X		X				X	X							X	X	X		X		X	
DC MAXI JOLLY US BI	125462	164	X		X	X	X	X	X		X				X	X							X	X	X		X		X	
DC MAXI JOLLY US BI	151462	164	X		X	X	X	X	X		X				X	X							X	X	X		X		X	
DC MAXI JOLLY TC	123162	166			X	X	X	X	X		X				X	X							X	X	X	X				
DC MAXI JOLLY SV	125502	168	X		X	X	X	X	X		X				X	X							X	X	X	X				
DC MAXI JOLLY SV	151502	168	X		X	X	X	X	X		X				X	X							X	X	X	X				
DC MAXI JOLLY SV BI	125503A	168	X		X	X	X	X	X		X				X	X							X	X	X	X				
DC MAXI JOLLY SV BI	151503	168	X		X	X	X	X	X		X				X	X							X	X	X	X				
DC MAXI JOLLY HV	127414	170	X	X	X	X	X	X	X		X				X	X							X	X	X		X		X	

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante				Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY HV	151414	170	X	X	X	X	X				X				X	X							X	X			X				X
DC MAXI JOLLY HV BI	127414BI	170		X	X	X	X	X			X					X	X						X	X	X			X			X
DC MAXI JOLLY HV BI	151414BI	170	X		X	X	X	X			X					X	X							X	X			X			X
DC MAXI JOLLY HC/2	123312	172							X	X	X	X				X	X						X	X	X		X				X
DC MAXI JOLLY HC BI	123415	172							X	X	X	X				X	X						X	X	X		X				X
DC MAXI JOLLY HC TC	123168	174							X	X	X	X				X	X						X	X	X		X				X
DC MAXI JOLLY H/2	127072	176				X	X	X	X	X		X				X	X						X	X	X			X			X
DC MAXI JOLLY HBI	127052	176				X	X	X	X	X		X				X	X						X	X	X			X			X
DC MINIJOLLY DALI	123403	178			X	X	X	X			X		X						X					X	X	X					
DC MINIJOLLY DALI BI	123403BI	178			X	X	X	X			X		X						X					X	X	X					
DC MINIJOLLY DALI	125403	180		X	X	X	X	X			X		X						X					X	X	X					
DC MINIJOLLY DALI	151403	180	X		X	X	X	X			X								X					X	X	X					
DC MINIJOLLY DALI BI	125403BI	180		X	X	X	X	X			X		X						X					X	X	X					
DC MINIJOLLY DALI BI	151403BI	180	X		X	X	X	X			X								X					X	X	X					
DC MINIJOLLY LC DALI	123395	182			X	X					X		X						X					X	X	X					
DC MINIJOLLY LC DALI BI	123396	182			X	X					X		X						X					X	X	X					
PRO FLAT DALI BI	127577	184	X		X	X	X	X			X						X		X					X	X	X					
DC JOLLY DALI	123424	186			X	X	X	X			X	X	X						X				X	X	X	X					
DC JOLLY DALI BI	123458	186			X	X	X	X			X	X	X						X				X	X	X	X					
DC JOLLY DALI	125424	188		X	X	X	X	X			X	X	X						X				X	X	X	X					
DC JOLLY DALI	151424	188	X		X	X	X	X			X								X					X	X	X					
DC JOLLY DALI BI	125458	188		X	X	X	X	X			X	X	X						X				X	X	X	X					
DC JOLLY DALI BI	151458	188	X		X	X	X	X			X								X					X	X	X					
PROFESSIONALE DALI	127490	190	X		X	X	X	X	X		X							X	X					X	X	X					
PROFESSIONALE DALI BI	127492	190	X		X	X	X	X	X		X								X	X				X	X	X					
PROFESSIONALE DALI LS TC	127493	192	X		X	X	X	X	X		X								X	X				X	X	X					
PROFESSIONALE HC DALI	127510	194	X				X	X	X	X	X								X	X				X	X	X					
PROFESSIONALE HC DALI BI	127512	194	X				X	X	X	X	X								X	X				X	X	X					
DC MAXI JOLLY SV DALI 40	125506	196		X		X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI 40	151506	196	X			X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI 40 BI	125507	196		X		X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI 40 BI	151507	196	X			X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY US DALI	127413	198		X		X	X	X	X	X	X					X	X	X					X	X	X		X				X
DC MAXI JOLLY US DALI	151413	198	X			X	X	X	X	X	X					X	X	X					X	X	X		X				X
DC MAXI JOLLY US DALI BI	125464	198		X		X	X	X	X	X	X					X	X	X					X	X	X		X				X
DC MAXI JOLLY US DALI BI	151464	198	X			X	X	X	X	X	X					X	X	X					X	X	X		X				X
DC MAXI JOLLY TC DALI	123164	200				X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI	125504	202		X		X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI	151504	202	X			X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI BI	125505A	202		X		X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI BI	151505	202	X			X	X	X	X	X	X					X	X	X					X	X	X	X					X
DC MAXI JOLLY HV DALI	127409	204		X	X	X	X	X			X					X	X	X					X	X	X		X				X
DC MAXI JOLLY HV DALI	151409	204	X			X	X	X	X		X					X	X	X					X	X	X		X				X
DC MAXI JOLLY HV DALI BI	127409BI	204		X	X	X	X	X			X					X	X	X					X	X	X		X				X
DC MAXI JOLLY HV DALI BI	151409BI	204	X			X	X	X	X		X					X	X	X					X	X	X		X				X
DC MAXI JOLLY HC/2 DALI	123314	206							X	X	X	X							X	X	X		X	X	X	X					X
DC MAXI JOLLY HC DALI BI	123417	206							X	X	X	X							X	X	X		X	X	X	X					X
DC MAXI JOLLY HC DALI TC	123170	208							X	X	X	X							X	X	X		X	X	X	X					X

NEW - NOVITÀ

## Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY DALI H/2	127074	210			X	X	X	X	X		X				X	X		X				X	X				X				X
DC MAXI JOLLY DALI HBI	127054	210			X	X	X	X	X		X				X	X		X				X	X				X				X
MICRO MD 180	127106	212	X								X						X							X	X						
MICRO MD 180 BI	127107	212	X								X						X							X	X						
MICRO MD 250	127048	212	X	X													X							X	X						
MICRO MD 250 BI	127049	212	X	X													X							X	X						
MICRO MD 270	127108	212	X								X						X							X	X						
MICRO MD 270 BI	127109	212	X								X						X							X	X						
MICRO MD 350	127040	212	X		X												X							X	X						
MICRO MD 350 BI	127041	212	X		X												X							X	X						
MICRO MD 500	127042	212	X			X											X							X	X						
MICRO MD 500 BI	127043	212	X			X											X							X	X						
MICRO MD 700	127046	212	X				X										X							X	X						
MICRO MD 700 BI	127047	212	X				X										X							X	X						
BMU MD 250	127396	214	X	X													X							X	X						
BMU MD 350	127390	214	X		X												X							X	X						
BMU MD 500	127392	214	X			X											X							X	X						
BMU MD 700	127394	214	X				X										X							X	X						
MINI MD 350	127030	216	X		X												X							X	X						
MINI MD 350 BI	127031	216	X		X												X							X	X						
MINI MD 500	127032	216	X			X											X							X	X						
MINI MD 500 BI	127033	216	X			X											X							X	X						
MINI MD 700	127034	216	X				X										X							X	X						
MINI MD 700 BI	127035	216	X				X										X							X	X						
MINI MD 250 LP	127444	218	X	X													X							X	X						
MINI MD 350 LP	127445	218	X		X												X							X	X						
MINI MD 500 LP	127446	218	X			X											X							X	X						
MINI MD 700 LP	127447	218	X				X										X							X	X						
DC MINI JOLLY MD	127556	220		X	X	X	X	X			X	X	X				X							X	X						
DC MINI JOLLY MD BI	127557	220		X	X	X	X	X			X	X	X				X							X	X						
DC JOLLY MD LC	122262	222		X	X	X					X	X					X	X				X		X	X						
DC JOLLY MD	122260	224		X	X	X					X	X	X				X	X				X		X	X						
DC MAXI JOLLY HC MD	127550	226						X	X	X	X	X					X	X						X	X						
DC MAXI JOLLY HC MD BI	127552	226						X	X	X	X	X					X	X						X	X						
DC MOONLIGHT 180	122100	228									X						X							X	X						
DC MOONLIGHT 350	122091/350	228			X												X							X	X						
DC MOONLIGHT 500	122091/500	228				X											X							X	X						
DC MOONLIGHT 700	122091	228					X										X							X	X						
DC JOLLY TRT	127016	230			X	X	X				X						X							X	X						
DC 36W 350mA DMX VST	122076	232			X												X			X				X	X					X	
DC 36W 350mA DMX VST BI	122077	232			X												X			X				X	X					X	
DC MAXI JOLLY US MIDNIGHT	122416	235			X	X	X	X	X		X											X	X	X			X			X	
DC MAXI JOLLY HV MIDNIGHT	122408	236		X	X	X	X				X											X	X	X			X			X	
DC JOLLY US BILEVEL	122423	238			X	X	X	X			X	X	X										X	X	X	X					
DC JOLLY US BILEVEL N	122423N	238			X	X	X	X			X	X	X									X	X	X	X						
DC MAXI JOLLY US BILEVEL	122418	239			X	X	X	X			X												X	X	X		X			X	
DC MAXI JOLLY US BILEVEL N	122418N	239			X	X	X	X			X												X	X	X		X			X	
DC MAXI JOLLY HV BILEVEL	122414BL	240		X	X	X	X				X												X	X	X		X			X	

NEW - NOVITÀ



## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante				Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY HV BILEVEL N	122414BLN	240			X	X	X	X						X										X	X	X		X			X
DC MAXI JOLLY HC BILEVEL BI	122415BL	241								X	X	X	X										X	X	X		X				X
DC MAXI JOLLY HC BILEVEL N BI	122415BLN	241								X	X	X	X										X	X	X		X				X
DC MINIJOLLY LC PLV	123401PLV	243			X	X								X		X								X	X	X					
DC MINIJOLLY PLV	123406	244				X	X	X	X					X		X								X	X	X					
DC MINIJOLLY PLV BI	123406BI	244				X	X	X	X					X		X								X	X	X					
DC MINIJOLLY HV PLV	123394	246			X	X	X	X						X		X								X	X	X					
DC MINIJOLLY HV PLV BI	123394BI	246			X	X	X	X						X		X								X	X	X					
DC JOLLY US PLV	125425	248				X	X	X	X					X		X								X	X	X					
DC MAXI JOLLY SV PLV	125509	249				X	X	X	X	X				X										X	X						
DC MAXI JOLLY US PLV	123419	250				X	X	X	X	X				X										X	X			X			X
DC MAXI JOLLY HC PLV BI	123415PLV	251								X	X	X	X											X	X	X					X
DC MAXI JOLLY DALI TW 35	127970	252				X	X	X						X						X				X	X						
DC MAXI JOLLY DALI TW 45	127971	252				X	X	X	X					X						X				X	X						
SUPERSLIM 1-10V 230V	127464	254				X	X							X										X	X						
SUPERSLIM 1-10V 230V OF	127464OF	254				X	X							X										X	X						
SUPERSLIM 1-10V 110V	127466	254				X	X							X										X	X						
SUPERSLIM 1-10V 110V OF	127466OF	254				X	X							X										X	X						
DC JOLLY SLIM	123680	256			X	X	X	X						X		X							X	X	X	X					
DC JOLLY SLIM	151680	256	X		X	X	X	X						X		X							X	X	X	X					
DC MAXI JOLLY SLIM	122690	258				X	X	X	X	X				X									X	X	X			X			
DC MAXI JOLLY SLIM HV	122684	260			X	X	X	X						X									X	X	X			X			
DC MAXI JOLLY SVM 65 SLIM	126565	262		X		X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 65 SLIM	127565	262	X			X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 80 SLIM	126567	264		X		X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 80 SLIM	127567	264	X			X	X	X	X	X	X			X		X								X	X	X					
T-LED 80/350 1-10V SLIM	127080	266	X		X	X								X										X	X						X
T-LED 80/500 1-10V SLIM	127081	268	X			X	X							X										X	X						X
T-LED 80/700 1-10V SLIM	127082	270	X			X	X	X						X										X	X						X
SUPERSLIM DALI	127462	272				X	X							X										X	X						
SUPERSLIM DALI OF	127462OF	272				X	X							X										X	X						
SUPERFLAT SLIM DALI	127468	274				X	X							X										X	X						
SUPERFLAT SLIM DALI OF	127468OF	274				X	X							X										X	X						
ATON 30/250-700 DALI	127370	276			X	X	X	X						X										X	X						
ATON 30/250-700 DALI BI	127372	276			X	X	X	X						X										X	X						
DC MAXI JOLLY SLIM DALI	122692	278				X	X	X	X	X				X		X							X	X	X		X				X
DC MAXI JOLLY SLIM HV DALI	122688	280			X	X	X	X						X		X							X	X	X		X				X
DC MAXI JOLLY SVM 65 DALI SLIM	126564	282		X		X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 65 DALI SLIM	127564	282	X			X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 80 DALI SLIM	126566	284		X		X	X	X	X	X	X			X		X								X	X	X					
DC MAXI JOLLY SVM 80 DALI SLIM	127566	284	X			X	X	X	X	X	X			X		X								X	X	X					
T-LED 80/350 DALI SLIM 1%	127091	286		X	X	X								X										X	X						X
T-LED 80/500 DALI SLIM	127086	288	X			X	X							X										X	X						X
T-LED 80/700 DALI SLIM	127087	290	X			X	X	X						X										X	X						X
T-LED 120/350 DALI SLIM H16	127600	292		X	X	X								X										X	X						X
T-LED 120/500 DALI SLIM H16	127602	294		X		X	X							X										X	X						X
DC JOLLY SLIM HV BILEVEL	122685	296			X	X	X	X						X		X								X	X	X		X			
DC JOLLY SLIM HV BILEVEL N	122685N	296			X	X	X	X						X		X								X	X	X		X			

NEW - NOVITÀ



## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante		Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
DC JOLLY SLIM PLV	123681	297			X	X	X				X	X				X							X	X	X					
DC MAXI JOLLY SLIM DALI TW 35	127973	298			X	X	X				X							X						X			X			
DC MAXI JOLLY SLIM DALI TW 60	127974	298			X	X	X				X							X						X			X			
SIRIO 150/200-700	127230	302		X	X	X	X				X													X				X	X	
SIRIO 150/200-700 BI	127240	302		X	X	X	X				X													X				X	X	
SIRIO 150/300-1050	127232	304			X	X	X	X	X		X													X				X	X	
SIRIO 150/300-1050 BI	127242	304			X	X	X	X	X		X													X				X	X	
SIRIO 150/700 ST2	127294	306						X			X													X				X		
SIRIO 150/1050 ST2	127295	307							X		X													X				X		
DC MAXI JOLLY STREET HV	151652CC	308	X		X	X	X	X			X				X								X	X			X			X
SIRIO 100	127200	310		X	X	X	X	X			X				X								X	X			X	X	X	
SIRIO 100 BI	127210	310		X	X	X	X	X			X				X								X	X			X	X	X	
SIRIO 120/1000-2100 BILEVEL	127350	312		X					X	X	X	X			X								X	X	X					
SIRIO 120/1000-2100 BILEVEL BI	127352	312		X					X	X	X	X			X								X	X	X					
SIRIO 150/200-700 1-10V BILEVEL	127224	314	X		X	X	X	X			X				X								X	X				X	X	
SIRIO 150/200-700 1-10V BILEVEL BI	127225	314	X		X	X	X	X			X				X								X	X				X	X	
SIRIO 150/300-1050 1-10V BILEVEL	127222	316	X		X	X	X	X	X		X				X								X	X				X	X	
SIRIO 150/300-1050 1-10V BILEVEL BI	127223	316	X		X	X	X	X	X		X				X								X	X				X	X	
MILANOinLED 20W/200-1050 1PN	145000	318	X		X	X	X	X	X	X	X				X								X	X	X					
MILANOinLED 40W/200-1050 1PN	145001	318	X		X	X	X	X	X	X	X				X								X	X	X					
MILANOinLED 75W/200-1050 1PN	145002	318	X		X	X	X	X	X	X	X				X								X	X		X				
MILANOinLED 110W/200-1050 1PN	145003	318	X		X	X	X	X	X	X	X				X								X	X		X				
MILANOinLED 20W/200-1050 4PN	145010	320	X		X	X	X	X	X	X	X								X				X	X	X					
MILANOinLED 40W/200-1050 4PN	145011	320	X		X	X	X	X	X	X	X								X				X	X	X					
MILANOinLED 75W/200-1050 4PN	145012	320	X		X	X	X	X	X	X	X								X				X	X	X		X			
MILANOinLED 110W/200-1050 4PN	145013	320	X		X	X	X	X	X	X	X								X				X	X	X		X			
MILANOinLED 165W/200-1050 4P	145014	320	X		X	X	X	X	X	X	X								X				X	X	X		X			
SIRIO 150/200-700 FP	127227	322	X		X	X	X	X			X				X								X	X				X	X	
SIRIO 150/200-700 FP BI	127228	322	X		X	X	X	X			X				X								X	X				X	X	
SIRIO 150/300-1050 FP	127231	324	X		X	X	X	X	X		X				X								X	X				X	X	
SIRIO 150/300-1050 FP BI	127241	324	X		X	X	X	X	X		X				X								X	X				X	X	
DALI PROGRAMMER	127099	326																					X	X						
VEGA 75/500-1400 FPD	127800	328	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 100/600-1400 FPD	127801	328	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 150/600-1400 FPD	127802	328	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 200/600-1400 FPD	127803	328	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 75/500-1400 FPD IP67	127804	330	X			X	X	X	X	X	X				X								X	X	X			X	X	
VEGA 100/600-1400 FPD IP67	127805	330	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 150/600-1400 FPD IP67	127806	330	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 200/600-1400 FPD IP67	127807	330	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 250/600-1400 FPD IP67	127808	330	X				X	X	X	X	X				X								X	X	X			X	X	
VEGA 320/700-2100 FPD IP67	127809	330	X				X	X	X	X	X	X			X								X	X	X			X	X	
DC 12W 12V UD	122740	333										X															X			
DC 12W 24V UD	122742	333											X														X			
DC 7W 8V LS	122150	334																									X			
DC 10W 12V LS	122154	334										X															X			
DC 10W 24V LS	122156	334											X														X			
DC 10W 28V LS	122158	334																									X			

NEW - NOVITÀ

## Tabella di scelta LED

Articole Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
DC LED 12V EFU	122320	335												X										X		X						
DC LED 24V EFU	122322	335													X									X		X						
DC 50W 24V VST BI	122772	336													X									X	X							
DC 50W 12V VST BI	122776	336												X										X	X							
DC 50W 48V VST BI	122780	336														X								X	X							
DC 70W 24V VST BI	122770	336													X									X	X							
DC 70W 12V VST BI	122778	336												X										X	X							
DC 70W 48V VST BI	122782	336														X								X	X							
DC 150W 24V VST BI	122774	336													X									X	X							
DC 150W 48V VST BI	122784	336														X								X	X							
DC 50W 24V VST	122752	338													X									X	X							
DC 50W 12V VST	122756	338												X										X	X							
DC 50W 48V VST	122766	338														X								X	X							
DC 70W 24V VST	122750	338													X									X	X							
DC 70W 12V VST	122758	338												X										X	X							
DC 70W 48V VST	122762	338														X								X	X							
DC 150W 24V VST	122754	338													X									X	X							
DC 150W 48V VST	122764	338														X								X	X							
DC 50W 24V VSTII	122752II	340													X									X	X							
DC 50W 12V VSTII	122756II	340												X										X	X							
DC 50W 48V VSTII	122766II	340														X								X	X							
DC 70W 24V VSTII	122750II	340													X									X	X							
DC 70W 12V VSTII	122758II	340												X										X	X							
DC 70W 48V VSTII	122762II	340														X								X	X							
DC 150W 24V VSTII	122754II	340													X									X	X							
DC 30W 12V VPS LP	127900	342												X										X	X							
DC 30W 24V VPS LP	127901	342													X									X	X							
DC 50W 12V VPS LP	127902	342												X										X	X							
DC 50W 24V VPS LP	127903	342													X									X	X							
DC 75W 12V VPS LP	127904	342												X										X	X							
DC 75W 24V VPS LP	127905	342													X									X	X							
DC LED 10V EFUR	122319	344															X							X		X						
DC LED 12V EFUR	122321	344												X										X		X						
DC LED 24V EFUR	122314	344													X									X		X						
DC LED 28V EFUR	122316	344															X							X		X						
DC 22W 24V RGB IR	122264	346													X			X					X	X		X					X	
DC 80W 12V VSTR	122732	348												X				X	X				X	X	X	X	X				X	
DC 120W 24V VSTR	122730	348												X				X	X				X	X	X	X	X				X	
DC 120W 48V VSTR	122734	348														X		X	X				X	X	X	X	X				X	
DC 100W 12V VPS 1-10V	127906	350												X				X						X	X	X						
DC 100W 24V VPS 1-10V	127907	350													X			X						X	X	X						
DC 150W 12V VPS 1-10V	127908	350												X				X						X	X	X						
DC 150W 24V VPS 1-10V	127909	350													X			X						X	X	X						
DC 200W 12V VPS 1-10V	127910	350												X				X						X	X	X						
DC 200W 24V VPS 1-10V	127911	350													X			X						X	X	X						
DC 45W 12V VPS MD	127912	352												X					X					X	X	X						
DC 45W 24V VPS MD	127913	352													X				X					X	X	X						
DC 80W 12V VPS MD	127914	352												X					X					X	X	X						

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
DC 80W 24V VPS MD	127915	352													X			X						X	X	X						
SUPERSLIM 24V	127328	355													X										X	X						
SUPERSLIM 24V OF	127328OF	355													X										X	X						
DC 30W 24V SLIM	127952	356													X										X	X						
DC 60W 24V SLIM	127950	356													X										X	X						
DC 100W 24V SLIM	127954	356													X										X	X						
DC 150W 24V SLIM	127956	356													X										X	X						
DC 30W 24V SLIM R	127953	358													X	X									X	X						
DC 60W 24V SLIM R	127951	358													X	X									X	X						
DC 100W 24V SLIM R	127955	358													X	X									X	X						
DC 150W 24V SLIM R	127957	358													X	X					X				X	X						
DC 70W 24V DALI SLIM	127960	360													X		X	X							X	X						
DCC 15W 350mA/U S IP54	122370	364			X																				X		X					
DCC 12W 500mA/U S IP54	122376	364				X									X										X		X					
DCC 12W 700mA/U S IP54	122372	364					X																		X		X					
DC 8W 350mA STCP/U	122806	366			X										X										X		X					
DC 6W 500mA STCP/U	122807	366				X									X										X		X					
DC 8W 350mA STMP/U	122800	367			X										X										X		X					
DC 6W 500mA STMP/U	122802	367				X									X										X		X					
DC 6W 700mA STMP/U	122804	367					X																		X		X					
DC 10W 8V SLIM/U IP65	122430	368																							X		X					
DC 13W 12V SLIM/U IP65	122432	368													X										X		X					
DC 13W 24V SLIM/U IP65	122434	368														X									X		X					
DC 15W 350mA SLIM/U IP	122440IP	369			X																				X		X					
DC 14W 500mA SLIM/U IP	122448IP	369				X																			X		X					
DC 11W 700mA SLIM/U IP	122441IP	369					X																		X		X					
DC 13W 12V SLIM/U IP	122444IP	369													X										X		X					
DC 13W 24V SLIM/U IP	122442IP	369														X									X		X					
IPR2 12/250	152014/250	370		X																					X	X	X					
IPR2 12/250 LO	152016/250	370		X																					X	X	X					
IPR2 17/350	152014/350	370			X																				X	X	X					
IPR2 17/350 LO	152016/350	370			X																				X	X	X					
IPR2 24/500	152014/500	370				X																			X	X	X					
IPR2 24/500 LO	152016/500	370				X																			X	X	X					
IPR2 30/700	152014/700	370					X																		X	X	X					
IPR2 30/700 LO	152016/700	370					X																		X	X	X					
IPR1 25/500 SV	152001/500	372				X																			X	X	X					
IPR1 25/500 SV LO	152002/500	372				X																			X	X	X					
IPR1 35/700 SV	152001/700	372					X																		X	X	X					
IPR1 35/700 SV LO	152002/700	372					X																		X	X	X					
IPR1 45/900 SV	152001/900	372						X																	X	X	X					
IPR1 45/900 SV LO	152002/900	372						X																	X	X	X					
IPR1 52/1050 SV	152001/1050	372							X																X	X	X					
IPR1 52/1050 SV LO	152002/1050	372							X																X	X	X					
IPR1 60/1200 SV	152001/1200	372								X															X	X	X					
IPR1 60/1200 SV LO	152002/1200	372								X															X	X	X					
IPR1 70/1400 SV	152001/1400	372									X														X	X	X					
IPR1 70/1400 SV LO	152002/1400	372									X														X	X	X					

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MINI JOLLY DALI IPR2	152010	374	X	X	X	X	X					X						X				X	X	X						
DC MINI JOLLY DALI IPR2 LO	152012	374	X	X	X	X	X					X						X				X	X	X						
DC MAXI JOLLY SV DALI IPR1	152004	376	X			X	X	X	X			X						X				X	X	X						
DC MAXI JOLLY SV DALI IPR1 LO	152006	376	X			X	X	X	X			X						X				X	X	X						
DC 70W 12V ST2	122477	378										X											X	X						
DC 70W 24V ST2	122479	378											X										X	X						
DC 70W 48V ST2	122481	378												X									X	X						
DC 150W 24V ST2	122511	378											X										X	X						
DC 150W 48V ST2	122513	378												X									X	X						
DC 70W 12V ST2 CLII	122476	379										X											X	X						
DC 70W 24V ST2 CLII	122478	379											X										X	X						
DC 70W 48V ST2 CLII	122480	379												X									X	X						
DC 150W 24V ST2 CLII	122482	379											X										X	X						
DC10W350mA TU - IP68	122713RES	380			X																	X		X						
DC17W700mA TU - IP68	122717RES	380					X															X		X						
DC20W24V T - IP68	122715RES	380											X												X					
LV HR 350mA	122652	384																						X						
LV HR 500mA	122654	384			X																			X						
LV HR 700mA	122656	384				X																		X						
LV Micro Z 350	122666	385					X																	X						
LV RGB 250mA	122662	386		X																			X						X	
LV RGB 350mA	122660	386			X																		X						X	
LV RGB 500mA	122661	386				X																	X						X	
LV RGB 350mA IR	122090	388			X																X		X						X	
LV RGB 12/24 IR	122092	388										X	X								X		X						X	
SED 4.5A R57	120300	390										X	X		X	X							X						X	
DCC LV 2x24V DALI	120304	392											X						X				X							
ELED HP	123023	396										X	X	X												X				
ELED HP BI	123024	396										X	X	X												X				
ELED HP/3	123023/3	396										X	X	X												X				
ELED HP/3 BI	123024/3	396										X	X	X												X				
ELED HP	123025	396										X	X	X												X				
ELED HP BI	123026	396										X	X	X												X				
ELED HP/3	123025/3	396										X	X	X												X				
ELED HP/3 BI	123026/3	396										X	X	X												X				
ELED LP	123032	398																								X				
ELED LP BI	123033	398																								X				
ELED LP/1	123034	398																								X				
ELED LP/1 BI	123036	398																								X				
ELED LP	123035	398																								X				
ELED LP BI	123037	398																								X				
ELED HP SLIM	123028	400																								X				
ELED HP/3 SLIM	123028/3	400																								X				
ELED HP SLIM	123029	400																								X				
ELED HP/3 SLIM	123029/3	400																								X				
ELBT	123013	404																									X			
ELBT-3	123013/3	404																									X			
ELHT	123012	406																									X			

NEW - NOVITÀ



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
GA-016 BI	127473DI	442					X				X													X	X						
GA-016-G2 Wh	127923	443					X	X			X													X	X						
GA-016-G2 Gr	127924	443					X	X			X													X	X						
GA-016-G2 BI	127922	443					X	X			X													X	X						
GAC-616 Wh	127581	444			X	X	X				X								X					X	X						
GAC-616 Gr	127582	444			X	X	X				X								X					X	X						
GAC-616 BI	127583	444			X	X	X				X								X					X	X						
LV HR TRACK 357 OF	126032OF	446			X	X	X				X											X		X							
LV HR TRACK 246 OF	126031OF	446									X											X		X							
LV HR TRACK 1-10V 357 OF	126038OF	447	X		X	X	X				X				X									X							
LV HR TRACK 1-10V 246 OF	126037OF	447	X								X													X							
LV HR TRACK DALI 350 OF	126034/350OF	448			X														X					X							
LV HR TRACK DALI 500 OF	126034/500OF	448				X													X					X							
LV HR TRACK DALI 700 OF	126034/700OF	448					X												X					X							
LV 48V CV 1-10V OF	126045OF	450													X									X							
LV 48V CV DALI OF	126044OF	451													X									X							
MW 70 LED DIMM	119772	454																	X					X	X						
MW 70 LED	119773	455																						X	X						
W 105 LED	119812	456																	X					X	X						
W 105 LED PWM	119814	456															X					X		X	X						
ETD2E9	180427	458																	X												
ETDU29	180426	459																	X												
SCU-EVG	180341	460														X															
REG 1-10 V	123999L	461														X															
DCC DALI INTERFACE	122099	462																		X						X					
DALI POWER POTI	180294	464																		X											
DALI POWER POTI TW	180342	464																		X											
EASY DMX	180421	465																			X										X
PRO DMX	180422A	465																			X										X
BMU DMX INTERFACE	122066	466																			X										X
TOUCH PANEL DMX	180423	468																			X										X
DC RVLN A	120295FF	470																							X						
DC RVLN B	120295C	470																							X						
DC RVLN C	120295	470																							X						
FM EMI FILTER	119897	472																					X								
EMI FILTER	119899	472																						X							
EMI FILTER GND	119895	472																						X							