

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US ZB3	151570	4	X		X	X	X	X	X	X	X			X		X	X						X	X			X				X
DC MAXI JOLLY SV ZB3	151572	6	X		X	X	X	X	X	X				X		X	X						X	X		X					X
PROFESSIONALE ZB3	122576	8	X		X	X	X	X	X	X				X		X	X						X	X							
PROFESSIONALE ZB3 BI	122577	8	X		X	X	X	X	X	X				X		X	X						X	X							
MINI ZB3 INTERFACE	122553	10										X	X		X	X		X				X	X	X	X					X	
GEWISS GWA 1501	181501	11													X									X							
GEWISS GWA 1502	181502	11													X																
GEWISS GWA 1521	181521	11													X																
GEWISS GWA 1523	181523	11													X																
GEWISS GWA 1531	181531	11													X																
GEWISS GWA 1511	181511	11													X										X						
GEWISS GWA 1512	181512	12													X										X						
GEWISS GWA 1513	181513	12													X										X						
GEWISS GWA 1514	181514	12													X										X						
GEWISS GWA 1706	181706	12													X																
ZIGBEE 3.0 TO DALI DT6-DT8 CONTROLLER	181204	13													X	X															
ZIGBEE 3.0 WIRELESS DIMMER SWITCH	181207	13													X	X									X						
ZIGBEE 3.0 LED DIMMER / SR-ZG9101CS	181208	13			X		X				X				X	X								X							
DC MAXI JOLLY US CASAMBI	127644	14	X		X	X	X	X	X	X				X		X	X						X	X		X					X
DC MAXI JOLLY SV CASAMBI	127645	16	X		X	X	X	X	X	X				X		X	X						X	X	X						X
PROFESSIONALE CASAMBI	127630	18	X		X	X	X	X	X	X				X		X	X							X	X						
PROFESSIONALE CASAMBI BI	127631	18	X		X	X	X	X	X	X				X		X	X							X	X						
PROFESSIONALE CASAMBI NFC	127648	20	X								X				X	X								X	X						
PROFESSIONALE CASAMBI NFC BI	127649	20	X								X				X	X								X	X						
PROFESSIONALE HC CASAMBI	127660	22	X				X	X	X	X				X		X	X							X	X						
PROFESSIONALE HC CASAMBI BI	127662	22	X				X	X	X	X				X		X	X							X	X						
PROFESSIONALE CASAMBI TW	127646	24	X		X										X	X								X	X						
PROFESSIONALE CASAMBI TW BI	127647	24	X		X										X	X								X	X						
T-LED 60/80-400 CASAMBI NFC	141250	26	X								X				X	X								X				X			
DALI CASAMBI INTERFACE	127659	28													X	X		X							X						
DALI CASAMBI INTERFACE BI	127658	28													X	X		X							X						
MINI CASAMBI INTERFACE TW	127637	30													X	X	X						X		X						
MINI CASAMBI INTERFACE RGBW	127638	30													X	X	X						X		X						X
DC 120W 24V VSTR CASAMBI	127641	32									X		X		X	X								X	X						X
GA CASAMBI	127634	34			X	X	X				X				X									X	X						
GA CASAMBI	127635	34			X	X	X				X				X									X	X						
GA CASAMBI	127636	34			X	X	X				X				X									X	X						
MILANOinTRACK 31/325-700 CASAMBI	127664	35	X		X	X	X				X				X									X	X						
MILANOinTRACK 31/325-700 CASAMBI	127665	35	X		X	X	X				X				X									X	X						
MILANOinTRACK 31/325-700 CASAMBI	127666	35	X		X	X	X				X				X									X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127884	36	X		X	X	X	X	X		X				X									X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127885	36	X		X	X	X	X	X		X				X									X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127886	36	X		X	X	X	X	X		X				X									X	X						
CASAMBI CBU-ASD-C-3100	181220	38													X	X		X													
CASAMBI CBU-ASR-C-4423	181223	38													X	X		X													
CASAMBI CBU-PWM4-0-C-4027 (CE)	181221	38									X	X			X										X						X
CASAMBI CBU-PWM4-4-C-4027 (UL)	181222	38									X	X			X										X						X
CASAMBI CBU-TED-C-526	181224	38													X			X													

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																					
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX			
CASAMBI CBU-DCS-C-8079	181225	38												X				X																	
CASAMBI XPRESS-W-C-239	181226	38																								X									
CASAMBI XPRESS-B-C-239	181227	38												X	X											X									
CASAMBI CBU-A2D-E-11503	181228	38												X	X			X				X													
DC MAXI JOLLY US BLL	135006	40			X	X	X	X	X			X		X	X									X	X			X							
DC MAXI JOLLY US BLL EX	135020	40			X	X	X	X	X			X		X	X									X	X			X							
DC MAXI JOLLY SV BLL	135021	42			X	X	X	X	X			X		X	X									X	X		X								
DC MAXI JOLLY SV BLL EX	135022	42			X	X	X	X	X			X		X	X									X	X		X								
DC MAXI JOLLY HC BLL/2	135001	44							X	X	X	X		X	X									X	X		X							X	
DC MAXI JOLLY HC BLL BI	135000	44							X	X	X	X		X	X									X	X		X								X
DC MAXI JOLLY HC BLL/2 EX	135013	44							X	X	X	X		X	X									X	X		X								X
DC MAXI JOLLY HC BLL BI EX	135011	44							X	X	X	X		X	X									X	X		X								X
MILANOinTRACK 31/325-700 BLL	135050	46			X	X	X					X		X										X	X										
MILANOinTRACK 31/325-700 BLL	135051	46			X	X	X					X		X										X	X										
MILANOinTRACK 31/325-700 BLL	135052	46			X	X	X					X		X										X	X										
MILANOinTRACK 31/325-700 BLL PIR	135053	46			X	X	X					X		X										X	X										
MILANOinTRACK 31/325-700 BLL PIR	135054	46			X	X	X					X		X										X	X										
MILANOinTRACK 31/325-700 BLL PIR	135055	46			X	X	X					X		X										X	X										
MILANOinTRACK 40/675-1050 BLL	135056	48					X	X	X			X		X										X	X										
MILANOinTRACK 40/675-1050 BLL	135057	48					X	X	X			X		X										X	X										
MILANOinTRACK 40/675-1050 BLL	135058	48					X	X	X			X		X										X	X										
MILANOinTRACK 40/675-1050 BLL PIR	135064	48					X	X	X			X		X										X	X										
MILANOinTRACK 40/675-1050 BLL PIR	135065	48					X	X	X			X		X										X	X										
MILANOinTRACK 40/675-1050 BLL PIR	135066	48					X	X	X			X		X										X	X										
LV RGBW 500mA BLL	135002	50				X								X	X																				X
LV RGBW 500mA BLL EX	135003	50				X								X	X																				X
LV HR TRACK BLL OF	135048OF	52			X	X	X					X		X											X										
BLL DALI INTERFACE	135009	53												X				X						X		X									X
BLL DALI INTERFACE EX	135016	53												X				X						X		X									X
MINI BLL INTERFACE	135008	54												X	X									X		X									X
MINI BLL INTERFACE EX	135015	54												X	X									X		X									X
SED DCC 2CH BLL	135036	56												X											X	X									
SED DCC 2CH BLL EX	135037	56												X											X	X									
SED 4CH BLL/2	135043	57												X	X										X	X								X	
SED 4CH BLL EX/2	135044	57												X	X										X	X									X
BLL PIR DAYLIGHT V1	135097	58												X										X											
BLL PIR DAYLIGHT BI V1	135101	58												X												X									
BLL PIR DAYLIGHT V2	135098	58												X											X										
BLL PIR DAYLIGHT BI V2	135102	58												X												X									
BLL PIR DAYLIGHT V3	135099	58												X											X										
BLL PIR DAYLIGHT BI V3	135103	58												X												X									
BLL PIR DAYLIGHT V4	135100	58												X												X									
BLL PIR DAYLIGHT BI V4	135104	58												X												X									
BLL USB DONGLE	135033	60												X												X									
MINI BLL GATEWAY White	135086	60												X												X									
MINI BLL GATEWAY Black	135086B	60												X												X									
BLL 2CH ACTUATOR	135045	60										X	X	X	X																				
BLL 2CH ACTUATOR EX	135047	60										X	X	X	X																				

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
SWITCH 3P BLL	135081	60														X	X									X					
SWITCH 3P BLL EX	135082	60														X	X									X					
SWITCH 3P BLL	135080	60														X	X														
GATEWAY IOT 4G BLL	122547BLL	60														X															
GATEWAY IOT BLL	122556BLL	60														X															
MINI ZD LIGHT INTERFACE	122552	62														X	X		X				X	X							
ZD LIGHT INTERFACE II ECO	122546	64														X	X						X	X							
ZD LIGHT INTERFACE II ECO M06	122560	64														X	X						X	X							
ZHAGA ZD LIGHT SOCKET	122584CC	66														X			X					X							
ZD LIGHT INTERFACE II ECO COORDINATOR	122548	67														X								X							
ZD LIGHT INTERFACE II ECO COORDINATOR M06	122562	67														X								X							
ZD 12MDIN	122564	68														X								X							
BULL 9W 250mA HPFU	141133	72		X																			X	X	X						
BULL 8W 350mA HPFU	141132	72			X										X								X	X	X						
BULL 6W 500mA HPFU	141131	72				X									X								X	X	X						
STC 8W 350mA HPFU	141050	73			X											X							X	X	X						
STC 9W 350mA HPFU	141052	73			X																		X	X	X						
STC 6W 500mA HPFU	141054	73				X									X								X	X	X						
STM 9W 250mA HPFU	127719	74		X																			X	X	X						
STM 8W 350mA HPFU	127715	74			X											X							X	X	X						
STM 10W 350mA HPFU	127716	74			X																		X	X	X						
STM 6W 500mA HPFU	127717	74				X									X								X	X	X						
STM 8W 700mA HPFU	127718	74					X								X								X	X	X						
DCC 10W 250mA HPFU	127699	75		X																			X	X	X						
DCC 12W 500mA HPFU	127711	75				X																	X	X	X						
DCC 12W 700mA HPFU	127712	75					X																X	X	X						
DCC 15W 350mA HPFU	127713	75			X																		X	X	X						
DCCH 12W 250/350mA HPF	141092	76		X	X																			X	X						
DCCH 7W 140/180mA HPF	141090	76									X													X	X						
SLIM 15W 350mA HPFU	141110	77			X																		X	X	X						
SLIM 14W 500mA HPFU	141112	77				X																	X	X	X						
SLIM 11W 700mA HPFU	141114	77					X																X	X	X						
SLIM 13W 12V HPFU	141120	77													X								X	X	X						
SLIM 13W 24V HPFU	141122	77														X							X	X	X						
AR 14W 350mA HPFU	141065	78			X																		X	X	X						
AR 12W 550mA HPFU	141067	78										X		X									X	X	X						
BMU 12W 350mA HPFU	141070	79			X																		X	X	X						
BMU 12W 500mA HPFU	141072	79				X																	X	X	X						
BMU 12W 700mA HPFU	141074	79					X																X	X	X						
DC 10W 350mA KU3	127303A	80			X																		X	X	X						
DC 10W 700mA KU3	127302A	80					X																X	X	X						
DC 10W 12V KU3	127304A	80													X								X	X	X						
DC 10W 24V KU3	127305A	80														X							X	X	X						
DC 15W 350mA R HPFU	122254H	81			X																	X	X	X	X						
DC 20W 700mA R HPFU	122251H	81					X																X	X	X	X					
DC 8W 12V R HPFU	122253H	81													X							X	X	X	X						
DC 18W 350mA W HPF	127132	82			X																			X	X	X					
DC 16W 400mA W HPF	127133	82										X												X	X	X					

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 20W 500mA W HPF	127134	82				X																			X	X					
DC 25W 600mA W HPF	127131	82									X														X	X					
DC 25W 700mA W HPF	127130	82					X																	X	X						
DC 23W 900mA W HPF	127138	82						X																X	X						
DC 22W 1050mA W HPF	127136	82							X															X	X						
SUPER PRO 13/300	127546N	84									X													X	X						
SUPER PRO 13/300 BI	127546BI	84									X													X							
SUPER PRO 16/350	127530N	84			X																			X	X						
SUPER PRO 16/350 BI	127531	84			X																			X	X						
SUPER PRO 23/500	127532N	84				X																		X	X						
SUPER PRO 23/500 BI	127533	84				X																		X	X						
SUPER PRO 32/700	127534N	84					X																	X	X						
SUPER PRO 32/700 BI	127535	84					X																	X	X						
SUPER PRO 38/900	127536N	84						X																X	X						
SUPER PRO 38/900 BI	127537	84						X																X	X						
SUPER PRO 42/1050	127538N	84							X															X	X						
SUPER PRO 42/1050 BI	127539	84							X															X	X						
PRO FLAT 12/250	127110	86		X																				X	X						
PRO FLAT 12/250 BI	127111	86		X																				X	X						
PRO FLAT 13/300	127112	86									X													X	X						
PRO FLAT 13/300 BI	127113	86									X													X	X						
PRO FLAT 15/350	127114	86			X																			X	X						
PRO FLAT 15/350 BI	127115	86			X																			X	X						
PRO FLAT 22/500	127116	86				X																		X	X						
PRO FLAT 22/500 BI	127117	86				X																		X	X						
PRO FLAT 30/700	127118	86					X																	X	X						
PRO FLAT 30/700 BI	127119	86					X																	X	X						
PRO FLAT 36/900	127120	86						X																X	X						
PRO FLAT 36/900 BI	127121	86						X																X	X						
PRO FLAT 40/1050	127122	86							X															X	X						
PRO FLAT 40/1050 BI	127123	86							X															X	X						
PROFESSIONALE 2X350	142030	88			X																			X	X						
PROFESSIONALE 2X350 BI	142032	88			X																			X	X						
PROFESSIONALE 2X500	142034	90				X																		X	X						
PROFESSIONALE 2X500 BI	142036	90				X																		X	X						
MSE 10/350-500	127620	92			X	X																		X	X						
MP 15 HPFU	127710	95		X	X						X													X	X	X					
ECO FLAT 10W 90/140/190/240	122281	96									X															X					
ECO FLAT 15W 250/275/325/350	122282	96		X	X						X															X					
ECO FLAT 21W 350/400/450/500	122283	96			X	X					X															X					
ECO FLAT 30W 550/600/700/750	122284	96					X				X															X					
ECO FLAT 40W 800/900/950/1050	122285	96						X	X		X															X					
UNIVERSALE 20	122201	98		X	X	X	X				X	X													X	X					
UNIVERSALE 20 BI	122201BI	98		X	X	X	X				X	X													X	X					
UNIVERSALE 20 LC	122203	100		X	X						X	X													X	X					
UNIVERSALE 20 LC BI	122203BI	100		X	X						X	X													X	X					
UNIVERSALE 20 HC	122198	102			X	X	X	X			X	X													X	X	X				
UNIVERSALE 20 HC BI	122199	102			X	X	X	X			X	X													X	X	X				

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
MP 32 K2	122200	104			X	X	X	X				X	X	X										X	X	X					
MP 32 BI	122454	104			X	X	X	X				X	X	X										X	X	X					
MP 32 HV K2	122202	106		X	X	X	X					X	X											X	X	X					
MP 32 HV BI	122456	106		X	X	X	X					X	X											X	X	X					
PRO FLAT 22	127570	108		X	X	X						X												X	X						
PRO FLAT 22 BI	127571	108		X	X	X						X												X	X						
PRO FLAT 30	127572	110			X	X	X					X												X	X						
PRO FLAT 30 BI	127573	110		X	X	X	X					X												X	X						
PRO FLAT 40	127574	112			X	X	X	X	X			X												X	X						
PRO FLAT 40 BI	127575	112			X	X	X	X	X			X												X	X						
PROFESSIONALE 34	127480N	114		X	X	X	X					X												X	X						
PROFESSIONALE 34 BI	127482	114		X	X	X	X					X												X	X						
PROFESSIONALE 42	127484N	116			X	X	X	X	X			X												X	X						
PROFESSIONALE 42 BI	127486	116			X	X	X	X	X			X												X	X						
PROFESSIONALE IN 42	127693	118			X	X	X	X	X			X												X	X						
PROFESSIONALE HC	127690	120					X	X	X			X												X	X						
PROFESSIONALE HC BI	127692	120					X	X	X			X												X	X						
PROFESSIONALE IN 52	127483	122					X	X	X	X		X												X	X						
PROFESSIONALE SQUARE NFC	142024	124		X	X	X	X	X	X			X												X	X						
MP 32 TC	122172	126			X	X	X	X				X	X	X										X	X	X					
MP 50 TC	122160	127			X	X	X	X	X			X												X	X		X				X
SMART 50	122220	128			X	X	X	X	X			X														X					
SMART 50 BI	122219	128			X	X	X	X	X			X													X		X				
MP 50 K3	122204	130			X	X	X	X	X			X												X	X		X				X
MP 50 BI	122460	130			X	X	X	X	X			X												X	X		X				X
MP 50 SV K3	127500	132			X	X	X	X	X			X												X	X	X					X
MP 50 SV BI	127501	132			X	X	X	X	X			X												X	X	X					X
MP 55 1400 S BI	122207BI	134							X	X		X												X	X						
MP 55 HC/2	127310	136						X	X	X		X												X	X	X					X
MP 55 HC BI	122208	136						X	X	X		X												X	X	X					X
MP 55 1400/2	127310/14	136						X	X			X												X	X	X					X
MP 55 1400 BI	122208/14	136						X	X			X												X	X	X					X
MP 55/120 HC/2	127154	138						X	X			X												X	X	X					X
MP 55/120 HC BI	127156	138						X	X			X												X	X	X					X
MP 65 H/2	127071	140			X	X	X	X	X			X												X	X		X				X
MP 65 HBI	127051	140			X	X	X	X	X			X												X	X		X				X
SMART 70	127402	142			X	X	X	X	X			X												X		X					
SMART 70 BI	127400	142			X	X	X	X	X			X												X		X					
ATON PRO 22/125-500	127680	144		X	X	X						X												X	X						
ATON PRO 22/125-500 BI	127681	144		X	X	X						X												X	X						
ATON PRO 30/350-725	127682	146			X	X	X					X												X	X						
ATON PRO 30/350-725 BI	127683	146			X	X	X					X												X	X						
ATON PRO 38/150-1050 NFC	127688	148										X												X	X						
ATON PRO 38/150-1050 NFC BI	127689	148										X												X	X						
ATON PRO 40/300-1050	127684	150			X	X	X	X	X			X												X	X						
ATON PRO 40/300-1050 BI	127685	150			X	X	X	X	X			X												X	X						
ATON 30/250-700	127362	152		X	X	X	X					X												X	X						
ATON 30/250-700 BI	127360	152		X	X	X	X					X												X	X						

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	OTHER	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
ATON 30/700-1400	127364	154					X	X	X	X	X															X	X					
ATON 30/700-1400 BI	127366	154					X	X	X	X	X															X	X					
SUPERSLIM	127330	156			X	X						X														X	X					
SUPERSLIM OF	127330OF	156			X	X						X														X	X					
SUPERSLIM MM	127335	157			X	X						X														X	X					
SUPERSLIM MM OF	127335OF	157			X	X						X														X	X					
SUPERSLIM HC	127336	158										X														X	X					
SUPERSLIM HC OF	127336OF	158										X														X	X					
MP 32 SLIM	123676	159			X	X	X	X				X		X											X	X	X					
DC SVM 52/300-1400 NFC	127563	160										X														X	X					
MP 65/1150 SVM SLIM	127561	162			X	X	X	X				X														X	X					
MP 65/1400 SVM SLIM	127562	163			X	X	X	X	X	X	X	X													X	X	X					
MP 70/1400 SVM SLIM	127560	164			X	X	X	X	X	X	X	X														X	X					
MP 80/1400 SVM SLIM	127568	165			X	X	X	X	X	X	X	X														X	X					
RUS 50/350 SLIM	126112	166			X	X						X														X						X
MPSE 40/350 SLIM	127527	167			X	X						X														X						X
MPSE 40/700 SLIM	127523	168			X	X	X					X														X						X
MPSE 55/350 SLIM	127524	169			X	X						X														X						X
MPSE 55/700 SLIM	127526	170			X	X	X					X														X						X
MP 80/350 SLIM	122212	171			X	X						X														X						X
MP 80/500 SLIM	122214I	172			X	X						X														X						X
MP 80/700 SLIM	122213	173			X	X	X					X														X						X
MP 120/700 SLIM	127676	174			X	X	X					X														X						X
MPX 100/350 277V SLIM	127671	175			X	X						X														X	X					X
MPX 120/700 277V SLIM	127172	176			X	X	X					X														X	X					X
MPX 165/800 SLIM	127678	177			X	X	X					X														X	X					X
MPXM 165/900 SLIM	127725	178				X	X					X														X	X					X
DC 9W 350mA RD57 HPF	127342A	182			X								X		X	X												X				
MSE 10/350-500 1-10V	127624	183	X		X	X									X											X	X					
DC MINI JOLLY	125400	184		X	X	X	X	X	X			X	X	X												X	X	X				
DC MINI JOLLY	151400	184	X		X	X	X	X	X			X														X	X	X				
DC MINI JOLLY BI	125404	184		X	X	X	X	X	X			X	X	X												X	X	X				
DC MINI JOLLY BI	151404	184	X		X	X	X	X	X			X														X	X	X				
DC MINI JOLLY LC	151401	186	X		X	X						X														X	X	X				
DC MINI JOLLY LC BI	151401BI	186	X		X	X						X														X	X	X				
DC MINI JOLED	127104	188			X							X														X	X	X				
DC JOLLY US	126421	190		X	X	X	X	X	X			X	X	X											X	X	X	X				
DC JOLLY US	151421	190	X		X	X	X	X	X			X														X	X	X				
DC JOLLY US BI	126450	190		X	X	X	X	X	X			X	X	X											X	X	X	X				
DC JOLLY US BI	151450	190	X		X	X	X	X	X			X														X	X	X				
DC JOLLY HC MV	127021	192			X	X	X	X	X			X														X	X					
DC JOLLY HC BI	127022	192			X	X	X	X	X			X														X	X					
JOLLY DIN	127100	194			X	X	X	X	X			X	X	X												X	X					
PROFESSIONALE 1-10V	127496	196	X		X	X	X	X	X			X														X	X					
PROFESSIONALE 1-10V BI	127497	196	X		X	X	X	X	X			X														X	X					
DC MAXI JOLLY US	127411	198		X	X	X	X	X	X			X													X	X	X		X			X
DC MAXI JOLLY US	151411	198	X		X	X	X	X	X			X														X	X			X		X
DC MAXI JOLLY US BI	125462	198		X	X	X	X	X	X			X													X	X	X		X			X

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
DC MAXI JOLLY US BI	151462	198	X		X	X	X	X	X	X	X					X	X						X	X			X					X
DC MAXI JOLLY TC	123162	200			X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY SV	125502	202		X	X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY SV BI	151502	202	X		X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY SV BI	125503A	202		X	X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY SV BI	151503	202	X		X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY HV	127414	204		X	X	X	X	X							X								X	X	X			X				X
DC MAXI JOLLY HV	151414	204	X		X	X	X	X							X								X	X	X			X				X
DC MAXI JOLLY HV BI	127414BI	204		X	X	X	X	X							X								X	X	X			X				X
DC MAXI JOLLY HV BI	151414BI	204	X		X	X	X	X							X								X	X	X			X				X
DC MAXI JOLLY HC/2	123312	206								X	X	X	X										X	X	X		X					X
DC MAXI JOLLY HC BI	123415	206								X	X	X	X										X	X	X		X					X
DC MAXI JOLLY HC/2	151312	208	X							X	X	X	X										X	X	X		X					X
DC MAXI JOLLY HC BI	151415	208	X							X	X	X	X										X	X	X		X					X
DC MAXI JOLLY HC TC	123168	210								X	X	X	X										X	X	X		X					X
DC MAXI JOLLY H/2	127072	212			X	X	X	X	X	X					X								X	X	X		X					X
DC MAXI JOLLY HBI	127052	212			X	X	X	X	X	X					X								X	X	X		X					X
MSE 6/350-500 DALI	127621	214	X		X	X													X	X				X	X		X					
MSE 10/350-500 DALI	127622	214	X		X	X													X	X					X	X		X				
MSE 12/250-350 DALI	127623	214	X		X	X													X	X					X	X		X				
DC MINI JOLLY DALI	125403	216		X	X	X	X	X				X		X									X	X	X		X					
DC MINI JOLLY DALI	151403	216	X		X	X	X	X				X								X				X	X	X		X				
DC MINI JOLLY DALI BI	125403BI	216		X	X	X	X	X				X		X									X	X	X		X					
DC MINI JOLLY DALI BI	151403BI	216	X		X	X	X	X				X								X				X	X	X		X				
DC MINI JOLLY LC DALI	151395	218	X									X											X	X	X		X					
DC MINI JOLLY LC DALI BI	151396	218	X									X											X	X	X		X					
PRO FLAT LC DALI	127600	220	X		X	X	X					X							X	X					X	X		X				
PRO FLAT LC DALI BI	127602	220	X		X	X	X					X							X	X					X	X		X				
PRO FLAT DALI	127576	222	X		X	X	X	X				X							X	X					X	X		X				
PRO FLAT DALI BI	127577	222	X		X	X	X	X				X							X	X					X	X		X				
PRO FLAT 38 DALI NFC	142014	224	X									X							X	X					X	X		X				
PRO FLAT 38 DALI NFC BI	142015	224	X									X							X	X					X	X		X				
DC JOLLY DALI	125424	226		X	X	X	X	X				X	X	X					X				X	X	X		X					
DC JOLLY DALI	151424	226	X		X	X	X	X				X								X				X	X	X		X				
DC JOLLY DALI BI	125458	226		X	X	X	X	X				X	X	X					X				X	X	X		X					
DC JOLLY DALI BI	151458	226	X		X	X	X	X				X								X				X	X	X		X				
JOLLY EASY DALI	151100	228	X		X	X	X	X	X			X	X	X					X	X	X				X	X	X					
JOLLY EASY DALI BI	151102	228	X		X	X	X	X	X			X	X	X					X	X	X				X	X	X					
JOLLY 38 DALI NFC	151080	230	X									X								X	X				X	X		X				
JOLLY 38 DALI NFC BI	151082	230	X									X								X	X				X	X		X				
PROFESSIONALE IN DALI 20	127508	232	X		X	X	X					X							X	X					X	X		X				
PROFESSIONALE 20 DALI NFC	142011	234	X									X								X	X				X	X		X				
PROFESSIONALE 20 DALI NFC BI	142013	234	X									X								X	X				X	X		X				
PROFESSIONALE DALI	127490	236	X		X	X	X	X	X			X								X	X				X	X		X				
PROFESSIONALE DALI BI	127492	236	X		X	X	X	X	X			X								X	X				X	X		X				
PROFESSIONALE DALI NFC	142010	238	X									X								X	X				X	X		X				
PROFESSIONALE DALI NFC BI	142012	238	X		X	X	X	X	X			X								X	X				X	X		X				
PROFESSIONALE SQUARE DALI NFC	142020	240	X		X	X	X	X	X			X								X	X				X	X		X				

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
PROFESSIONALE HC DALI	127510	242	X				X	X	X	X	X						X	X						X	X								
PROFESSIONALE HC DALI BI	127512	242	X				X	X	X	X	X						X	X						X	X								
PROFESSIONALE IN DALI 40	127481	244	X		X	X	X	X	X								X	X						X	X								
PROFESSIONALE IN DALI 52	127485	246	X				X	X	X	X							X	X						X	X								
PROFESSIONALE DALI LS TC	127493	248	X		X	X	X	X	X								X	X						X	X								
DC MAXI JOLLY SV DALI 40	125506	250		X	X	X	X	X	X								X	X	X				X	X	X	X						X	
DC MAXI JOLLY SV DALI 40	151506	250	X		X	X	X	X	X								X	X	X					X	X	X	X					X	
DC MAXI JOLLY SV DALI 40 BI	125507	250		X	X	X	X	X	X								X	X	X				X	X	X	X						X	
DC MAXI JOLLY SV DALI 40 BI	151507	250	X		X	X	X	X	X								X	X	X					X	X	X	X					X	
DC MAXI JOLLY SV DALI	125504	252		X	X	X	X	X	X								X	X	X				X	X	X	X						X	
DC MAXI JOLLY SV DALI	151504	252	X		X	X	X	X	X								X	X	X					X	X	X	X					X	
DC MAXI JOLLY SV DALI BI	125505A	252		X	X	X	X	X	X								X	X	X				X	X	X	X						X	
DC MAXI JOLLY SV DALI BI	151505	252	X		X	X	X	X	X								X	X	X					X	X	X	X					X	
DC MAXI JOLLY US DALI	127413	254		X	X	X	X	X	X								X	X	X				X	X	X		X					X	
DC MAXI JOLLY US DALI	151413	254	X		X	X	X	X	X								X	X	X					X	X		X					X	
DC MAXI JOLLY US DALI BI	125464	254		X	X	X	X	X	X								X	X	X				X	X	X		X					X	
DC MAXI JOLLY US DALI BI	151464	254	X		X	X	X	X	X								X	X	X					X	X		X					X	
DC MAXI JOLLY TC DALI	123164	256			X	X	X	X	X								X	X	X				X	X	X	X						X	
DC MAXI JOLLY HV DALI	127409	258		X	X	X	X	X									X	X	X				X	X	X		X					X	
DC MAXI JOLLY HV DALI	151409	258	X		X	X	X	X									X	X	X					X	X		X					X	
DC MAXI JOLLY HV DALI BI	127409BI	258		X	X	X	X	X									X	X	X				X	X	X		X					X	
DC MAXI JOLLY HV DALI BI	151409BI	258	X		X	X	X	X									X	X	X					X	X		X					X	
DC MAXI JOLLY HC/2 DALI	123314	260							X	X	X	X					X	X	X				X	X	X	X						X	
DC MAXI JOLLY HC DALI BI	123417	260							X	X	X	X					X	X	X				X	X	X	X						X	
DC MAXI JOLLY HC/2 DALI	151314	262	X						X	X	X	X					X	X	X					X	X	X	X					X	
DC MAXI JOLLY HC DALI BI	151417	262	X						X	X	X	X					X	X	X					X	X	X	X					X	
DC MAXI JOLLY HC DALI TC	123170	264							X	X	X	X					X	X	X				X	X	X	X						X	
DC MAXI JOLLY DALI H/2	127074	266			X	X	X	X	X								X	X	X				X	X	X		X					X	
DC MAXI JOLLY DALI HBI	127054	266			X	X	X	X	X								X	X	X				X	X	X		X					X	
MICRO MD 180	127106	268	X																X					X	X								
MICRO MD 180 BI	127107	268	X																X					X	X								
MICRO MD 250	127048	268	X		X														X					X	X								
MICRO MD 250 BI	127049	268	X		X														X					X	X								
MICRO MD 270	127108	268	X																X					X	X								
MICRO MD 270 BI	127109	268	X																X					X	X								
MICRO MD 350	127040	268	X		X														X					X	X								
MICRO MD 350 BI	127041	268	X		X														X					X	X								
MICRO MD 500	127042	268	X			X													X					X	X								
MICRO MD 500 BI	127043	268	X			X													X					X	X								
MICRO MD 700	127046	268	X				X												X					X	X								
MICRO MD 700 BI	127047	268	X				X												X					X	X								
BMU MD 250	127396	270	X		X														X					X	X								
BMU MD 350	127390	270	X		X														X					X	X								
BMU MD 500	127392	270	X			X													X					X	X								
BMU MD 700	127394	270	X				X												X					X	X								
MSE 12/350 MD	127625	272	X		X														X					X	X								
MSE 10/500 MD	127626	272	X			X													X					X	X								
MINI MD 250	127036	274	X		X														X					X	X								

NEW - NOVITÀ



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
MINI MD 250 BI	127037	274	X	X														X						X	X						
MINI MD 350	127030	274	X		X													X						X	X						
MINI MD 350 BI	127031	274	X		X													X						X	X						
MINI MD 500	127032	274	X			X												X						X	X						
MINI MD 500 BI	127033	274	X			X												X						X	X						
MINI MD 700	127034	274	X				X											X						X	X						
MINI MD 700 BI	127035	274	X				X											X						X	X						
MINI MD 250 LP	127444	276	X	X														X						X	X						
MINI MD 350 LP	127445	276	X		X													X						X	X						
MINI MD 500 LP	127446	276	X			X												X						X	X						
MINI MD 700 LP	127447	276	X				X											X						X	X						
PUMA MD 20	127102	278	X	X	X	X	X				X							X						X	X						
DC MINI JOLLY MD	127556	280			X	X	X	X	X		X	X	X					X						X	X						
DC MINI JOLLY MD BI	127557	280			X	X	X	X	X		X	X	X					X						X	X						
DC JOLLY MD LC	122262	282			X	X	X				X	X						X	X			X		X	X						
DC JOLLY MD	122260	284			X	X	X				X	X	X					X	X			X		X	X						
DC MAXI JOLLY HC MD	127550	286						X	X	X	X	X	X					X	X					X	X						
DC MAXI JOLLY HC MD BI	127552	286						X	X	X	X	X	X					X	X					X	X						
DC JOLLY TRT	127016	288				X	X	X			X							X						X	X						
DC 36W 350mA DMX VST	122076	290			X													X			X			X	X						X
DC 36W 350mA DMX VST BI	122077	290			X													X		X				X	X						X
DC MINI JOLLY LC PLV	123401PLV	293		X	X						X	X						X						X	X						
DC MINI JOLLY PLV	123406	294			X	X	X	X			X	X	X					X						X	X						
DC MINI JOLLY PLV BI	123406BI	294			X	X	X	X			X	X	X					X						X	X						
DC MINI JOLLY HV PLV	123394	296		X	X	X	X				X	X						X						X	X						
DC MINI JOLLY HV PLV BI	123394BI	296		X	X	X	X				X	X						X						X	X						
DC JOLLY US PLV	125425	298			X	X	X	X			X	X	X					X						X	X		X				
DC MAXI JOLLY SV PLV	125509	299			X	X	X	X	X		X							X						X	X						
DC MAXI JOLLY US PLV	123419	300			X	X	X	X	X		X							X						X	X		X				X
DC MAXI JOLLY HC PLV BI	123415PLV	301						X	X	X	X							X						X	X		X				X
DC MAXI JOLLY DALI TW 35	127970	302			X	X	X				X									X				X	X						
DC MAXI JOLLY DALI TW 45	127971	302			X	X	X	X			X									X				X	X						
SUPERSLIM 1-10V 230V	127464	304			X	X					X							X	X					X	X						
SUPERSLIM 1-10V 230V	151465	304	X		X	X					X							X	X					X	X						
SUPERSLIM 1-10V 110V	127466	304			X	X					X							X	X					X	X						
SUPERSLIM 1-10V 110V	151467	304			X	X					X							X	X					X	X						
DC JOLLY SLIM	123680	306			X	X	X	X			X	X						X	X			X		X	X		X				
DC JOLLY SLIM	151680	306	X		X	X	X	X			X	X						X	X			X		X	X		X				
DC MAXI JOLLY SVM 65 SLIM	126565	308		X	X	X	X	X	X	X	X							X	X					X	X		X				
DC MAXI JOLLY SVM 65 SLIM	127565	308	X		X	X	X	X	X	X	X							X	X					X	X		X				
DC MAXI JOLLY SVM 80 SLIM	126567	310		X	X	X	X	X	X	X	X							X	X					X	X		X				
DC MAXI JOLLY SVM 80 SLIM	127567	310	X		X	X	X	X	X	X	X							X	X					X	X		X				
T-LED 80/350 1-10V SLIM	127080	312	X	X	X						X							X	X					X	X					X	
T-LED 80/500 1-10V SLIM	127081	314	X		X	X					X							X	X					X	X					X	
T-LED 80/700 1-10V SLIM	127082	316	X		X	X	X				X							X	X					X	X					X	
SUPERSLIM DALI	127462	318			X	X					X							X		X				X	X						
SUPERSLIM DALI	151448	318	X		X	X					X							X		X				X	X						
SUPERSLIM DALI OF	127462OF	318			X	X					X							X		X				X	X						

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
SUPERSLIM DALI OF	151448OF	318	X		X	X					X						X	X					X	X					
SUPERFLAT SLIM DALI	127468	320			X	X					X							X					X	X					
SUPERFLAT SLIM DALI OF	127468OF	320			X	X					X							X					X	X					
ATON 30/250-700 DALI	151370	322	X	X	X	X	X				X						X	X					X	X					
ATON 30/250-700 DALI BI	151372	322	X	X	X	X	X				X						X	X					X	X					
ATON 38 DALI NFC	151374	324									X						X	X					X	X					
ATON 38 DALI NFC BI	151376	324									X						X	X					X	X					
DC SVM 52/300-1400 DALI NFC	151373	326									X						X	X					X	X					
DC MAXI JOLLY SVM 65 DALI SLIM	126564	328	X	X	X	X	X	X	X	X	X					X	X	X					X	X	X				
DC MAXI JOLLY SVM 65 DALI SLIM	127564	328	X		X	X	X	X	X	X	X					X	X	X					X	X	X				
DC MAXI JOLLY SVM 80 DALI SLIM	126566	330	X	X	X	X	X	X	X	X	X					X	X	X					X	X					
DC MAXI JOLLY SVM 80 DALI SLIM	127566	330	X		X	X	X	X	X	X	X					X	X	X					X	X					
T-LED 80/350 DALI SLIM 1%	127091	332	X								X						X	X					X				X		
T-LED 80/500 DALI SLIM	127086	334	X			X					X						X	X					X				X		
T-LED 80/700 DALI SLIM	127087	336	X		X	X	X				X						X	X					X				X		
T-LED 35/80-400 DALI NFC	141186	338	X								X						X	X					X				X		
T-LED 60/80-400 DALI NFC	141180	338	X								X						X	X					X				X		
T-LED 100/120-700 DALI NFC	141182	338	X								X						X	X					X				X		
T-LED 150/120-700 DALI NFC	141184	338	X								X						X	X					X				X		
S-LED 35/350 DALI SLIM	127610	340	X	X	X						X						X	X					X				X		
S-LED 60/350 DALI SLIM	127611	340	X	X	X						X						X	X					X				X		
S-LED 60/500 DALI SLIM	127612	340	X	X	X	X					X						X	X					X				X		
S-LED 90/700 DALI SLIM	127615	340	X	X	X	X	X				X						X	X					X				X		
S-LED 100/500 DALI SLIM NFC	127613	342	X	X	X	X					X						X	X					X				X		
S-LED 150/700 DALI SLIM NFC	127614	342	X	X	X	X	X				X						X	X					X				X		
DC JOLLY SLIM PLV	123681	344			X	X	X				X	X					X						X	X	X				
DC MAXI JOLLY SLIM DALI TW 35	127973	346			X	X	X				X							X					X		X				
DC MAXI JOLLY SLIM DALI TW 60	127974	346			X	X	X				X							X					X		X				
SIRIO 150/200-700	127230	350			X	X	X	X			X													X			X	X	
SIRIO 150/200-700 BI	127240	350			X	X	X	X			X													X			X	X	
SIRIO 150/300-1050	127232	352			X	X	X	X	X		X													X			X	X	
SIRIO 150/300-1050 BI	127242	352			X	X	X	X	X		X													X			X	X	
SIRIO 150/700 ST2	127294	354					X				X													X			X		
SIRIO 150/1050 ST2	127295	355						X			X													X			X		
DC MAXI JOLLY STREET HV	151652CC	356	X	X	X	X	X				X					X							X	X		X		X	
MILANOinLED 20W/200-1050 1PN	145000	358	X	X	X	X	X	X	X		X												X	X	X				
MILANOinLED 40W/200-1050 1PN	145001	358	X	X	X	X	X	X	X		X												X	X	X				
MILANOinLED 75W/200-1050 1PN	145002	358	X	X	X	X	X	X	X		X												X	X		X			
MILANOinLED 110W/200-1050 1PN	145003	358	X	X	X	X	X	X	X		X												X	X			X		
MILANOinLED 165W/200-1050 1PN	145004	358	X	X	X	X	X	X	X		X												X	X			X		
MILANOinLED 60W/400-1400 1PN	145016	360	X			X	X	X	X	X	X												X	X		X			
MILANOinLED 100W/400-1400 1PN	145017	360	X			X	X	X	X	X	X												X	X			X		
MILANOinLED 150W/400-1400 1PN	145018	360	X			X	X	X	X	X	X												X	X			X		
MILANOinLED 200W/400-1400 1PN	145019	360	X			X	X	X	X	X	X												X	X			X		
MILANOinLED 20W/200-1050 4PN	145010	362	X	X	X	X	X	X	X		X												X	X	X				
MILANOinLED 40W/200-1050 4PN	145011	362	X	X	X	X	X	X	X		X												X	X	X				
MILANOinLED 75W/200-1050 4PN	145012	362	X	X	X	X	X	X	X		X												X	X	X		X		
MILANOinLED 110W/200-1050 4PN	145013	362	X	X	X	X	X	X	X		X												X	X	X		X		

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
MILANOinLED 165W/200-1050 4PN	145014PN	362	X		X	X	X	X	X	X	X	X	X	X		X				X		X	X	X					X		
MILANOinLED 40W/200-1050 AD	145020	364			X	X	X	X	X	X	X				X				X		X		X	X		X					
MILANOinLED 75W/200-1050 AD	145021	364			X	X	X	X	X	X	X				X				X		X		X	X			X				
MILANOinLED 110W/200-1050 AD	145022	364			X	X	X	X	X	X	X				X				X		X		X	X				X			
MILANOinLED 165W/200-1050 AD	145023	364			X	X	X	X	X	X	X				X				X		X		X	X				X			
ASTRO 40W/350-1050 2PN	145030	366			X	X	X	X	X	X	X				X				X		X		X	X			X				
ASTRO 80W/350-1050 2PN	145031	366			X	X	X	X	X	X	X				X				X		X		X	X			X				
ASTRO 120W/350-1050 2PN	145032	366			X	X	X	X	X	X	X				X				X		X		X	X			X				
ASTRO 165W/350-1050 2PN	145033	366			X	X	X	X	X	X	X				X				X		X		X	X			X				
ASTRO 200W/350-1050 2PN	145034	366			X	X	X	X	X	X	X				X				X		X		X	X			X				
VEGA 75/940-1880 FPD IP67	127848	368													X				X		X	X	X			X					
VEGA 105/1250-2500 FPD IP67	127830	368													X				X		X	X	X			X					
VEGA 150/1800-3600 FPD IP67	127831	368													X				X		X	X	X			X					
VEGA 200/2500-5000 FPD IP67	127832	368													X				X		X	X	X			X					
VEGA 240/2850-5710 FPD IP67	127833	368													X				X		X	X	X			X					
VEGA 320/3750-7500 FPD IP67	127862	368													X				X		X	X	X			X					
VEGA 75/530-1050 FPD IP67	127840	370								X					X				X		X	X	X			X					
VEGA 105/530-1050 FPD IP67	127841	370								X					X				X		X	X	X			X					
VEGA 150/530-1050 FPD IP67	127842	370								X					X				X		X	X	X			X					
VEGA 200/530-1050 FPD IP67	127843	370								X					X				X		X	X	X			X					
VEGA 240/530-1050 FPD IP67	127844	370								X					X				X		X	X	X			X					
VEGA 320/550-1100 FPD IP67	127845	370								X					X				X		X	X	X			X					
VEGA 480/5000-10000 12V FPD IP67	127866	372								X					X				X		X	X	X			X					X
VEGA 600/6250-12500 12V FPD IP67	127857	372								X					X				X		X	X	X			X					X
VEGA 600/875-1750 12V FPD IP67	127858	372								X					X				X		X	X	X			X					X
EFU 12V HPFU	141125	375													X								X		X						
EFU 24V HPFU	141126	375													X								X		X						
DC 35W 24V K2	122184	376													X								X		X						
DC 35W 24V K2 BI	122185	376													X								X		X						
DC 70W 24V K3	122180	378													X								X		X						
DC 70W 24V K3 BI	122181	378													X								X		X						
DC 70W 48V K3	122182	378													X								X		X						
DC 70W 48V K3 BI	122183	378													X								X		X						
DC 50W 24V VST BI	122772	380													X								X		X						
DC 50W 12V VST BI	122776	380													X								X		X						
DC 50W 48V VST BI	122780	380													X								X		X						
DC 70W 24V VST BI	122770	380													X								X		X						
DC 70W 12V VST BI	122778	380													X								X		X						
DC 70W 48V VST BI	122782	380													X								X		X						
DC 150W 24V VST BI	122774	380													X								X		X						
DC 150W 48V VST BI	122784	380													X								X		X						
DC 50W 24V VST	122752	382													X								X		X						
DC 50W 12V VST	122756	382													X								X		X						
DC 50W 48V VST	122766	382													X								X		X						
DC 70W 24V VST	122750	382													X								X		X						
DC 70W 12V VST	122758	382													X								X		X						
DC 70W 48V VST	122762	382													X								X		X						
DC 150W 24V VST	122754	382													X								X		X						

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 150W 48V VST	122764	382												X											X	X					
DC 50W 24V VSTII	122752II	384												X											X	X					
DC 50W 12V VSTII	122756II	384											X												X	X					
DC 50W 48V VSTII	122766II	384												X											X	X					
DC 70W 24V VSTII	122750II	384												X											X	X					
DC 70W 12V VSTII	122758II	384											X												X	X					
DC 70W 48V VSTII	122762II	384												X											X	X					
DC 150W 24V VSTII	122754II	384												X											X	X					
DC 70W 48V EM	122786	386												X											X	X					
SIRIO 150W 48V	127356	388												X											X	X					
DC 50W 12V VPS LP	127902	390											X												X	X					
DC 50W 24V VPS LP	127903	390											X												X	X					
DC 75W 12V VPS LP	127904	390											X												X	X					
DC 75W 24V VPS LP	127905	390											X												X	X					
DC 60W 24V VPSD	127811	392											X											X	X	X					
DC 100W 24V VPSD	127812	392											X											X	X	X					
EFUR 12V HPFU	141127	394										X			X									X	X	X					
EFUR 24V HPFU	141128	394										X			X									X	X	X					
DC 80W 12V VSTR	122732	396										X			X	X				X	X			X	X	X				X	
DC 120W 24V VSTR	122730	396										X			X	X				X	X			X	X	X				X	
DC 80W 12V VSTR DALI	122733	398										X			X	X		X						X	X	X					
DC 120W 12V VSTR DALI	122731	398										X			X	X		X						X	X	X					
DC 100W 12V VPS 1-10V	127906	400										X			X									X	X	X					
DC 100W 24V VPS 1-10V	127907	400										X			X									X	X	X					
DC 150W 12V VPS 1-10V	127908	400										X			X									X	X	X					
DC 150W 24V VPS 1-10V	127909	400										X			X									X	X	X					
DC 150W 48V VPS 1-10V	127933	400										X			X									X	X	X					
DC 200W 12V VPS 1-10V	127910	400										X			X									X	X	X					
DC 200W 24V VPS 1-10V	127911	400										X			X									X	X	X					
DC 60W 24V VPSD 0-10 V	127813	402										X			X									X	X	X					
DC 100W 24V VPSD 0-10 V	127814	402										X			X									X	X	X					
DC 45W 12V VPS MD	127912	404										X					X							X	X	X					
DC 45W 24V VPS MD	127913	404										X					X							X	X	X					
DC 80W 12V VPS MD	127914	404										X					X							X	X	X					
DC 80W 24V VPS MD	127915	404										X					X							X	X	X					
SUPERSLIM 24V	127328	407										X													X	X					
SUPERSLIM 24V OF	127328OF	407										X													X	X					
LCV 30W 24V	127820	408										X													X	X					
LCV 60W 24V	127821	408										X													X	X					
LCV 75W 24V	127822	408										X													X	X					
LCV 90W 24V	127823	408										X													X	X					
LCV 120W 24V	127824	408										X													X	X					
LCV 180W 24V	127825	408										X													X	X					
DC 30W 24V SLIM	127952	410										X													X	X					
DC 60W 24V SLIM	127950	410										X													X	X					
DC 100W 24V SLIM	127954	410										X													X	X					
DC 150W 24V SLIM	127956	410										X													X	X					
DC 70W 24V SLIM	127750	412										X													X	X					

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
DC 70W 48V SLIM	127751	412											X											X	X					
DC 30W 24V SLIM R	127953	414											X		X									X	X					
DC 60W 24V SLIM R	127951	414											X		X									X	X					
DC 100W 24V SLIM R	127955	414											X		X									X	X					
DC 150W 24V SLIM R	127957	414											X		X							X		X	X					
DC 70W 24V SLIM R DALI	127960	416											X		X	X		X						X	X					
DC 120W 24V SLIM RM DALI	127966	416											X		X	X		X						X	X					
STCP 6W 500mA HPFU	141060	420				X						X											X	X	X					
STCP 8W 350mA HPFU	141056	420			X							X											X	X	X					
STCP 9W 350mA HPFU	141058	420			X							X											X	X	X					
STMP 9W 250mA HPFU	127709	421		X																			X	X	X					
STMP 6W 500mA HPFU	127705	421				X						X											X	X	X					
STMP 8W 700mA HPFU	127701	421					X					X											X	X	X					
STMP 8W 350mA HPFU	127703	421			X							X											X	X	X					
STMP 10W 350mA HPFU	127704	421			X																		X	X	X					
SLIM 15W 350mA HPFU IP	141110IP	422			X																		X	X	X					
SLIM 14W 500mA HPFU IP	141112IP	422				X																	X	X	X					
SLIM 11W 700mA HPFU IP	141114IP	422					X																X	X	X					
SLIM 13W 12V HPFU IP	141120IP	422										X											X	X	X					
SLIM 13W 24V HPFU IP	141122IP	422										X											X	X	X					
IPR4 9W 250mA HPFU	141230	424		X																				X	X					
IPR4 6W 500mA HPFU	141231	424				X						X												X	X					
IPR4 8W 700mA HPFU	141232	424					X					X												X	X					
IPR4 8W 350mA HPFU	141233	424			X							X												X	X					
IPR4 10W 350mA HPFU	141234	424			X																			X	X					
IPR2 12/250	152014/250	426		X																				X	X	X				
IPR2 12/250 LO	152016/250	426		X																				X	X	X				
IPR2 17/350	152014/350	426			X																			X	X	X				
IPR2 17/350 LO	152016/350	426			X																			X	X	X				
IPR2 24/500	152014/500	426				X																		X	X	X				
IPR2 24/500 LO	152016/500	426				X																		X	X	X				
IPR2 30/700	152014/700	426					X																	X	X	X				
IPR2 30/700 LO	152016/700	426					X																	X	X	X				
IPR1 25/500 SV	152001/500	428				X																		X	X	X				
IPR1 25/500 SV LO	152002/500	428				X																		X	X	X				
IPR1 35/700 SV	152001/700	428					X																	X	X	X				
IPR1 35/700 SV LO	152002/700	428					X																	X	X	X				
IPR1 45/900 SV	152001/900	428						X																X	X	X				
IPR1 45/900 SV LO	152002/900	428						X																X	X	X				
IPR1 52/1050 SV	152001/1050	428							X															X	X	X				
IPR1 52/1050 SV LO	152002/1050	428								X														X	X	X				
IPR1 60/1200 SV	152001/1200	428									X													X	X	X				
IPR1 60/1200 SV LO	152002/1200	428										X												X	X	X				
IPR1 70/1400 SV	152001/1400	428								X														X	X	X				
IPR1 70/1400 SV LO	152002/1400	428								X														X	X	X				
PRO FLAT 38 NFC IPR3	152044	430									X													X	X					
DC MINI JOLLY 16/350 IPR2	152020/350	432			X																			X	X					
DC MINI JOLLY 20/500 IPR2	152020/500	432				X																		X	X	X				

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MINI JOLLY 17/700 IPR2	152020/700	432						X						X									X	X	X					
DC MINI JOLLY DALI IPR2	152010	434	X	X	X	X	X					X							X				X	X	X					
DC MINI JOLLY DALI IPR2 LO	152012	434	X	X	X	X	X					X							X				X	X	X					
PRO FLAT 38 DALI NFC IPR3	152040	436	X									X				X							X	X	X					
DC MAXI JOLLY SV DALI IPR1	152004	438	X			X	X	X	X			X							X				X	X	X					
DC MAXI JOLLY SV DALI IPR1 LO	152006	438	X			X	X	X	X			X							X				X	X	X					
DC 70W 12V ST2	122477	440										X											X	X						
DC 70W 24V ST2	122479	440										X											X	X						
DC 70W 48V ST2	122481	440										X											X	X						
DC 150W 24V ST2	122511	440										X											X	X						
DC 150W 48V ST2	122513	440										X											X	X						
DC 70W 12V ST2 CLII	122476	442										X											X	X						
DC 70W 24V ST2 CLII	122478	442										X											X	X						
DC 70W 48V ST2 CLII	122480	442										X											X	X						
DC 150W 24V ST2 CLII	122482	442										X											X	X						
LV HR 350mA	122652	444																						X						
LV HR 500mA	122654	444			X																			X						
LV HR 700mA	122656	444				X																		X						
LV Micro Z 350	122666	445					X																	X						
LV RGB 250mA	122662	446		X																			X						X	
LV RGB 350mA	122660	446			X																		X						X	
LV RGB 500mA	122661	446				X																	X						X	
LV RGB 350mA IR	122090	448			X															X			X						X	
LV RGB 12/24 IR	122092	448										X	X							X			X						X	
SED 4.5A R57	120300	450										X	X		X	X							X						X	
ELED HP	123023	454										X	X	X											X					
ELED HP BI	123024	454										X	X	X											X					
ELED HP/3	123023/3	454										X	X	X											X					
ELED HP/3 BI	123024/3	454										X	X	X											X					
ELED HP	123025	454										X	X	X											X					
ELED HP BI	123026	454										X	X	X											X					
ELED HP/3	123025/3	454										X	X	X											X					
ELED HP/3 BI	123026/3	454										X	X	X											X					
ELED LP	123032	456																							X					
ELED LP BI	123033	456																							X					
ELED LP/1	123034	456																							X					
ELED LP/1 BI	123036	456																							X					
ELED LP	123035	456																							X					
ELED LP BI	123037	456																							X					
ELED HP SLIM	123028	458																							X					
ELED HP/3 SLIM	123028/3	458																							X					
ELED LP 200	123017	460																											X	
ELED HP 200	127018	460																											X	
ELED HP 200/3	127019	460																											X	
ELED LP 200	127017/NM	460																											X	
ELED HP 200	127018/NM	460																											X	
ELED HP 200/3	127019/NM	460																											X	
ELBT	123013	464																							X					

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante				Dimming Regolazione							12V AUX											
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB				
ELBT-3	123013/3	464																												X					
ELHT	123012	466																													X				
ELHT-3	123012/3	466																													X				
UNIVERSALE 20 WR	127140	470			X	X	X	X						X		X										X	X		X						
UNIVERSALE 20 WR BI	127142	470			X	X	X	X						X		X										X	X		X						
WIDESQUARE 30/350-700/2	127162	472			X	X	X							X		X										X	X		X						
WIDESQUARE 30/350-700 BI	127164	472			X	X	X							X		X										X	X		X						
PROFESSIONALE WR	127695	474			X	X	X	X	X					X												X	X		X						
PROFESSIONALE WR BI	127696	474			X	X	X	X	X					X												X	X		X						
WIDESLIM 30/350-700	127160	476			X	X	X							X												X	X		X						
WIDESQUARE R 30/350-700/2	127166	478			X	X	X							X			X	X					X		X	X		X							
PROFESSIONALE 1-10V WR	127700	480	X		X	X	X	X	X					X												X	X		X						
PROFESSIONALE 1-10V WR BI	127702	480	X		X	X	X	X	X					X												X	X		X						
DC MAXI JOLLY SV WR	151510	482	X		X	X	X	X	X					X												X	X		X						
DC MAXI JOLLY SV DALI WR	151512	484	X		X	X	X	X	X					X												X	X		X						
MILANOinTRACK 10/90-240	127881W	488												X												X	X								
MILANOinTRACK 10/90-240	127881G	488												X												X	X								
MILANOinTRACK 10/90-240	127881B	488												X												X	X								
MILANOinTRACK 15/250-350	127882W	489			X	X								X												X	X								
MILANOinTRACK 15/250-350	127882G	489			X	X								X												X	X								
MILANOinTRACK 15/250-350	127882B	489			X	X								X												X	X								
MILANOinTRACK 21/350-500	127878W	490			X	X								X												X	X								
MILANOinTRACK 21/350-500	127878G	490			X	X								X												X	X								
MILANOinTRACK 21/350-500	127878B	490			X	X								X												X	X								
MILANOinTRACK 31/550-750	127879W	491					X							X												X	X								
MILANOinTRACK 31/550-750	127879G	491					X							X												X	X								
MILANOinTRACK 31/550-750	127879B	491					X							X												X	X								
MILANOinTRACK 41/800-1050	127880W	492						X	X					X												X	X								
MILANOinTRACK 41/800-1050	127880G	492						X	X					X												X	X								
MILANOinTRACK 41/800-1050	127880B	492						X	X					X												X	X								
MILANOinTRACK 31/200-700	127893	493			X	X	X	X						X												X	X								
MILANOinTRACK 31/200-700	127894	493			X	X	X	X						X												X	X								
MILANOinTRACK 31/200-700	127895	493			X	X	X	X						X												X	X								
MILANOinTRACK 40/300-1050	127870	494			X	X	X	X	X					X												X	X								
MILANOinTRACK 40/300-1050	127871	494			X	X	X	X	X					X												X	X								
MILANOinTRACK 40/300-1050	127872	494			X	X	X	X	X					X												X	X								
MILANOinTRACK 40/300-1050 DALI	127873	495	X		X	X	X	X	X					X						X						X	X								
MILANOinTRACK 40/300-1050 DALI	127874	495	X		X	X	X	X	X					X						X						X	X								
MILANOinTRACK 40/300-1050 DALI	127875	495	X		X	X	X	X	X					X						X						X	X								
GA-017 PRO	127982W	496			X	X	X	X						X												X	X								
GA-017 PRO	127982G	496			X	X	X	X						X												X	X								
GA-017 PRO	127982B	496			X	X	X	X						X												X	X								
GA-016 PRO	127983W	497			X	X	X	X	X					X												X	X								
GA-016 PRO	127983G	497			X	X	X	X	X					X												X	X								
GA-016 PRO	127983B	497			X	X	X	X	X					X												X	X								
GAC-616 DALI PRO	127984W	498	X		X	X	X	X	X					X					X							X	X								
GAC-616 DALI PRO	127984G	498	X		X	X	X	X	X					X					X							X	X								
GAC-616 DALI PRO	127984B	498	X		X	X	X	X	X					X					X							X	X								

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
GA-016 US	127585	499				X					X													X	X					
GA-016 US	127586	499				X					X													X	X					
LV HR TRACK SD OF	126043OF	501			X	X	X	X			X													X	X					
LV TRACK 150-1050 NFC OF	126052OF	502									X														X					
LV TRACK 150-1050 0-10V NFC OF	126055OF	503									X					X									X					
LV TRACK 150-1050 DALI NFC OF	126056OF	504									X							X							X					
LV HR TRACK 2L 1-10V 357 OF	126046OF	506	X		X	X	X				X					X									X					
LV HR TRACK 2L 1-10V 246 OF	126047OF	506	X	X							X					X									X					
LV HR TRACK 2L DALI 200 OF	126039/200OF	507									X							X							X					
LV HR TRACK 2L DALI 250 OF	126039/250OF	507			X													X							X					
LV HR TRACK 2L DALI 350 OF	126039/350OF	507	X		X													X							X					
LV HR TRACK 2L DALI 400 OF	126039/400OF	507									X							X							X					
LV HR TRACK 2L DALI 500 OF	126039/500OF	507	X			X												X							X					
LV HR TRACK 2L DALI 600 OF	126039/600OF	507									X							X							X					
LV HR TRACK 2L DALI 700 OF	126039/700OF	507	X				X											X							X					
LV HR TRACK 2L DALI 900 OF	126039/900OF	507						X										X							X					
LV HR 48 CV 1-10V OF	126045OF	508													X	X									X					
LV HR 48 CV DALI OF	126044OF	509													X			X							X					
MW 70 LED DIMM	119772	512																X						X	X					
MW 70 LED	119773	513																						X	X					
W 105 LED	119812	514																X						X	X					
W 105 LED PWM	119814	514														X					X			X	X					
ETD2E9	180427	516																X												
ETDU29	180426	517																X												
SCU-EVG	180341	518														X														
REG 1-10 V	123999L	519														X														
DALI PROGRAMMER	127099	520																	X											
DCC DALI INTERFACE	122099	522																	X							X				
SR-2400 RB	181205	524																	X				X							
SR-2400 RB-CCT	181206	524																	X				X							
SR-2309 FA-CCT	181209	525									X	X							X						X					
SR-2309 FA-RGBW	181212	526									X	X							X						X				X	
SR-2303B	181211	527									X	X							X						X					
SR-DA2833P-DA2	181210	528																X	X						X					
TDS U1 DALI	180429	530																X	X											
SR-2400 PS	181200	531																	X											
SR-2400 P	181202	531																	X											
BMU DMX INTERFACE	122066	532																	X										X	
TOUCH PANEL DMX	180423	534																	X										X	
EASY DMX	180421	535																	X										X	
PRO DMX	180422A	535																	X										X	
DC RVLN A	120295FF	536																							X					
DC RVLN B	120295C	536																							X					
DC RVLN C	120295	536																							X					
FM EMI FILTER	119897	538																						X						
EMI FILTER	119899	538																							X					
EMI FILTER GND	119895	538																							X					
SURGE PROTECTION SP 230/10K	183250	539																							X					

NEW - NOVITÀ



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																				
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60 - 120V	NOT SELV	RGB	12V AUX		
SPD GM CLI	126127	540																																
SPD GM CLII	126128	540																																
SPD MM CLI	126201	541																																
SPD MM CLII	126200	541																																
X2 F 47N	119933	542																																

NEW - NOVITÀ