

Tabella di scelta LED

LED

Articolo	Codice	Pagina	Corrente costante										Tensione costante			Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
ATON 30/700-1400 BI	127366	68					X	X	X	X	X															X	X				
MP 32 SLIM	123676	69			X	X	X	X							X		X								X	X	X				
MP 60 SLIM	122211	69				X	X	X	X	X					X										X	X		X			X
MP 60 SLIM HV	122210	70			X	X	X	X							X										X	X		X			X
MP 50/350 SLIM	122215	70			X	X									X										X			X			
MP 80/350 SLIM	122212	71			X	X									X										X			X			
MP 80/500 SLIM	122214	71				X	X								X										X			X			
MP 80/700 SLIM	122213	72				X	X	X							X										X			X			
DC MICRO JOLLY 6W 350mA	122426	72				X										X	X									X					
DC MICRO JOLLY 6W 500mA	122428	72					X								X		X	X								X					
DC 9W 350mA RD57	127342	73				X											X	X								X					
DC 9W 700mA RD57	127344	73						X									X	X								X					
DC MINIJOLLY	123400	73				X	X	X	X						X	X	X	X							X	X	X				
DC MINIJOLLY BI	123404	73				X	X	X	X						X	X	X	X							X	X	X				
DC MINIJOLLY LC	123401	74			X	X									X	X	X	X							X	X	X				
DC MINIJOLLY LC BI	123401BI	74			X	X									X	X	X	X							X	X	X				
DC MINIJOLLY HV	123399	74			X	X	X	X							X	X	X	X							X	X	X				
DC MINIJOLLY HV BI	123399BI	74			X	X	X	X							X	X	X	X							X	X	X				
DC JOLLY US	125421	75			X	X	X	X	X						X	X	X	X						X	X	X	X				
DC JOLLY US BI	125450	75			X	X	X	X	X						X	X	X	X						X	X	X	X				
DC JOLLY HC MV	127021	76				X	X	X	X	X					X			X	X						X	X	X				
DC JOLLY HC BI	127022	76				X	X	X	X	X					X			X	X						X	X	X				
PROFESSIONALE 1-10V	127496	76	X			X	X	X	X	X					X			X							X	X	X				
PROFESSIONALE 1-10V BI	127497	76	X			X	X	X	X	X					X			X							X	X	X				
DC MAXI JOLLY US	127411	77	X			X	X	X	X	X					X		X	X						X	X	X		X		X	
DC MAXI JOLLY US	151411	77	X			X	X	X	X	X					X		X	X						X	X	X		X		X	
DC MAXI JOLLY US BI	125462	77	X			X	X	X	X	X					X		X	X						X	X	X		X		X	
DC MAXI JOLLY US BI	151462	77	X			X	X	X	X	X					X		X	X						X	X	X		X		X	
DC MAXI JOLLY HV	127414	77	X	X		X	X	X	X						X		X	X						X	X	X		X		X	
DC MAXI JOLLY HV	151414	77	X	X		X	X	X	X						X		X	X						X	X	X		X		X	
DC MAXI JOLLY HV BI	127414BI	77	X	X		X	X	X	X						X		X	X						X	X	X		X		X	
DC MAXI JOLLY HV BI	151414BI	77	X	X		X	X	X	X						X		X	X						X	X	X		X		X	
DC MAXI JOLLY HC/2	123312	78								X	X	X	X			X	X							X	X	X	X			X	
DC MAXI JOLLY HC BI	123415	78								X	X	X	X			X	X							X	X	X	X			X	
DC MINIJOLLY DALI	123403	78			X	X	X	X							X	X			X					X	X	X					
DC MINIJOLLY DALI BI	123403BI	78			X	X	X	X							X	X			X					X	X	X					
DC MINIJOLLY LC DALI	123395	79			X	X									X	X			X					X	X	X					
DC MINIJOLLY LC DALI BI	123396	79			X	X									X	X			X					X	X	X					
DC JOLLY DALI	123424	79			X	X	X	X							X	X	X							X	X	X	X				
DC JOLLY DALI BI	123458	79			X	X	X	X							X	X	X							X	X	X	X				
PROFESSIONALE DALI	127490	80	X			X	X	X	X	X					X			X	X					X	X	X					
PROFESSIONALE DALI BI	127492	80	X			X	X	X	X	X					X			X	X					X	X	X					
DC MAXI JOLLY US DALI	127413	80	X			X	X	X	X	X					X	X	X							X	X	X		X		X	
DC MAXI JOLLY US DALI	151413	80	X			X	X	X	X	X					X	X	X							X	X	X		X		X	
DC MAXI JOLLY US DALI BI	125464	80	X			X	X	X	X	X					X	X	X							X	X	X		X		X	
DC MAXI JOLLY US DALI BI	151464	80	X			X	X	X	X	X					X	X	X							X	X	X		X		X	
DC MAXI JOLLY HV DALI	127409	81	X	X		X	X	X	X						X	X	X							X	X	X		X		X	
DC MAXI JOLLY HV DALI	151409	81	X	X		X	X	X	X						X	X	X							X	X	X		X		X	

NOVITÀ

Tabella di scelta LED

Articolo	Codice	Pagina	Corrente costante										Tensione costante			Regolazione						12V AUX								
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	1...10V	PUSH	IGBT - TRIAC	DALI	DMX		IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
DC MAXI JOLLY HV DALI BI	127409BI	81	X	X	X	X	X						X				X	X	X			X	X	X			X			X
DC MAXI JOLLY HV DALI BI	151409BI	81	X		X	X	X	X					X				X	X	X				X	X			X			X
DC MAXI JOLLY HC/2 DALI	123314	81							X	X	X	X				X	X	X			X	X	X		X				X	
DC MAXI JOLLY HC DALI BI	123417	81							X	X	X	X				X	X	X			X	X	X		X				X	
MICRO MD 180	127106	82	X										X					X					X	X						
MICRO MD 180 BI	127107	82	X										X					X					X	X						
MICRO MD 250	127048	82	X	X														X					X	X						
MICRO MD 250 BI	127049	82	X	X														X					X	X						
MICRO MD 270	127108	82	X										X					X					X	X						
MICRO MD 270 BI	127109	82	X										X					X					X	X						
MICRO MD 350	127040	82	X		X													X					X	X						
MICRO MD 350 BI	127041	82	X		X													X					X	X						
MICRO MD 500	127042	82	X			X												X					X	X						
MICRO MD 500 BI	127043	82	X			X												X					X	X						
MICRO MD 700	127046	82	X				X											X					X	X						
MICRO MD 700 BI	127047	82	X				X											X					X	X						
MINI MD 350	127030	82	X		X													X					X	X						
MINI MD 350 BI	127031	82	X		X													X					X	X						
MINI MD 500	127032	82	X			X												X					X	X						
MINI MD 500 BI	127033	82	X			X												X					X	X						
MINI MD 700	127034	82	X				X											X					X	X						
MINI MD 700 BI	127035	82	X				X											X					X	X						
DC JOLLY MD	122260	83			X	X	X					X	X	X			X	X			X	X	X	X						
DC JOLLY MD LC	122262	83			X	X	X					X	X	X			X	X			X	X	X	X						
DC MAXI JOLLY HC MD	127550	84							X	X	X	X	X	X			X	X					X	X						
DC MAXI JOLLY HC MD BI	127552	84							X	X	X	X	X	X			X	X					X	X						
DC JOLLY TRT	127016	84			X	X	X					X					X						X	X						
DC 36W 350mA DMX VST	122076	85			X												X		X				X	X					X	
DC 36W 350mA DMX VST BI	122077	85			X												X		X				X	X					X	
DC MAXI JOLLY US MIDNIGHT	122416	86			X	X	X	X	X			X									X	X	X		X				X	
DC MAXI JOLLY US BILEVEL	122418	86			X	X	X	X				X									X	X	X		X				X	
DC MAXI JOLLY US BILEVEL N	122418N	86			X	X	X	X				X									X	X	X		X				X	
DC JOLLY SLIM	123680	87			X	X	X	X				X		X			X	X			X	X	X	X						
DC MAXI JOLLY SLIM HV	122684	88			X	X	X	X				X					X	X			X	X	X		X					
T-LED 80/350 1-10V SLIM	127080	88	X		X	X						X					X	X					X			X				
T-LED 80/500 1-10V SLIM	127081	89	X		X	X						X					X	X					X			X				
T-LED 80/700 1-10V SLIM	127082	89	X		X	X	X					X					X	X					X			X				
SUPERSLIM DALI	127462	90			X	X						X					X	X					X	X						
ATON 30/250-700 DALI	127370	90			X	X	X	X				X					X	X					X	X						
ATON 30/250-700 DALI BI	127372	90			X	X	X	X				X					X	X					X	X						
DC MAXI JOLLY SLIM DALI	122692	91			X	X	X	X	X			X					X	X	X			X	X	X		X			X	
DC MAXI JOLLY SLIM HV DALI	122688	91			X	X	X	X				X					X	X	X			X	X	X		X			X	
T-LED 80/350 DALI SLIM 1%	127091	92	X	X	X	X						X					X	X					X			X				
T-LED 80/500 DALI SLIM	127086	92	X		X	X						X					X	X					X			X				
T-LED 80/700 DALI SLIM	127087	93	X		X	X	X					X					X	X					X			X				
SIRIO 150/200-700	127230	93			X	X	X	X				X											X			X			X	
SIRIO 150/200-700 BI	127240	93			X	X	X	X				X											X			X			X	
SIRIO 150/300-1050	127232	94			X	X	X	X	X			X											X			X			X	

NOVITÀ

LED

Tabella di scelta LED

LED

Articolo	Codice	Pagina	Corrente costante										Tensione costante			Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
SIRIO 150/300-1050 BI	127242	94			X	X	X	X	X	X				X											X				X	X
SIRIO 100	127200	95	X	X	X	X	X	X						X			X					X		X			X	X	X	X
SIRIO 100 BI	127210	95	X	X	X	X	X							X			X					X		X			X	X	X	X
SIRIO 150/200-700 1-10V BILEVEL	127224	95	X		X	X	X	X						X			X					X		X				X	X	X
SIRIO 150/200-700 1-10V BILEVEL BI	127225	95	X		X	X	X	X						X			X					X		X				X	X	X
SIRIO 150/300-1050 1-10V BILEVEL	127222	96	X		X	X	X	X	X					X			X					X		X				X	X	X
SIRIO 150/300-1050 1-10V BILEVEL BI	127223	96	X		X	X	X	X	X					X			X					X		X				X	X	X
DC 7W 8V LS	122150	97																												X
DC 10W 12V LS	122154	97												X																X
DC 10W 24V LS	122156	97													X															X
DC 10W 28V LS	122158	97																												X
DC LED 12V EFU	122320	97												X									X			X				
DC LED 24V EFU	122322	97													X								X			X				
DC 50W 24V VST BI	122772	98													X									X	X					
DC 50W 12V VST BI	122776	98												X										X	X					
DC 50W 48V VST BI	122780	98													X									X	X					
DC 70W 24V VST BI	122770	98													X									X	X					
DC 70W 12V VST BI	122778	98												X										X	X					
DC 70W 48V VST BI	122782	98													X									X	X					
DC 150W 24V VST BI	122774	98													X									X	X					
DC 150W 48V VST BI	122784	98													X									X	X					
DC 50W 24V VST	122752	98													X									X	X					
DC 50W 12V VST	122756	98												X										X	X					
DC 50W 48V VST	122766	98													X									X	X					
DC 70W 24V VST	122750	98													X									X	X					
DC 70W 12V VST	122758	98													X									X	X					
DC 70W 48V VST	122762	98													X									X	X					
DC 150W 24V VST	122754	98													X									X	X					
DC 150W 48V VST	122764	98													X									X	X					
DC LED 10V EFUR	122319	99														X								X		X				
DC LED 12V EFUR	122321	99												X			X							X		X				
DC LED 24V EFUR	122314	99													X		X							X		X				
DC LED 28V EFUR	122316	99														X								X		X				
DC 80W 12V VSTR	122732	99												X		X	X				X	X		X	X				X	X
DC 120W 24V VSTR	122730	99													X		X	X				X	X		X	X			X	X
DC 120W 48V VSTR	122734	99													X		X	X				X	X		X	X			X	X
DC 30W 24V SLIM	127952	100													X									X	X					
DC 60W 24V SLIM	127950	100													X									X	X					
DC 100W 24V SLIM	127954	100													X									X	X					
DC 150W 24V SLIM	127956	100													X									X	X					
DC 30W 24V SLIM R	127953	100													X		X							X	X					
DC 60W 24V SLIM R	127951	100													X		X							X	X					
DC 100W 24V SLIM R	127955	100													X		X							X	X					
DC 150W 24V SLIM R	127957	100													X		X					X		X	X					
DC 30W 12V VPS LP	127900	101												X										X	X					
DC 30W 24V VPS LP	127901	101													X									X	X					
DC 50W 12V VPS LP	127902	101													X									X	X					
DC 50W 24V VPS LP	127903	101													X									X	X					

NOVITÀ

