

Tabella di scelta LED

LED1

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante				Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US ZB3	151570	44	X		X	X	X	X	X	X		X			X	X							X	X			X				X
DC MAXI JOLLY SV ZB3	151572	44	X		X	X	X	X	X	X		X			X	X							X	X		X					X
PROFESSIONALE ZB3	122576	45	X		X	X	X	X	X	X		X			X	X							X	X		X					
PROFESSIONALE ZB3 BI	122577	45	X		X	X	X	X	X	X		X			X	X							X	X		X					
MINI ZLL INTERFACE	122550	45										X			X	X						X	X		X	X					X
MINI ZB3 INTERFACE	122553	46										X	X		X	X			X			X	X		X	X					X
DC MAXI JOLLY US CASAMBI	127644	47	X		X	X	X	X	X	X		X			X	X							X	X		X		X			X
DC MAXI JOLLY SV CASAMBI	127645	47	X		X	X	X	X	X	X		X			X	X							X	X		X					X
PROFESSIONALE CASAMBI	127630	48	X		X	X	X	X	X	X		X			X	X							X	X		X					
PROFESSIONALE CASAMBI BI	127631	48	X		X	X	X	X	X	X		X			X	X							X	X		X					
MINI CASAMBI INTERFACE TW	127637	48													X	X	X						X		X						
MINI CASAMBI INTERFACE RGBW	127638	48													X	X	X						X		X						X
PROFESSIONALE HC CASAMBI	127660	49	X				X	X	X	X		X			X	X							X	X		X					
PROFESSIONALE HC CASAMBI BI	127662	49	X				X	X	X	X		X			X	X							X	X		X					
DC 120W 24V VSTR CASAMBI	127641	49											X		X	X							X	X		X					X
DC MAXI JOLLY US BLL	135006	50			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY US BLL EX	135020	50			X	X	X	X	X	X		X			X	X							X	X		X					X
LV RGBW 500mA BLL	135002	50				X									X	X															X
LV RGBW 500mA BLL EX	135003	50				X									X																X
DC MAXI JOLLY SV BLL	135021	51			X	X	X	X	X	X		X			X	X							X	X		X					X
DC MAXI JOLLY SV BLL EX	135022	51			X	X	X	X	X	X		X			X	X							X	X		X					X
SED DCC 2CH BLL	135036	51													X											X	X				
DC MAXI JOLLY HC BLL/2	135001	52						X	X	X	X				X	X							X	X		X					X
DC MAXI JOLLY HC BLL BI	135000	52						X	X	X	X				X	X							X	X		X					X
MINI BLL INTERFACE	135008	52													X	X	X						X	X	X						X
BLL DALI INTERFACE	135009	53													X				X												
DC 6W 150mA BULL	122604	64										X														X					
DC 9W 250mA BULL	122599	64		X																						X					
DC 4W 350mA BULL/U	122596	64			X							X												X		X					
DC 8W 350mA BULL/U	122598	64			X								X											X		X					
DC 6W 500mA BULL/U	122602	64				X						X												X		X					
DC 8W 350mA STC/U	122633	64			X								X											X		X					
DC 9W 350mA STC/U	122632	64			X																			X		X					
DC 6W 500mA STC/U	122635	64				X						X												X		X					
DC 3W 125mA STM/U	122814	64										X												X		X					
DC 6W 150mA STM/U	122799	64										X												X		X					
DC 6W 250mA STM/U	122812	64		X																				X		X					
DC 8W 350mA STM/U	122811	64			X								X											X		X					
DC 6W 500mA STM/U	122813	64				X							X											X		X					
DC 6W 700mA STM/U	122815	64					X																	X		X					
DC 3W 250mA STF/U	122142	65		X																				X		X					
DC 4W 350mA STF/U	122140	65			X																			X		X					
DC 3W 700mA STF/U	122144	65					X																	X		X					
DCC 10W 250mA/U S	122358	65		X																				X		X					
DCC 15W 350mA/U S	122350	65			X																			X		X					
DCC 12W 500mA/U S	122356	65				X							X											X		X					
DCC 12W 700mA/U S	122354	65					X																	X		X					
DC MICRO Z	122086	65			X																					X					

NEW - NOVITÀ

Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 12W 300mA SLIM/U	122447	66												X										X		X				
DC 15W 350mA SLIM/U	122440	66			X																			X		X				
DC 14W 500mA SLIM/U	122448	66				X									X									X		X				
DC 11W 700mA SLIM/U	122441	66					X																	X		X				
DC 13W 12V SLIM/U	122444	66													X									X		X				
DC 13W 24V SLIM/U	122442	66														X								X		X				
DC 14W 350mA AR	122038	66			X																			X		X				
DC 12W 550mA AR	122039	66												X										X		X				
DC 6W 210mA BMU	122796	66												X										X		X				
DC 9W 280mA BMU	122797	66												X										X		X				
DC 12W 350mA BMU	122790	66			X																			X		X				
DC 12W 500mA BMU	122794	66				X									X									X		X				
DC 12W 700mA BMU	122792	66					X																	X		X				
DC 17W 350mA WU S	122246	67			X																			X		X				
DC 20W 500mA WU S	122248	67				X																		X		X				
DC 12W 700mA WU	122233	67					X																	X		X				
DC 17W 700mA WU	122234	67					X																	X		X				
DC 22W 1050mA WU	122236	67							X															X		X				
DC 18W 1400mA WU	122242	67								X														X		X				
DC 18W 350mA W HPF	127132	67			X																				X		X			
DC 16W 400mA W HPF	127133	67												X											X		X			
DC 20W 500mA W HPF	127134	67				X																			X		X			
DC 25W 600mA W HPF	127131	67												X											X		X			
DC 25W 700mA W HPF	127130	67					X																		X		X			
DC 23W 900mA W HPF	127138	67						X																	X		X			
DC 22W 1050mA W HPF	127136	67							X																X		X			
SUPER PRO 13/300	127546N	68												X											X		X			
SUPER PRO 13/300 BI	127546BI	68												X											X		X			
SUPER PRO 16/350	127530N	68			X																				X		X			
SUPER PRO 16/350 BI	127531	68			X																				X		X			
SUPER PRO 23/500	127532N	68				X																			X		X			
SUPER PRO 23/500 BI	127533	68				X																			X		X			
SUPER PRO 32/700	127534N	68					X																		X		X			
SUPER PRO 32/700 BI	127535	68					X																		X		X			
SUPER PRO 38/900	127536N	68						X																	X		X			
SUPER PRO 38/900 BI	127537	68						X																	X		X			
SUPER PRO 42/1050	127538N	68							X																X		X			
SUPER PRO 42/1050 BI	127539	68							X																X		X			
MP 15	122360	68		X	X								X											X		X				
UNIVERSALE 20	122201	69		X	X	X	X					X		X											X		X			
UNIVERSALE 20 BI	122201BI	69		X	X	X	X					X		X											X		X			
UNIVERSALE 20 LC	122203	69		X	X								X		X										X		X			
UNIVERSALE 20 LC BI	122203BI	69		X	X								X		X										X		X			
UNIVERSALE 20 HC	122198	70			X	X	X	X					X		X										X		X			
UNIVERSALE 20 HC BI	122199	70			X	X	X	X					X		X										X		X			
MP 32 K2	122200	70			X	X	X	X					X	X	X										X	X	X			
MP 32 BI	122454	70			X	X	X	X					X	X	X										X	X	X			
PROFESSIONALE 34	127480N	71		X	X	X	X						X												X		X			

NEW - NOVITÀ

LED

Tabella di scelta LED

LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante				Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
PROFESSIONALE 34 BI	127482	71			X	X	X	X						X												X	X				
PROFESSIONALE 42	127484N	71				X	X	X	X	X				X												X	X				
PROFESSIONALE 42 BI	127486	71				X	X	X	X	X				X												X	X				
SMART 50	122220	72				X	X	X	X	X				X												X		X			
SMART 50 BI	122219	72				X	X	X	X	X				X												X		X			
SMART 70	127402	72				X	X	X	X	X				X												X		X			
SMART 70 BI	127400	72				X	X	X	X	X				X												X		X			
MP 50 K3	122204	73				X	X	X	X	X				X											X	X		X		X	
MP 50 BI	122460	73				X	X	X	X	X				X											X	X		X		X	
MP 55 HC/2	127310	73								X	X	X	X	X											X	X	X			X	
MP 55 HC BI	122208	73								X	X	X	X	X											X	X	X			X	
MP 55 1400/2	127310/14	73								X	X		X	X											X	X	X			X	
MP 55 1400 BI	122208/14	73								X	X		X	X											X	X	X			X	
MP 65 H/2	127071	74				X	X	X	X	X				X											X	X		X		X	
MP 65 HBI	127051	74				X	X	X	X	X				X											X	X		X		X	
SUPERSLIM	127330	74				X	X							X											X	X					
SUPERSLIM OF	127330OF	74				X	X							X											X	X					
ATON 30/250-700	127362	75				X	X	X	X					X											X	X					
ATON 30/250-700 BI	127360	75				X	X	X	X					X											X	X					
ATON 30/700-1400	127364	76						X	X	X	X			X											X	X					
ATON 30/700-1400 BI	127366	76						X	X	X	X			X											X	X					
MP 32 SLIM	123676	77			X	X	X	X						X		X									X	X	X				
MP 60 SLIM	122211	77				X	X	X	X	X				X											X	X		X		X	
MP 60 SLIM HV	122210	78			X	X	X	X						X											X	X		X		X	
MP 50/350 SLIM	122215	78			X	X								X											X			X			
MP 80/350 SLIM	122212	79			X	X								X											X			X			
MP 80/500 SLIM	122214I	79			X	X								X											X			X			
MP 80/700 SLIM	122213	80			X	X	X							X											X			X			
DC 9W 350mA RD57	127342	81			X												X	X									X				
DC 9W 700mA RD57	127344	81						X									X	X									X				
DC MICRO JOLLY 6W 350mA	122426	81			X										X			X	X							X					
DC MICRO JOLLY 6W 500mA	122428	81				X									X			X	X							X					
DC MINIJOLLY	123400	82			X	X	X	X						X	X	X		X	X						X	X	X				
DC MINIJOLLY BI	123404	82			X	X	X	X						X	X	X		X	X						X	X	X				
DC MINIJOLLY LC	123401	82			X	X								X	X			X	X						X	X	X				
DC MINIJOLLY LC BI	123401BI	82			X	X								X	X			X	X						X	X	X				
DC JOLLY US	125421	83			X	X	X	X	X					X	X	X		X	X						X	X	X	X			
DC JOLLY US BI	125450	83			X	X	X	X	X					X	X	X		X	X						X	X	X	X			
DC JOLLY HC MV	127021	84			X	X	X	X	X					X				X	X						X	X	X				
DC JOLLY HC BI	127022	84			X	X	X	X	X					X				X	X						X	X	X				
PROFESSIONALE 1-10V	127496	84	X			X	X	X	X	X				X				X							X	X					
PROFESSIONALE 1-10V BI	127497	84	X			X	X	X	X	X				X				X							X	X					
DC MAXI JOLLY US	127411	85	X			X	X	X	X	X				X				X	X					X	X	X		X		X	
DC MAXI JOLLY US	151411	85	X			X	X	X	X	X				X				X	X					X	X	X		X		X	
DC MAXI JOLLY US BI	125462	85	X			X	X	X	X	X				X				X	X					X	X	X		X		X	
DC MAXI JOLLY US BI	151462	85	X			X	X	X	X	X				X				X	X					X	X	X		X		X	
DC MAXI JOLLY HV	127414	85	X	X		X	X	X	X					X				X	X					X	X	X		X		X	
DC MAXI JOLLY HV	151414	85	X	X		X	X	X	X					X				X	X					X	X	X		X		X	

NEW - NOVITÀ

Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX		
DC MAXI JOLLY HV BI	127414BI	85	X	X	X	X	X					X				X	X					X	X	X		X							X	
DC MAXI JOLLY HV BI	151414BI	85	X		X	X	X	X				X					X	X						X	X		X							X
DC MAXI JOLLY HC/2	123312	86							X	X	X	X					X	X					X	X	X	X							X	
DC MAXI JOLLY HC BI	123415	86							X	X	X	X					X	X					X	X	X	X							X	
DC MINIJOLLY DALI	123403	86			X	X	X	X				X	X						X					X	X	X								
DC MINIJOLLY DALI BI	123403BI	86			X	X	X	X				X	X						X					X	X	X								
DC MINIJOLLY LC DALI	123395	87			X	X						X	X						X					X	X	X								
DC MINIJOLLY LC DALI BI	123396	87			X	X						X	X						X					X	X	X								
DC JOLLY DALI	123424	87			X	X	X	X				X	X	X					X				X	X	X	X								
DC JOLLY DALI BI	123458	87			X	X	X	X				X	X	X					X				X	X	X	X								
PROFESSIONALE DALI	127490	88	X			X	X	X	X	X		X						X	X						X	X								
PROFESSIONALE DALI BI	127492	88	X			X	X	X	X	X		X						X	X						X	X								
DC MAXI JOLLY US DALI	127413	88		X		X	X	X	X	X		X						X	X	X			X	X	X		X						X	
DC MAXI JOLLY US DALI	151413	88	X			X	X	X	X	X		X						X	X	X				X	X	X		X					X	
DC MAXI JOLLY US DALI BI	125464	88		X		X	X	X	X	X		X						X	X	X			X	X	X		X						X	
DC MAXI JOLLY US DALI BI	151464	88	X			X	X	X	X	X		X						X	X	X			X	X	X		X						X	
DC MAXI JOLLY HV DALI	127409	89		X	X	X	X	X				X						X	X	X			X	X	X	X		X					X	
DC MAXI JOLLY HV DALI	151409	89	X		X	X	X	X				X						X	X	X				X	X	X		X					X	
DC MAXI JOLLY HV DALI BI	127409BI	89		X	X	X	X	X				X						X	X	X			X	X	X	X		X					X	
DC MAXI JOLLY HV DALI BI	151409BI	89	X		X	X	X	X				X						X	X	X			X	X	X	X		X					X	
DC MAXI JOLLY HC/2 DALI	123314	89							X	X	X	X						X	X	X			X	X	X	X							X	
DC MAXI JOLLY HC DALI BI	123417	89							X	X	X	X						X	X	X			X	X	X	X							X	
MICRO MD 180	127106	90	X									X								X					X	X								
MICRO MD 180 BI	127107	90	X									X								X					X	X								
MICRO MD 250	127048	90	X	X																X					X	X								
MICRO MD 250 BI	127049	90	X	X																X					X	X								
MICRO MD 270	127108	90	X									X								X					X	X								
MICRO MD 270 BI	127109	90	X									X								X					X	X								
MICRO MD 350	127040	90	X		X															X					X	X								
MICRO MD 350 BI	127041	90	X		X															X					X	X								
MICRO MD 500	127042	90	X			X														X					X	X								
MICRO MD 500 BI	127043	90	X			X														X					X	X								
MICRO MD 700	127046	90	X				X													X					X	X								
MICRO MD 700 BI	127047	90	X				X													X					X	X								
MINI MD 250	127036	90	X		X															X					X	X								
MINI MD 250 BI	127037	90	X		X															X					X	X								
MINI MD 350	127030	90	X		X															X					X	X								
MINI MD 350 BI	127031	90	X		X															X					X	X								
MINI MD 500	127032	90	X			X														X					X	X								
MINI MD 500 BI	127033	90	X			X														X					X	X								
MINI MD 700	127034	90	X				X													X					X	X								
MINI MD 700 BI	127035	90	X				X													X					X	X								
MINI MD 250 LP	127444	91	X	X																X					X	X								
MINI MD 350 LP	127445	91	X		X															X					X	X								
MINI MD 500 LP	127446	91	X			X														X					X	X								
MINI MD 700 LP	127447	91	X				X													X					X	X								
DC MINIJOLLY MD	127556	91			X	X	X	X	X			X	X	X					X						X	X								
DC MINIJOLLY MD BI	127557	91			X	X	X	X	X			X	X	X					X						X	X								

NEW - NOVITÀ

LED

Tabella di scelta LED

LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
DC JOLLY MD LC	122262	92			X	X	X						X	X			X	X				X	X	X	X								
DC JOLLY MD	122260	92			X	X	X						X	X	X			X	X				X	X	X	X							
DC MAXI JOLLY HC MD	127550	93								X	X	X	X	X	X			X	X						X	X							
DC MAXI JOLLY HC MD BI	127552	93								X	X	X	X	X	X			X	X						X	X							
DC JOLLY TRT	127016	93				X	X	X						X				X							X	X							
DC 36W 350mA DMX VST	122076	94				X												X		X				X	X							X	
DC 36W 350mA DMX VST BI	122077	94				X												X		X				X	X							X	
DC MAXI JOLLY US MIDNIGHT	122416	94				X	X	X	X	X				X									X	X	X			X				X	
DC MAXI JOLLY US BILEVEL	122418	95				X	X	X	X					X									X	X	X			X				X	
DC MAXI JOLLY US BILEVEL N	122418N	95				X	X	X	X					X									X	X	X			X				X	
DC MAXI JOLLY SLIM HV	122684	95			X	X	X	X						X				X	X				X	X	X			X					
DC JOLLY SLIM	123680	96			X	X	X	X						X		X		X	X				X	X	X		X						
DC JOLLY SLIM	151680	96	X		X	X	X	X						X		X		X	X				X	X	X		X						
T-LED 80/350 1-10V SLIM	127080	97	X		X	X								X				X	X						X						X		
T-LED 80/500 1-10V SLIM	127081	97	X			X	X							X				X	X						X						X		
T-LED 80/700 1-10V SLIM	127082	98	X			X	X	X						X				X	X						X						X		
SUPERSLIM DALI	127462	98				X	X							X					X	X					X	X					X		
ATON 30/250-700 DALI	127370	99			X	X	X	X						X					X	X					X	X					X		
ATON 30/250-700 DALI BI	127372	99			X	X	X	X						X					X	X					X	X					X		
DC MAXI JOLLY SLIM DALI	122692	100				X	X	X	X	X				X				X	X	X				X	X	X		X				X	
DC MAXI JOLLY SLIM HV DALI	122688	100			X	X	X	X						X				X	X	X				X	X	X		X				X	
T-LED 80/350 DALI SLIM 1%	127091	101		X	X	X								X				X	X						X						X		
T-LED 80/500 DALI SLIM	127086	101	X			X	X							X				X	X						X						X		
T-LED 80/700 DALI SLIM	127087	102	X			X	X	X						X				X	X						X						X		
SIRIO 150/200-700	127230	102			X	X	X	X						X											X					X		X	
SIRIO 150/200-700 BI	127240	102			X	X	X	X						X											X					X		X	
SIRIO 150/300-1050	127232	103				X	X	X	X	X				X											X					X		X	
SIRIO 150/300-1050 BI	127242	103				X	X	X	X	X				X											X					X		X	
SIRIO 120/1000-2100 BILEVEL	127350	104	X							X	X	X	X					X						X	X	X							
SIRIO 120/1000-2100 BILEVEL BI	127352	104	X							X	X	X	X					X						X	X	X							
SIRIO 100	127200	105	X	X	X	X	X	X						X				X						X	X		X	X		X	X	X	
SIRIO 100 BI	127210	105	X	X	X	X	X	X						X				X						X	X		X	X		X	X	X	
SIRIO 150/200-700 1-10V BILEVEL	127224	105	X		X	X	X	X						X				X						X	X			X			X		
SIRIO 150/200-700 1-10V BILEVEL BI	127225	105	X		X	X	X	X						X				X						X	X			X			X		
SIRIO 150/300-1050 1-10V BILEVEL	127222	106	X			X	X	X	X	X				X				X						X	X			X			X		
SIRIO 150/300-1050 1-10V BILEVEL BI	127223	106	X			X	X	X	X	X				X				X						X	X			X			X		
DC 7W 8V LS	122150	107																														X	
DC 10W 12V LS	122154	107												X																	X		
DC 10W 24V LS	122156	107													X																X		
DC 10W 28V LS	122158	107																													X		
DC LED 12V EFU	122320	107												X										X						X			
DC LED 24V EFU	122322	107													X									X						X			
LCV 30W 24V	127820	108													X										X				X				
LCV 60W 24V	127821	108													X										X				X				
LCV 75W 24V	127822	108													X										X				X				
LCV 90W 24V	127823	108													X										X				X				
LCV 120W 24V	127824	108													X										X				X				
LCV 180W 24V	127825	108													X										X				X				

NEW - NOVITÀ

Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
DC 50W 24V VST BI	122772	109										X												X	X							
DC 50W 12V VST BI	122776	109										X												X	X							
DC 50W 48V VST BI	122780	109											X											X	X							
DC 70W 24V VST BI	122770	109										X												X	X							
DC 70W 12V VST BI	122778	109										X												X	X							
DC 70W 48V VST BI	122782	109											X											X	X							
DC 150W 24V VST BI	122774	109										X												X	X							
DC 150W 48V VST BI	122784	109											X											X	X							
DC 50W 24V VST	122752	109										X												X	X							
DC 50W 12V VST	122756	109										X												X	X							
DC 50W 48V VST	122766	109											X											X	X							
DC 70W 24V VST	122750	109										X												X	X							
DC 70W 12V VST	122758	109										X												X	X							
DC 70W 48V VST	122762	109											X											X	X							
DC 150W 24V VST	122754	109										X												X	X							
DC 150W 48V VST	122764	109											X											X	X							
DC LED 10V EFUR	122319	110												X									X		X							
DC LED 12V EFUR	122321	110										X			X								X		X							
DC LED 24V EFUR	122314	110										X			X								X		X							
DC LED 28V EFUR	122316	110												X									X		X							
DC 80W 12V VSTR	122732	110									X				X	X					X	X	X	X	X					X		
DC 120W 24V VSTR	122730	110									X				X	X					X	X	X	X	X					X		
DC 30W 24V SLIM	127952	111										X												X	X							
DC 60W 24V SLIM	127950	111										X												X	X							
DC 100W 24V SLIM	127954	111										X												X	X							
DC 150W 24V SLIM	127956	111										X												X	X							
DC 30W 24V SLIM R	127953	111										X			X									X	X							
DC 60W 24V SLIM R	127951	111										X			X									X	X							
DC 100W 24V SLIM R	127955	111										X			X									X	X							
DC 150W 24V SLIM R	127957	111										X			X							X		X	X							
DC 50W 12V VPS LP	127902	112										X												X	X							
DC 50W 24V VPS LP	127903	112										X												X	X							
DC 75W 12V VPS LP	127904	112										X												X	X							
DC 75W 24V VPS LP	127905	112										X												X	X							
DC 100W 12V VPS 1-10V	127906	112										X			X									X	X	X						
DC 100W 24V VPS 1-10V	127907	12										X			X									X	X	X						
DC 150W 12V VPS 1-10V	127908	1121										X			X									X	X	X						
DC 150W 24V VPS 1-10V	127909	112										X			X									X	X	X						
DC 200W 12V VPS 1-10V	127910	112										X			X									X	X	X						
DC 200W 24V VPS 1-10V	127911	112										X			X									X	X	X						
DC 45W 12V VPS MD	127912	113										X												X	X	X						
DC 45W 24V VPS MD	127913	113										X												X	X	X						
DC 80W 12V VPS MD	127914	113										X												X	X	X						
DC 80W 24V VPS MD	127915	113										X												X	X	X						
SUPERSLIM 24V	127328	114										X												X	X							
SUPERSLIM 24V OF	127328OF	114										X												X	X							
DC 70W 24V DALI SLIM	127960	114										X					X		X					X	X							
DCC 15W 350mA/U S IP54	122370	115				X																		X		X						

NEW - NOVITÀ

LED



LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	OTHER	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
DCC 12W 500mA/U S IP54	122376	115				X								X											X		X						
DCC 12W 700mA/U S IP54	122372	115					X																		X		X						
DC 8W 350mA STMP/U	122800	115			X									X										X		X							
DC 6W 500mA STMP/U	122802	115				X								X										X		X							
DC 6W 700mA STMP/U	122804	115					X																	X		X							
DC 10W 8V SLIM/U IP65	122430	115																						X		X							
DC 13W 12V SLIM/U IP65	122432	115												X										X		X							
DC 13W 24V SLIM/U IP65	122434	115												X										X		X							
DC 15W 350mA SLIM/U IP	122440IP	116			X																			X		X							
DC 14W 500mA SLIM/U IP	122448IP	116				X																		X		X							
DC 11W 700mA SLIM/U IP	122441IP	116					X																	X		X							
DC 13W 12V SLIM/U IP	122444IP	116												X										X		X							
DC 13W 24V SLIM/U IP	122442IP	116												X										X		X							
DC 70W 12V ST2	122477	116												X											X	X							
DC 70W 24V ST2	122479	116												X											X	X							
DC 70W 48V ST2	122481	116												X											X	X							
DC 150W 24V ST2	122511	116												X											X	X							
DC 150W 48V ST2	122513	116												X											X	X							
DC10W350mA TU - IP68	122713RES	116			X																			X		X							
DC17W700mA TU - IP68	122717RES	116					X																	X		X							
DC20W24V T - IP68	122715RES	116												X												X							
IPR2 12/250	152014/250	117		X																				X	X	X							
IPR2 12/250 LO	152016/250	117		X																				X	X	X							
IPR2 17/350	152014/350	117			X																			X	X	X							
IPR2 17/350 LO	152016/350	117			X																			X	X	X							
IPR2 24/500	152014/500	117				X																		X	X	X							
IPR2 24/500 LO	152016/500	117				X																		X	X	X							
IPR2 30/700	152014/700	117					X																	X	X	X							
IPR2 30/700 LO	152016/700	117					X																	X	X	X							
DC MINI JOLLY DALI IPR2	152010	117	X	X	X	X	X					X							X				X	X	X								
DC MINI JOLLY DALI IPR2 LO	152012	117	X	X	X	X	X					X							X				X	X	X								
IPR1 25/500 SV	152001/500	118				X																		X	X	X							
IPR1 25/500 SV LO	152002/500	118				X																		X	X	X							
IPR1 35/700 SV	152001/700	118					X																	X	X	X							
IPR1 35/700 SV LO	152002/700	118					X																	X	X	X							
IPR1 45/900 SV	152001/900	118						X																X	X	X							
IPR1 45/900 SV LO	152002/900	118						X																X	X	X							
IPR1 52/1050 SV	152001/1050	1181							X															X	X	X							
IPR1 52/1050 SV LO	152002/1050	118							X															X	X	X							
IPR1 60/1200 SV	152001/1200	118								X														X	X	X							
IPR1 60/1200 SV LO	152002/1200	118								X														X	X	X							
IPR1 70/1400 SV	152001/1400	118									X													X	X	X							
IPR1 70/1400 SV LO	152002/1400	118									X													X	X	X							
DC MAXI JOLLY SV DALI IPR1	152004	118	X			X	X	X	X			X								X				X	X	X							
DC MAXI JOLLY SV DALI IPR1 LO	152006	118	X			X	X	X	X			X								X				X	X	X							
LV HR 350mA	122652	119																									X						
LV HR 500mA	122654	119			X																						X						
LV HR 700mA	122656	119				X																					X						

NEW - NOVITÀ



Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60 - 120V	NOT SELV	RGB	12V AUX
LV Micro Z 350	122666	119					X																		X							
LV RGB 250mA	122662	120		X																				X						X		
LV RGB 350mA	122660	120			X																			X						X		
LV RGB 500mA	122661	120				X																		X						X		
MW 70 LED DIMM	119772	120																X						X	X							
MW 70 LED	119773	120																						X	X							
W 105 LED	119812	121																X						X	X							
W 105 LED PWM	119814	121															X					X		X	X							
DCC DALI INTERFACE	122099	121																	X						X							
BMU DMX INTERFACE	122066	122																		X											X	

LED

NEW - NOVITÀ