

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.		
Address	Sarrono (VA) Via Parma 14 Cap - - 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-002
Certification and Authorized Mark Number	GMA-505102	Revision Number	01
Certification Standard(s)	AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme
			System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	20/03/2019
Certificate Last Update Date	21/03/2019
Certification Expiry Date	20/03/2024

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 35 BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 35 W, Uout=50 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 50 BI	Input: 220-240 V, 50/60 Hz Output: 0,25 A, Pout max. 50 W, Uout=85 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 42 BI	Input: 220-240 V, 50/60 Hz Output: 0,24 A, Pout max. 42 W, Uout=50 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 70 BI	Input: 220-240 V, 50/60 Hz Output: 0,37 A, Pout max. 70 W, Uout=90 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 32 BI	Input: 220-240 V, 50/60 Hz Output: 0,16 A, Pout max. 32 W, Uout=50 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SMART 70 HC SLIM	Input: 220-240 V, 50/60 Hz Output: 0,4 A, Pout max. 70 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 33/800 BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 33 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 35/850 BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 35 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 38/900 BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 18/400 BI	Input: 220-240 V, 50/60 Hz Output: 0,1 A, Pout max. 18 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 16/350 BI	Input: 220-240 V, 50/60 Hz Output: 0,1 A, Pout max. 16 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 32/700 BI	Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 32 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 13/300 BI	Input: 220-240 V, 50/60 Hz Output: 0,09 A, Pout max. 13 W, Uout=59 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




JAS-ANZ



Certificate of Suitability

Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 22/485 BI	Input: 220-240 V, 50/60 Hz Output: 0,12 A, Pout max. 22 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 24/550 BI	Input: 220-240 V, 50/60 Hz Output: 0,15 A, Pout max. 24 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE 42 BI	Input: 220-240 V, 50/60 Hz Output: 0,23 A, Pout max. 42 W, Uout=55 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 23/500 BI	Input: 220-240 V, 50/60 Hz Output: 0,13 A, Pout max. 23 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 20/450 BI	Input: 220-240 V, 50/60 Hz Output: 0,12 A, Pout max. 20 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 27/600 BI	Input: 220-240 V, 50/60 Hz Output: 0,15 A, Pout max. 27 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE HC BI	Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 29/650 BI	Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 29 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE 34 BI	Input: 220-240 V, 50/60 Hz Output: 0,19 A, Pout max. 34 W, Uout=60 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 12/250 BI	Input: 220-240 V, 50/60 Hz Output: 0,07 A, Pout max. 12 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE 32 BI	Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 32 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE DALI BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	SUPER PRO 42/1050 BI	Input: 220-240 V, 50/60 Hz Output: 0,23 A, Pout max. 42 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE 1-10V BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 36 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE CASAMBI BI	Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Suitability

Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE HC DALI BI	Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V
Non declared	Power Supply for LED module - built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PROFESSIONALE HC CASAMBI BI	Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
2019/03/21 Modificaiton 1 - re- issued to correct the standard AS 61347.2.13:2018

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ

