# Certificate of Suitability

*Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.*

| CERTIFICATION AND CERTIFICATE HOLDER DETAILS | | | | |
|---|---|---|---|---|
| Company Name | **TCI Telecomunicazioni Italia S.R.L.** | | | |
| Address | **Sarrono (VA) Via Parma 14 Cap - - 21047 Italy** | | | |
| Client ID | **105895** | Global-Mark File Number: | **105895-002** | System 1 Approval |
| Certification and Authorized Mark Number | **GMA-505102** | Revision Number | **01** | |
| Certification Standard(s) | **AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.** | | | |
| Type of Certification | **Electrical Safety Product** *Scheme* **Global-Mark Electrical Product Safety Certification Scheme** | | | |

| CERTIFICATE DATES | |
|---|---|
| Certificate Issue Date | **20/03/2019** |
| Certificate Last Update Date | **21/03/2019** |
| Certification Expiry Date | **20/03/2024** |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

**Certification Manager**

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

# Certificate of Suitability

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|---|---|---|---|---|
| **Declared Article** | **Product Description** | **Trade Name** | **Model Number** | **Rating** |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 35 BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 35 W, Uout=50 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 50 BI | Input: 220-240 V, 50/60 Hz Output: 0,25 A, Pout max. 50 W, Uout=85 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 42 BI | Input: 220-240 V, 50/60 Hz Output: 0,24 A, Pout max. 42 W, Uout=50 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 70 BI | Input: 220-240 V, 50/60 Hz Output: 0,37 A, Pout max. 70 W, Uout=90 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 32 BI | Input: 220-240 V, 50/60 Hz Output: 0,16 A, Pout max. 32 W, Uout=50 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SMART 70 HC SLIM | Input: 220-240 V, 50/60 Hz Output: 0,4 A, Pout max. 70 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 33/800 BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 33 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 35/850 BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 35 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 38/900 BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 18/400 BI | Input: 220-240 V, 50/60 Hz Output: 0,1 A, Pout max. 18 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 16/350 BI | Input: 220-240 V, 50/60 Hz Output: 0,1 A, Pout max. 16 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 32/700 BI | Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 32 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 13/300 BI | Input: 220-240 V, 50/60 Hz Output: 0,09 A, Pout max. 13 W, Uout=59 V |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

Certification Manager

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

# Certificate of Suitability

| | | | | |
|---|---|---|---|---|
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 22/485 BI | Input: 220-240 V, 50/60 Hz Output: 0,12 A, Pout max. 22 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 24/550 BI | Input: 220-240 V, 50/60 Hz Output: 0,15 A, Pout max. 24 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE 42 BI | Input: 220-240 V, 50/60 Hz Output: 0,23 A, Pout max. 42 W, Uout=55 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 23/500 BI | Input: 220-240 V, 50/60 Hz Output: 0,13 A, Pout max. 23 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 20/450 BI | Input: 220-240 V, 50/60 Hz Output: 0,12 A, Pout max. 20 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 27/600 BI | Input: 220-240 V, 50/60 Hz Output: 0,15 A, Pout max. 27 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE HC BI | Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 29/650 BI | Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 29 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE 34 BI | Input: 220-240 V, 50/60 Hz Output: 0,19 A, Pout max. 34 W, Uout=60 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 12/250 BI | Input: 220-240 V, 50/60 Hz Output: 0,07 A, Pout max. 12 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE 32 BI | Input: 220-240 V, 50/60 Hz Output: 0,17 A, Pout max. 32 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE DALI BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | SUPER PRO 42/1050 BI | Input: 220-240 V, 50/60 Hz Output: 0,23 A, Pout max. 42 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE 1-10V BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 36 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE CASAMBI BI | Input: 220-240 V, 50/60 Hz Output: 0,2 A, Pout max. 38 W, Uout=59 V |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

Certification Manager

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

# Certificate of Suitability

| | | | | |
|---|---|---|---|---|
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE HC DALI BI | Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V |
| Non declared | Power Supply for LED module - built in | TCI TELECOMUNICAZIONI ITALIA S.R.L. | PROFESSIONALE HC CASAMBI BI | Input: 220-240 V, 50/60 Hz Output: 0,26 A, Pout max. 45 W, Uout=59 V |

| RELEVANT TRADEMARK (S) |
|---|
| |

| COMMENTS OR CONDITIONS ON THE CERTIFICATION |
|---|
| 2019/03/21 Modificaiton 1<br>- re- issued to correct the standard AS 61347.2.13:2018 |

**End of document**

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.

Certification Manager

*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*