

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.	Other Name	
Address	Via Parma 14 Saronno Varese 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-094
Certification and Authorized Mark Number	GMA-523764	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	9/07/2025
Certificate Last Update Date	
Certification Expiry Date	9/07/2030

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 1 of 5

Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Power Supply for LED module	TCI	MP 32 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=36 W; Po=9-32 W Io=0,35-0,9 A, 10 V/12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI	MP 32 HV BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=17-32 W Io=0,35-0,7 A, 24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI	DC JOLLY DALI BI cod. 125458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=10-32 W Io=0,25-0,7 A, 12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI	DC JOLLY DALI BI cod. 151458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=12-32 W Io=0,25-0,7 A, Uout=59 V
Non declared	Power Supply for LED module	TCI	DC JOLLY US BI cod. 126450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=11-32 W Io=0,25-0,9 A, 12 V/24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI	DC JOLLY US BI cod. 151450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=13-32 W Io=0,25-0,9 A, Uout=59 V
Non declared	Power Supply for LED module	TCI	DC JOLLY HC BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI	MP 39 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TN101	MP 32 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=36 W; Po=9-32 W Io=0,35-0,9 A, 10 V/12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TN101	MP 32 HV BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=17-32 W Io=0,35-0,7 A, 24 V, Uout=59 V
Non declared	Power Supply for LED module	TN101	DC JOLLY DALI BI cod. 125458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=10-32 W Io=0,25-0,7 A, 12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TN101	DC JOLLY DALI BI cod. 151458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=12-32 W Io=0,25-0,7 A, Uout=59 V
Non declared	Power Supply for LED module	TN101	DC JOLLY US BI cod. 126450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=11-32 W Io=0,25-0,9 A, 12 V/24 V, Uout=59 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 5

Certificate of Suitability

Non declared	Power Supply for LED module	TN101	DC JOLLY US BI cod. 151450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=13-32 W Io=0,25-0,9 A, Uout=59 V
Non declared	Power Supply for LED module	TN101	DC JOLLY HC BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TN101	MP 39 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 32 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=36 W; Po=9-32 W Io=0,35-0,9 A, 10 V/12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 32 HV BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=17-32 W Io=0,35-0,7 A, 24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC JOLLY DALI BI cod. 125458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=10-32 W Io=0,25-0,7 A, 12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC JOLLY DALI BI cod. 151458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=12-32 W Io=0,25-0,7 A, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC JOLLY US BI cod. 126450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=11-32 W Io=0,25-0,9 A, 12 V/24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC JOLLY US BI cod. 151450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=13-32 W Io=0,25-0,9 A, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC JOLLY HC BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 39 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 32 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=36 W; Po=9-32 W Io=0,35-0,9 A, 10 V/12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 32 HV BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=17-32 W Io=0,35-0,7 A, 24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT	DC JOLLY DALI BI cod. 125458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=10-32 W Io=0,25-0,7 A, 12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LIGHT	DC JOLLY DALI BI cod. 151458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=12-32 W Io=0,25-0,7 A, Uout=59 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hoban

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LIGHT	DC JOLLY US BI cod. 126450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=11-32 W Io=0,25-0,9 A, 12 V/24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT	DC JOLLY US BI cod. 151450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=13-32 W Io=0,25-0,9 A, Uout=59 V
Non declared	Power Supply for LED module	TCI LIGHT	DC JOLLY HC BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 39 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LED	MP 32 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=36 W; Po=9-32 W Io=0,35-0,9 A, 10 V/12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LED	MP 32 HV BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=17-32 W Io=0,35-0,7 A, 24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LED	DC JOLLY DALI BI cod. 125458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=10-32 W Io=0,25-0,7 A, 12 V/24 V, Uout=55 V
Non declared	Power Supply for LED module	TCI LED	DC JOLLY DALI BI cod. 151458	Vin=220-240 V 50/60 Hz 0,16 A Pin=37 W; Po=12-32 W Io=0,25-0,7 A, Uout=59 V
Non declared	Power Supply for LED module	TCI LED	DC JOLLY US BI cod. 126450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=11-32 W Io=0,25-0,9 A, 12 V/24 V, Uout=59 V
Non declared	Power Supply for LED module	TCI LED	DC JOLLY US BI cod. 151450	Vin=220-240 V 50/60 Hz 0,18 A Pin=37 W; Po=13-32 W Io=0,25-0,9 A, Uout=59 V
Non declared	Power Supply for LED module	TCI LED	DC JOLLY HC BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V
Non declared	Power Supply for LED module	TCI LED	MP 39 BI	Vin=220-240 V 50/60 Hz 0,16 A Pin=45 W; Po=15-39 W Io=0,35-1,05 A, Uout=57 V

RELEVANT TRADEMARK (S)



This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Suitability

COMMENTS OR CONDITIONS ON THE CERTIFICATION
2025/07/09 Initial Certification Nil

End of document



This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 5 of 5