

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

| | | | |
|--|---|--------------------------|---|
| Company Name | TCI Telecomunicazioni Italia S.R.L. | | |
| Address | Sarrono (VA) Via Parma 14 Cap - - 21047 Italy | | |
| Client ID | 105895 | Global-Mark File Number: | 105895-005 |
| Certification and Authorized Mark Number | GMA-506106 | Revision Number | 00 |
| Certification Standard(s) | AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules. | | |
| Type of Certification | Electrical Safety Product | Scheme | Global-Mark Electrical Product Safety Certification Scheme |
| | | | System 1 Approval |

CERTIFICATE DATES

| | |
|------------------------------|-------------------|
| Certificate Issue Date | 12/09/2019 |
| Certificate Last Update Date | |
| Certification Expiry Date | 12/09/2024 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Certificate of Suitability

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|--------------------------------|--------------------------------------|-------------------------------------|---------------------------|---|
| Declared Article | Product Description | Trade Name | Model Number | Rating |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/700 DALI SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/700 DALI SLIM 1% | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/700 1-10V SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/500 DALI SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=34-80 W, Io=0,22-0,5 A, Uout=210 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/500 DALI SLIM 1% | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=34-80 W, Io=0,22-0,5 A, Uout=210 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/500 1-10V SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=37,4-80 W, Io=0,22-0,5 A, Uout=210 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MAXI JOLLY 80 SLIM HV | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=34-80 W, Io=0,2-0,5 A, Uout=210 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MAXI JOLLY 50 SLIM HV | Vin=220-240 V, 50/60 Hz, 0,25 A, Po=34-50 W, Io=0,2-0,5 A, Uout=210 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/350 DALI SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/350 DALI SLIM 1% | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | T-LED 80/350 1-10V SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/700 SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=52-80 W, Io=0,325-0,7 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/700 SLIM GW | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=52-80 W, Io=0,325-0,7 A, Uout=250 V |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




JAS-ANZ





global-mark®

Certificate of Suitability

| | | | | |
|--------------|--------------------------------------|-------------------------------------|-----------------------|---|
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 60/700 SLIM | Vin=220-240 V, 50/60 Hz, 0,3 A, Po=60 W, Io=0,45-0,7 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/500 SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=73,5-80 W, Io=0,35-0,5 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=54-80 W, Io=0,2-0,35 A, Uout=300-390 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/350 SLIM GW | Vin=220-240 V, 50/60 Hz, 0,4 A, Po=54-80 W, Io=0,2-0,35 A, Uout=300-390 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 56/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,29 A, Po=27-56 W, Io=0,1-0,35 A, Uout=390 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 50/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,25 A, Po=27-50 W, Io=0,1-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 35/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,19 A, Po=35 W, Io=0,25-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MPSE 55/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,31 A, Po=55 W, Io=0,1-0,35 A, Uout=290 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MPSE 55/700 SLIM | Vin=220-240 V, 50/60 Hz, 0,31 A, Po=55 W, Io=0,325-0,7 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 100/350 SLIM | Vin=220-240 V, 50/60 Hz, 0,6 A, Po=100 W, Io=0,2-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MPX 100/350 277V SLIM | Vin=110-277 V, 50/60 Hz, 0,6 A, Po=100 W, Io=0,2-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 100/750 SLIM | Vin=220-240 V, 50/60 Hz, 0,6 A, Po=100 W, Io=0,25-0,75 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 120/700 SLIM | Vin=220-240 V, 50/60 Hz, 0,65 A, Po=120 W, Io=0,325-0,7 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MPX 120/700 277V SLIM | Vin=110-277 V, 50/60 Hz, 0,65 A, Po=120 W, Io=0,325-0,7 A, Uout=250 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MPX 165/800 SLIM | Vin=110-240 V, 50/60 Hz, 0,9 A, Po=80/165 W, Io=0,425-0,7 A, Uout=250 V |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Suitability

| | | | | |
|--------------|--------------------------------------|--|---------------------|--|
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/350 277V SLIM | Vin=110-277 V, 50/60 Hz, 0,4 A, Po=25-80 W, Io=0,2-0,35 A, Uout=300 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | MP 80/500 277V SLIM | Vin=110-277 V, 50/60 Hz, 0,4 A, Po=25-80 W, Io=0,35-0,5 A, Uout=250 V |

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ

