

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.		
Address	Saronno (VA) Via Parma 14 Cap - - 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-041 System 1 Approval
Certification Number	GMA-510630	Revision Number	00
Certificate Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product Scheme	Global-Mark Electrical Product Safety Certification Scheme	

CERTIFICATE DATES

Certificate Issue Date	16/08/2021
Certificate Last Update Date	
Certification Expiry Date	16/08/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/700 DALI SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/700 DALI SLIM 1%	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/700 1-10V SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=42-80 W, Io=0,35-0,7 A, Uout=180 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/500 DALI SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=37,4-80 W, Io=0,22-0,5 A, Uout=210 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/500 DALI SLIM 1%	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=37,4-80 W, Io=0,22-0,5 A, Uout=210 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/500 1-10V SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=37,4-80 W, Io=0,22-0,5 A, Uout=210 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MAXI JOLLY 80 SLIM HV	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=34-80 W, Io=0,2-0,5 A, Uout=210 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MAXI JOLLY 50 SLIM HV	Vin=220-240 V, 50-60 Hz, 0,25 A, Po=34-50 W, Io=0,2-0,5 A, Uout=210 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/350 DALI SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/350 DALI SLIM 1%	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	T-LED 80/350 1-10V SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=35-80 W, Io=0,14-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/700 SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=52-80 W, Io=0,325-0,7 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/700 SLIM GW	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=52-80 W, Io=0,325-0,7 A, Uout=340 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 60/700 SLIM	Vin=220-240 V, 50-60 Hz, 0,3 A, Po=60 W, Io=0,45-0,7 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/500 SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=73,5-80 W, Io=0,35-0,5 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,4 A, Po=54-80 W, Io=0,2-0,35 A, Uout=300-390 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 56/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,29 A, Po=27-56 W, Io=0,1-0,35 A, Uout=390 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 50/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,25 A, Po=27-50 W, Io=0,1-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 35/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,19 A, Po=35 W, Io=0,25-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPSE 40/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,23 A, Po=24-40 W, Io=0,2-0,35 A, Uout=330 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPSE 40/700 SLIM	Vin=220-240 V, 50-60 Hz, 0,23 A, Po=26-40 W, Io=0,325-0,7 A, Uout=330 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPSE 55/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,31 A, Po=26-55 W, Io=0,325-0,7 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPSE 55/350 SLIM MO	Vin=220-240 V, 50-60 Hz, 0,31 A, Po=26-55 W, Io=0,1-0,35 A, Uout=300 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPV 55/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,31 A, Po=44-55 W, Io=0,2-0,35 A, Uout=320 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPSE 55/700 SLIM	Vin=220-240 V, 50-60 Hz, 0,31 A, Po=45,5-55 W, Io=0,325-0,7 A, Uout=360 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 100/350 SLIM	Vin=220-240 V, 50-60 Hz, 0,6 A, Po=59-100 W, Io=0,2-0,35 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPX 100/350 277V SLIM	Vin=110-277 V, 50-60 Hz, 0,6 A, Po=59-100 W, Io=0,2-0,35 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPX 100/350 277V SLIM 127671BR	Vin=110-277 V, 50-60 Hz, 0,6 A, Po=59-100 W, Io=0,2-0,35 A, Uout=340 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Suitability

Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 100/750 277V SLIM	Vin=220-240 V, 50-60 Hz, 0,6 A, Po=55-100 W, Io=0,25-0,75 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 120/700 SLIM	Vin=220-240 V, 50-60 Hz, 0,65 A, Po=79-120 W, Io=0,325-0,7 A, Uout=350 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPX 120/700 277V SLIM	Vin=110-277 V, 50-60 Hz, 0,65 A, Po=79-120 W, Io=0,325-0,7 A, Uout=350 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPX 165/800 SLIM	Vin=110-277 V, 50-60 Hz, 0,9 A, Po=103-165 W, Io=0,425-0,8 A, Uout=340 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MPX 120/800 SLIM	Vin=110-240 V, 50-60 Hz, 0,65 A, Po=103-120 W, Io=0,425-0,8 A, Uout=330 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/350 277V SLIM	Vin=110-240 V, 50-60 Hz, 0,4 A, Po=25-80 W, Io=0,2-0,35 A, Uout=390 V
Non declared	Built-in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 80/500 277V SLIM	Vin=110-240 V, 50-60 Hz, 0,4 A, Po=25-80 W, Io=0,35-0,5 A, Uout=390 V

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER