



中国国家强制性产品认证证书

证书编号: 2023181002043335

发证日期: 2023年06月19日

有效期至: 2028年06月18日

认证委托人名称 及注册地址	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) 意大利
生产者(制造商) 名称及注册地址	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) 意大利
生产企业名称 及生产地址	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) 意大利
产品名称和系列、 型号、规格	LED 模块用直流或交流电子控制装置 (LED 控制装置, 自耦式, 内装式, 恒流 模式, $t_c: 85^{\circ}\text{C}$, 定温热保护: 110°C) 见附件, 220-240V 0/50-60Hz
产品标准和 技术要求	GB/T 17743-2021, GB 17625.1-2022, GB 19510.1-2009, GB 19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01: 2014 的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C146-P

本证书的相关信息可通过认监委网站 www.cnca.gov.cn 或扫描左下方二维码查询。



邓俊尧

威凯认证检测有限公司



中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话: +86-20-32293722

069953



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No.: 2023181002043335

DATE OF ISSUE: Jun. 19, 2023

DATE OF EXPIRY: Jun. 18, 2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME AND ADDRESS OF THE FACTORY TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) Italy

NAME, MODEL AND SPECIFICATION A.C.or D.C. Supplied Electronic Controlgear For LED Modules
(Built-in, Constant Current Mode, tc:85°C, Temperature Declared
Thermally Protected: 110°C)
See appendix,220-240V 0/50-60Hz

STANDARDS AND TECHNICAL REQUIREMENTS GB/T 17743-2021,GB 17625.1-2022,
GB 19510.1-2009,GB 19510.14-2009

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C10-01: 2014).

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C146-P

This certificate can be verified through CNCA's website: www.cnca.gov.cn or the QR code at the lower left.



Dag Juyang



CVC Certification & Testing Co., Ltd.

No.3, Tiantaiyi Road, High-tech Industrial Development Zone, Science City, Guangzhou (510663) P. R. China

<http://www.cvc.org.cn>

Tel: +86-20-32293722

069953



中国国家强制性产品认证证书

附录:

第 1 页 共 3 页

证书编号: 2023181002043335

纸号: 069953

序号	产品型号	参数
1	MP 80/700 SLIM	输出: 恒流模式: Max. 250Vdc, 325-700mA (恒流可调, 通过拨码开关调节, 步进 25mA), 配套光源: Max. 80W LED 模块
2	MP 80/500 SLIM	输出: 恒流模式: Max. 250Vdc, 350-500mA (恒流可调, 通过拨码开关调节, 步进 10mA), 配套光源: Max. 80W LED 模块
3	MP 80/350 SLIM	输出: 恒流模式: Max. 390Vdc (200-290mA) / Max. 300Vdc (300-350mA), 200-350mA (恒流可调, 通过拨码开关调节, 步进 10mA), 配套光源: Max. 80W LED 模块
4	MP 50/350 SLIM	输出: 恒流模式: Max. 300Vdc, 100-350mA 恒流可调, 通过拨码开关调节, 步进 17/16mA), 配套光源: Max. 50W LED 模块

输入: 220-240V 0/50-60Hz, t_c : 85°C, 内装式, 自耦式, 定温热保护: 110°C

拨码开关位置与输出电压、电流、功率参数的对应关系详见下表

型号: MP 80/700 SLIM

输出 电流	最大 输出 电压	输出功 率	拨码开关位置				输出 电流	最大 输出 电压	输出 功率	拨码开关位置			
			1	2	3	4				1	2	3	4
325mA	160V	73.5W	-	-	-	-	525mA	152V	80W	ON	-	-	-
350mA	160V	75.5W	-	-	-	ON	550mA	145V	80W	ON	-	-	ON
375mA	160V	77.5W	-	-	ON	-	575mA	139V	80W	ON	-	ON	-
400mA	160V	80W	-	-	ON	ON	600mA	133V	80W	ON	-	ON	ON
425mA	160V	80W	-	ON	-	-	625mA	128V	80W	ON	ON	-	-
450mA	160V	80W	-	ON	-	ON	650mA	123V	80W	ON	ON	-	ON
475mA	160V	80W	-	ON	ON	-	675mA	118V	80W	ON	ON	ON	-
500mA	160V	80W	-	ON	ON	ON	700mA	114V	80W	ON	ON	ON	ON

注: 此附录与证书同时使用时有效。

邓俊尧

威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话: +86-20-32293722





中国国家强制性产品认证证书

附录:

第 2 页 共 3 页

证书编号: 2023181002043335

纸号: 069953

型号: MP 80/500 SLIM

输出 电流	最大 输出 电压	输出功 率	拨码开关位置				输出 电流	最大 输出 电压	输出 功率	拨码开关位置			
			1	2	3	4				1	2	3	4
350mA	210V	73.5W	-	-	-	-	430mA	186V	80W	ON	-	-	-
360mA	210V	75.5W	-	-	-	ON	440mA	181V	80W	ON	-	-	ON
370mA	210V	77.5W	-	-	ON	-	450mA	177V	80W	ON	-	ON	-
380mA	210V	80W	-	-	ON	ON	460mA	174V	80W	ON	-	ON	ON
390mA	205V	80W	-	ON	-	-	470mA	170V	80W	ON	ON	-	-
400mA	205V	80W	-	ON	-	ON	480mA	166V	80W	ON	ON	-	ON
410mA	195V	80W	-	ON	ON	-	490mA	163V	80W	ON	ON	ON	-
420mA	190V	80W	-	ON	ON	ON	500mA	160V	80W	ON	ON	ON	ON

型号: MP 80/350 SLIM

输出 电流	最大 输出 电压	输出功 率	拨码开关位置				输出 电流	最大 输出 电压	输出 功率	拨码开关位置			
			1	2	3	4				1	2	3	4
200mA	270V	54W	-	-	-	-	280mA	270V	75.5 W	ON	-	-	-
210mA	270V	56.5W	-	-	-	ON	290mA	270V	78W	ON	-	-	ON
220mA	270V	59W	-	-	ON	-	300mA	266V	80W	ON	-	ON	-
230mA	270V	62W	-	-	ON	ON	310mA	258V	80W	ON	-	ON	ON
240mA	270V	64.5W	-	ON	-	-	320mA	250V	80W	ON	ON	-	-
250mA	270V	67.5W	-	ON	-	ON	330mA	242V	80W	ON	ON	-	ON
260mA	270V	70W	-	ON	ON	-	340mA	235V	80W	ON	ON	ON	-
270mA	270V	72.5W	-	ON	ON	ON	350mA	228V	80W	ON	ON	ON	ON

注: 此附录与证书同时使用时有效。

邓俊迪

威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话: +86-20-32293722





中国国家强制性产品认证证书

附录：

第 3 页 共 3 页

证书编号：2023181002043335

纸号：069953

型号：MP 50/350 SLIM

输出 电流	最大 输出 电压	输出 功率	拨码开关位置				输出 电流	最大 输出 电压	输出 功率	拨码开关位置			
			1	2	3	4				1	2	3	4
100mA	80-270V	27W	-	-	-	-	234mA	30-210V	50W	ON	-	-	-
117mA	70-270V	31W	-	-	-	ON	250mA	30-196V	50W	ON	-	-	ON
134mA	50-270V	36W	-	-	ON	-	267mA	30-185V	50W	ON	-	ON	-
150mA	45-270V	40W	-	-	ON	ON	284mA	30-174V	50W	ON	-	ON	ON
167mA	30-270V	45W	-	ON	-	-	300mA	30-165V	50W	ON	ON	-	-
184mA	30-270V	49W	-	ON	-	ON	317mA	30-157V	50W	ON	ON	-	ON
200mA	30-250V	50W	-	ON	ON	-	334mA	30-150V	50W	ON	ON	ON	-
217mA	30-230V	50W	-	ON	ON	ON	350mA	30-143V	50W	ON	ON	ON	ON

注：此附录与证书同时使用时有效。

邓俊尧

威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话：+86-20-32293722

