



中国国家强制性产品认证证书

证书编号: 2023181002043672

发证日期: 2023年06月30日

有效期至: 2028年06月29日

认证委托人名称
及注册地址 TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

生产者 (制造商)
名称及注册地址 TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

生产企业名称
及生产地址 TCI Telecomunicazioni Italia S.r.l.
Via Parma 14 21047 Saronno(VA) 意大利

产品名称和系列、
型号、规格 LED 模块用交流电子控制装置 (LED 控制装置, 独立式, 恒流/恒压模式, 安全特
低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 70^{\circ}\text{C}$, II 类, IP20, 适宜直接安装在普通可燃材料表面, 定温热
保护: 110°C)
见附件, 220-240V~, 50/60Hz

产品标准和
技术要求 GB/T 17743-2021, GB 17625.1-2022, GB 19510.1-2009, GB 19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01: 2014 的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C146-P

本证书的相关信息可通过认监委网站 www.cnca.gov.cn 或扫描左下方二维码查询。



邓俊逸

威凯认证检测有限公司



中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话: +86-20-32293722

070597



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No.: 2023181002043672

DATE OF ISSUE: Jun. 30, 2023

DATE OF EXPIRY: Jun. 29, 2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) Italy
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) Italy
NAME AND ADDRESS OF THE FACTORY	TCI Telecomunicazioni Italia S.r.l. Via Parma 14 21047 Saronno(VA) Italy
NAME, MODEL AND SPECIFICATION	A. C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current, Constant Voltage, SELV ta:50°C,tc:70°C Class II,IP20, Suitable For Normally Flammable Surfaces ,Temperature Declared Thermally Protected:110°C) See appendix,220-240V~, 50/60Hz
STANDARDS AND TECHNICAL REQUIREMENTS	GB/T 17743-2021,GB 17625.1-2022, GB 19510.1-2009,GB 19510.14-2009

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C10-01: 2014).

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C146-P

This certificate can be verified through CNCA's website: www.cnca.gov.cn or the QR code at the lower left.



Dag Junyong



CVC Certification & Testing Co., Ltd.

No.3, Tiantaiyi Road, High-tech Industrial Development Zone, Science City, Guangzhou (510663) P. R. China

<http://www.cvc.org.cn>

Tel: +86-20-32293722

070597







中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2023181002043672

纸号: 070597

序号	产品型号	参数																																																																																																						
1	DC JOLLY MD LC	输出: Max. 59Vdc, 150-500mA(恒流可调, 通过拨码开关调节), 12/24/28Vdc (恒压可调, 通过拨码开关调节), 配套光源: Max. 24W LED 模块																																																																																																						
输入: 220-240V~, 50/60Hz, ta=-25~50°C, tc=70°C, SELV,  ,  ,  , 																																																																																																								
拨码开关图: <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2">输出功率</th> <th rowspan="2">输出</th> <th colspan="6">拨码开关位置</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> </thead> <tbody> <tr><td>7.2W</td><td>150mA</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>9.5W</td><td>200mA</td><td>ON</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>12W</td><td>250mA</td><td>-</td><td>ON</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>14.5W</td><td>300mA</td><td>ON</td><td>ON</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>17W</td><td>350mA</td><td>-</td><td>-</td><td>ON</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>19.5W</td><td>400mA</td><td>ON</td><td>-</td><td>ON</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>21.5W</td><td>450mA</td><td>-</td><td>ON</td><td>ON</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>24W</td><td>500mA</td><td>ON</td><td>ON</td><td>ON</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>6W</td><td>12V</td><td>ON</td><td>ON</td><td>ON</td><td>ON</td><td>-</td><td>-</td></tr> <tr><td>12W</td><td>24V</td><td>ON</td><td>ON</td><td>ON</td><td>-</td><td>ON</td><td>-</td></tr> <tr><td>14W</td><td>28V</td><td>ON</td><td>ON</td><td>ON</td><td>-</td><td>-</td><td>ON</td></tr> </tbody> </table>			输出功率	输出	拨码开关位置						1	2	3	4	5	6	7.2W	150mA	-	-	-	-	-	-	9.5W	200mA	ON	-	-	-	-	-	12W	250mA	-	ON	-	-	-	-	14.5W	300mA	ON	ON	-	-	-	-	17W	350mA	-	-	ON	-	-	-	19.5W	400mA	ON	-	ON	-	-	-	21.5W	450mA	-	ON	ON	-	-	-	24W	500mA	ON	ON	ON	-	-	-	6W	12V	ON	ON	ON	ON	-	-	12W	24V	ON	ON	ON	-	ON	-	14W	28V	ON	ON	ON	-	-	ON
输出功率	输出	拨码开关位置																																																																																																						
		1	2	3	4	5	6																																																																																																	
7.2W	150mA	-	-	-	-	-	-																																																																																																	
9.5W	200mA	ON	-	-	-	-	-																																																																																																	
12W	250mA	-	ON	-	-	-	-																																																																																																	
14.5W	300mA	ON	ON	-	-	-	-																																																																																																	
17W	350mA	-	-	ON	-	-	-																																																																																																	
19.5W	400mA	ON	-	ON	-	-	-																																																																																																	
21.5W	450mA	-	ON	ON	-	-	-																																																																																																	
24W	500mA	ON	ON	ON	-	-	-																																																																																																	
6W	12V	ON	ON	ON	ON	-	-																																																																																																	
12W	24V	ON	ON	ON	-	ON	-																																																																																																	
14W	28V	ON	ON	ON	-	-	ON																																																																																																	
备注: PUSH L调光: 通过将一个开关连接在L与PUSH L之间, 短按控制通/断; 长按开关调节输出电流的大小 SYNC端口: 为把调光信号同步起来的连接端口																																																																																																								

注: 此附录与证书同时使用时有效。

威凯认证检测有限公司



中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

电话: +86-20-32293722