



APPROVALS®

Certificate of Approval

Certificate No.:	SAA-151892-EA
Certificate Holder:	TCI Telecomunicazioni Italia S.r.l. Via Parma 14, 21047 Saronno (VA) Italy
Class Description:	Power Supply or Charger
Product Description:	Power Supply for LED module with SELV output
Brand Name:	TCI
Model No.:	DC MAXI JOLLY HV
Markings:	Input: 110-127/220-240V~ 50/60Hz or 176-280Vdc 0.26/0.43A Output: 119Vdc Max, 250-700mA 30-50W ta:45°C tc:90°C
Standard:	AS/NZS IEC 61347.2.13:2013 AS/NZS 61347.1:2002
Conditions:	Nil
Approval Mark:	SAA-151892-EA or RCM
Date First Registered:	9 October 2015
Date of Expiry:	9 October 2020

A handwritten signature in black ink, appearing to be 'R', is written over a horizontal line.

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 09-10-15 151892/1



A P P R O V A L S ®

Certificate of Approval

Addendum

Certificate No.: SAA-151892-EA

Date of Issue: 9 October 2015

Class Description: Power Supply or Charger
Product Description: Power Supply for LED module with SELV output

General Modification:

Use of alternative trade name TN101.

Additional Models

Description

DC MAXI JOLLY HV TCM	Similar to DC MAXI JOLLY HV except different enclosure and tc:70°C in lieu of 90°C
DC MAXI JOLLY HV DALI	Similar to DC MAXI JOLLY HV except different dimmable feature
DC MAXI JOLLY HV DALI TCM	Similar to DC MAXI JOLLY HV DALI except different enclosure and tc:70°C in lieu of 90°C
DC MAXI JOLLY HV MIDNIGHT	Similar to DC MAXI JOLLY HV except different dimmable feature
DC MAXI JOLLY HV MIDNIGHT TCM	Similar to DC MAXI JOLLY HV MIDNIGHT except different enclosure and tc:70°C in lieu of 90°C
DC MAXI JOLLY HV BILEVEL	Similar to DC MAXI JOLLY HV except different dimmable feature
DC MAXI JOLLY HV BILEVEL TCM	Similar to DC MAXI JOLLY HV BILEVEL except different enclosure and tc:70°C in lieu of 90°C
DC MAXI JOLLY HV BILEVEL N	Similar to DC MAXI JOLLY HV except different dimmable feature
DC MAXI JOLLY HV BILEVEL N TCM	Similar to DC MAXI JOLLY HV BILEVEL N except different enclosure and tc:70°C in lieu of 90°C
DC MAXI JOLLY HV PLV	Similar to DC MAXI JOLLY HV except different dimmable feature
DC MAXI JOLLY HV PLV TCM	Similar to DC MAXI JOLLY HV PLV except different enclosure and tc:70°C in lieu of 90°C

For and on Behalf of
SAA Approvals Pty Ltd




SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register

Issued: 09-10-15 151892/2