

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.		
Address	Sarrono (VA) Via Parma 14 Cap - - 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-006 System 1 Approval
Certification and Authorized Mark Number	GMA-506519	Revision Number	02
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme		

CERTIFICATE DATES

Certificate Issue Date	17/11/2019
Certificate Last Update Date	7/04/2021
Certification Expiry Date	17/11/2024

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 BI cod. 122201BI	Vin=220-240 V, 50/60 Hz, 0,11 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 LC BI cod. 122203BI	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC BI cod. 122199	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC TG BI cod. 122199TG	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY BI cod. 123404	Vin=110-240 V, 50/60 Hz, 0,16 A, Po=10-20 W, Io=0,35-0,9 A, Uout=49 V; 12/24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI BI cod. 123403BI	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=10-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV BI cod. 123399BI	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV PLV BI cod. 123394BI	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC DALI BI cod. 123396	Vin=110-240 V, 50/60 Hz, 0,12-0,18 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC BI cod. 123401BI	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY BI cod. 125404	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=11-20 W, Io=0,25-0,9 A, Uout=59 V; 12/24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI BI cod. 125403BI	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 WR BI cod. 127142	Vin=110-277 V, 50/60 Hz, 0,19 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Suitability

Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY MD BI cod. 127557	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY BI cod. 151404	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=13-20 W, Io=0,25-0,9 A, Uout=59 V
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY DALI BI cod. 151403BI	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=59 V
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC BI cod. 151401BI	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY MD 3C BI cod. 127559	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc
Non declared	Built in Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PUMA MD 20 BI	Vin=220-240 V 50/60 Hz lin=0,12 A Pout=11-20 W Iout=0,25-0,9 A Uout=55 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC cod. 122198	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC TG cod. 122198TG	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 123400	Vin=110-240 V, 50/60 Hz, 0,16 A, Po=10-20 W, Io=0,35-0,9 A, Uout=49 V; 12/24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 125400	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=11-20 W, Io=0,25-0,9 A, Uout=59 V; 12/24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY MD cod. 127556	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 151400	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=13-20 W, Io=0,25-0,9 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY MD 3C cod. 127558	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	PUMA MD 20	Vin=220-240 V 50/60 Hz lin=0,12 A Pout=11-20 W Iout=0,25-0,9 A Uout=55 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY FN cod. 125440	Vin=110-240 V 50/60 Hz lin=0,18 A Pout=11-20 W Iout=0,25-0,9 A Uout=59 V Vout=12-24 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY DALI IPR2 cod.152010	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=15-30 W, Io=0,25-0,7 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY DALI IPR2 LO cod.152012	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=15-30 W, Io=0,25-0,7 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 20/500 IPR2 cod.152020/500	Vin=110-240 V, 50/60 Hz, 0,11-0,18 A, Po=20 W, Io=0,5 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 17/700 IPR2 cod.152020/700	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,7 A, Uout=59 V; 24 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 13/295 IPR2 cod. 152020/295	Vin=110-240 V 50/60 Hz 0,07-0,14 A Po=13 W Io=0,295 A Uout=59 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 16/350 IPR2 cod. 152020/350	Vin=110-240 V 50/60 Hz 0,09-0,16 A Po=15-16 W Io=0,35 A Uout=59 Vdc
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 12/250 cod. 152014/250	Vin=110-240 V, 50/60 Hz, 0,07-0,138 A, Po=12 W, Io=0,25 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 12/250 LO cod. 152016/250	Vin=110-240 V, 50/60 Hz, 0,07-0,138 A, Po=12 W, Io=0,25 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 17/350 cod. 152014/350	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,35 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 17/350 LO cod. 152016/350	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,35 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 24/500 cod. 152014/500	Vin=110-240 V, 50/60 Hz, 0,13-0,183 A, Po=24 W, Io=0,5 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 24/500 LO cod. 152016/500	Vin=110-240 V, 50/60 Hz, 0,13-0,183 A, Po=24 W, Io=0,5 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 30/700 cod. 152014/700	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=30 W, Io=0,7 A, Uout=59 V
Non declared	NON IC Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 30/700 LO cod. 152016/700	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=30 W, Io=0,7 A, Uout=59 V

RELEVANT TRADEMARK (S)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2021/04/06 Modification 1

- revise list of models - adding models classified as "NON IC" not suitable for residential installations

2021/04/07 Modification 2

- revise model numbers

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER