

# Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark to products of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – **This Certificate meets the requirements of a Recognised External Certification Scheme (RECS) including the rules of the EESS.**

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.			
Address	Saronno (VA) Via Parma 14 Cap - - 21047 Italy			
Client ID	105895	Global-Mark File Number:	105895-007	System 1 Approval
Certificate Number	GMA-506520-EA	Revision Number	01	
Certification Standard(s)	AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.			
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme	

## CERTIFICATE DATES

Certificate Issue Date	17/11/2019
Certificate Last Update Date	19/11/2019
Certification Expiry Date	17/11/2024

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 cod. 122201	Vin=220-240 V, 50/60 Hz, 0,11 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 LC cod. 122203	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC cod. 122198	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 HC TG cod. 122198TG	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC DALI cod. 122395	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV cod. 122399	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=7-20 W, Io=0,25-0,7 A, Uout=59 V; 10/12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV PLV cod. 122394	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=7-20 W, Io=0,25-0,7 A, Uout=59 V; 10/12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 122400	Vin=110-240 V, 50/60 Hz, 0,16 A, Po=9-20 W, Io=0,35-0,9 A, Uout=49 V; 10/12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI cod. 122403	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=10-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC cod. 122401	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 123400	Vin=110-240 V, 50/60 Hz, 0,16 A, Po=10-20 W, Io=0,35-0,9 A, Uout=49 V; 12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI cod. 123403	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=10-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV cod. 123399	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY HV PLV cod. 123394	Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC DALI cod.123395	Vin=110-240 V, 50/60 Hz, 0,12-0,18 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC cod.123401	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 125400	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=11-20 W, Io=0,25-0,9 A, Uout=59 V; 12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY FN cod. 125440	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=11-20 W, Io=0,25-0,9 A, Uout=59 V; 12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI cod. 125403	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC FN cod. 125441	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	UNIVERSALE 20 WR cod.127140	Vin=110-277 V, 50/60 Hz, 0,19 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY MD cod. 127556	Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY cod. 151400	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=13-20 W, Io=0,25-0,9 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI cod. 151403	Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY LC cod. 151401	Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI IPR2 cod.152010	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=15-30 W, Io=0,25-0,7 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINI JOLLY DALI IPR2 LO cod.152012	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=15-30 W, Io=0,25-0,7 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 20/500 IPR2 cod.152020/500	Vin=110-240 V, 50/60 Hz, 0,11-0,18 A, Po=20 W, Io=0,5 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MINIJOLLY 17/700 IPR2 cod.152020/700	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,7 A, Uout=59 V; 24 Vdc

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 12/250 cod. 152014/250	Vin=110-240 V, 50/60 Hz, 0,07-0,138 A, Po=12 W, Io=0,25 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 12/250 LO cod. 152016/250	Vin=110-240 V, 50/60 Hz, 0,07-0,138 A, Po=12 W, Io=0,25 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 17/350 cod. 152014/350	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,35 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 17/350 LO cod. 152016/350	Vin=110-240 V, 50/60 Hz, 0,095-0,175 A, Po=17 W, Io=0,35 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 24/500 cod. 152014/500	Vin=110-240 V, 50/60 Hz, 0,13-0,183 A, Po=24 W, Io=0,5 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 24/500 LO cod. 152016/500	Vin=110-240 V, 50/60 Hz, 0,13-0,183 A, Po=24 W, Io=0,5 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 30/700 cod. 152014/700	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=30 W, Io=0,7 A, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	IPR2 30/700 LO cod. 152016/700	Vin=110-240 V, 50/60 Hz, 0,172-0,187 A, Po=30 W, Io=0,7 A, Uout=59 V

**RELEVANT TRADEMARK (S)**
**COMMENTS OR CONDITIONS ON THE CERTIFICATION**

Classified as "Non IC" not suitable for residential installations  
2019/11/19 Modification 1  
- revise models numbers prefix "IPR2" was "IPR"

**End of document**

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

