

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark to products of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – **This Certificate meets the requirements of a Recognised External Certification Scheme (RECS) including the rules of the EESS.**

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

| | | | |
|-------------------------|---|---|-------------------------------------|
| Company Name | TCI Telecomunicazioni Italia S.R.L. | | |
| Address | Saronno (VA) Via Parma 14 Cap -- 21047 Italy | | |
| Client ID | 105895 | Global-Mark File Number: | 105895-006 System 1 Approval |
| Certification Number | GMA-506519 | Revision Number | 00 |
| Certificate Standard(s) | AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules. | | |
| Type of Certification | Electrical Safety Product Scheme | Global-Mark Electrical Product Safety Certification Scheme | |

CERTIFICATE DATES

| | |
|------------------------------|-------------------|
| Certificate Issue Date | 17/11/2019 |
| Certificate Last Update Date | |
| Certification Expiry Date | 17/11/2024 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|--------------------------------|--------------------------------------|-------------------------------------|--|---|
| Declared Article | Product Description | Trade Name | Model Number | Rating |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | UNIVERSALE 20 BI cod. 122201BI | Vin=220-240 V, 50/60 Hz, 0,11 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | UNIVERSALE 20 LC BI cod. 122203BI | Vin=220-240 V, 50/60 Hz, 0,12 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | UNIVERSALE 20 HC BI cod. 122199 | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | UNIVERSALE 20 HC TG BI cod. 122199TG | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=15-20 W, Io=0,35-0,9 A, Uout=49 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY LC DALI BI cod. 122396 | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY HV BI cod. 122399BI | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=7-20 W, Io=0,25-0,7 A, Uout=59 V; 10/12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY HV PLV BI cod. 122394BI | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=7-20 W, Io=0,25-0,7 A, Uout=59 V; 10/12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY HV PLV IM BI cod. 122394I | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=7-20 W, Io=0,25-0,7 A, Uout=59 V; 10/12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY BI cod. 122404 | Vin=110-240 V, 50/60 Hz, 0,16 A, Po=9-20 W, Io=0,35-0,9 A, Uout=49 V; 10/12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINI JOLLY DALI BI cod. 122403BI | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=10-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY LC BI cod. 122401BI | Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY BI cod. 123404 | Vin=110-240 V, 50/60 Hz, 0,16 A, Po=10-20 W, Io=0,35-0,9 A, Uout=49 V; 12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINI JOLLY DALI BI cod. 123403BI | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=10-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager






global-mark®

Certificate of Suitability

| | | | | |
|--------------|--------------------------------------|-------------------------------------|--------------------------------------|---|
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY HV BI cod. 123399BI | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY HV PLV BI cod. 123394BI | Vin=110-240 V, 50/60 Hz, 0,17 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24/48 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY LC DALI BI cod.123396 | Vin=110-240 V, 50/60 Hz, 0,12-0,18 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY LC BI cod.123401BI | Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,3-20 W, Io=0,1-0,38 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY BI cod. 125404 | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=11-20 W, Io=0,25-0,9 A, Uout=59 V; 12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINI JOLLY DALI BI cod. 125403BI | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=55 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | UNIVERSALE 20 WR BI cod.127142 | Vin=110-277 V, 50/60 Hz, 0,19 A, Po=13-20 W, Io=0,25-0,7 A, Uout=59 V; 24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY MD BI cod. 127557 | Vin=220-240 V, 50/60 Hz, 0,12 A, Po=11-20 W, Io=0,25-0,9 A, Uout=55 V; 12/24 Vdc |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY BI cod. 151404 | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=13-20 W, Io=0,25-0,9 A, Uout=59 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINI JOLLY DALI BI cod. 151403BI | Vin=110-240 V, 50/60 Hz, 0,18 A, Po=12-20 W, Io=0,25-0,7 A, Uout=59 V |
| Non declared | Built in Power Supply for LED module | TCI TELECOMUNICAZIONI ITALIA S.R.L. | DC MINIJOLLY LC BI cod. 151401BI | Vin=110-240 V, 50/60 Hz, 0,12-0,16 A, Po=5,4-20 W, Io=0,1-0,38 A, Uout=59 V |

| |
|-------------------------------|
| RELEVANT TRADEMARK (S) |
| |

| |
|--|
| COMMENTS OR CONDITIONS ON THE CERTIFICATION |
| Nil |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

