Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

Certification and Certificate Holder Details

Company Name	**TCI Telecomunicazioni Italia S.R.L.**	Other Name	
Address	**Via Parma 14 Saronno (VA) 21047 Italy**		
Client ID	**105895**	Global-Mark File Number: **105895-086**	System 1 Approval
Certification and Authorized Mark Number	**GMA-522677**	Revision Number **00**	
Certification Standard(s)	**AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.**		
Type of Certification	**Electrical Safety Product** *Scheme* **Global-Mark Electrical Product Safety Certification Scheme**		

Certificate Dates

Certificate Issue Date	**18/04/2025**
Certificate Last Update Date	
Certification Expiry Date	**18/04/2030**

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	**Product Description**	**Trade Name**	**Model Number**	**Rating**
Non declared	Power Supply for LED module	TCI	MP 50 BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A Pin=57 W; Po=25-50 W Io=0,35-1,05 A Uout=90 V
Non declared	Power Supply for LED module	TCI	MP 50 PR BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	MP 50 S BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=55 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V, Vo=58 V
Non declared	Power Supply for LED module	TCI	MP 40 BI	Vin=110-240 V, 50/60 Hz, 0,22-0,45 A, Pin=47 W; Po=25-40 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	MP 50 SV BI	Vin=110-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=20-50 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	MP 40 SV BI	Vin=110-240 V, 50/60 Hz, 0,2-0,45 A, Pin=47 W; Po=20-40 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV DALI BI NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV BI 1-10V S NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV CASAMBI BI cod. 127643	Vin=110-240 V, 50/60 Hz, 0,32-0,46 A, Pin=68 W; Po=18,5-62 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY US 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TN101	MP 50 BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A Pin=57 W; Po=25-50 W Io=0,35-1,05 A Uout=90 V
Non declared	Power Supply for LED module	TN101	MP 50 PR BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TN101	MP 50 S BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=55 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V, Vo=58 V
Non declared	Power Supply for LED module	TN101	MP 40 BI	Vin=110-240 V, 50/60 Hz, 0,22-0,45 A, Pin=47 W; Po=25-40 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	MP 50 SV BI	Vin=110-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=20-50 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	MP 40 SV BI	Vin=110-240 V, 50/60 Hz, 0,2-0,45 A, Pin=47 W; Po=20-40 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV DALI BI NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV BI 1-10V S NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV CASAMBI BI cod. 127643	Vin=110-240 V, 50/60 Hz, 0,32-0,46 A, Pin=68 W; Po=18,5-62 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY US 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TN101	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 50 BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A Pin=57 W; Po=25-50 W Io=0,35-1,05 A Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 50 PR BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 50 S BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=55 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V, Vo=58 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 40 BI	Vin=110-240 V, 50/60 Hz, 0,22-0,45 A, Pin=47 W; Po=25-40 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 50 SV BI	Vin=110-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=20-50 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	MP 40 SV BI	Vin=110-240 V, 50/60 Hz, 0,2-0,45 A, Pin=47 W; Po=20-40 W, Io=0,35-1,05 A, Uout=60 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV DALI BI NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV BI 1-10V S NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV CASAMBI BI cod. 127643	Vin=110-240 V, 50/60 Hz, 0,32-0,46 A, Pin=68 W; Po=18,5-62 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY US 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT Saronno Italy	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 50 BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A Pin=57 W; Po=25-50 W Io=0,35-1,05 A Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 50 PR BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 50 S BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=55 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V, Vo=58 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 40 BI	Vin=110-240 V, 50/60 Hz, 0,22-0,45 A, Pin=47 W; Po=25-40 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 50 SV BI	Vin=110-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=20-50 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	MP 40 SV BI	Vin=110-240 V, 50/60 Hz, 0,2-0,45 A, Pin=47 W; Po=20-40 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV DALI BI NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV BI 1-10V S NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV CASAMBI BI cod. 127643	Vin=110-240 V, 50/60 Hz, 0,32-0,46 A, Pin=68 W; Po=18,5-62 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY US 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LIGHT	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LED	MP 50 BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A Pin=57 W; Po=25-50 W Io=0,35-1,05 A Uout=90 V
Non declared	Power Supply for LED module	TCI LED	MP 50 PR BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	MP 50 S BI	Vin=100-240 V, 50/60 Hz, 0,25-0,55 A, Pin=55 W; Po=25-50 W, Io=0,35-1,05 A, Uout=90 V, Vo=58 V
Non declared	Power Supply for LED module	TCI LED	MP 40 BI	Vin=110-240 V, 50/60 Hz, 0,22-0,45 A, Pin=47 W; Po=25-40 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	MP 50 SV BI	Vin=110-240 V, 50/60 Hz, 0,25-0,55 A, Pin=57 W; Po=20-50 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	MP 40 SV BI	Vin=110-240 V, 50/60 Hz, 0,2-0,45 A, Pin=47 W; Po=20-40 W, Io=0,35-1,05 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV DALI BI NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV BI 1-10V S NG	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV CASAMBI BI cod. 127643	Vin=110-240 V, 50/60 Hz, 0,32-0,46 A, Pin=68 W; Po=18,5-62 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V, 50/60 Hz, 0,26-0,42 A, Pin=55 W; Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V, 50/60 Hz, 0,21-0,42 A, Pin=47 W; Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY US 1-10V S BI	Vin=110-240 V, 50/60 Hz, 0,29-0,42 A, Pin=65 W; Po=25-60 W, Io=0,35-1,05 A, Uout=90 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V
Non declared	Power Supply for LED module	TCI LED	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V, 50/60 Hz, 0,3-0,44 A, Pin=65 W; Po=28-60 W, Io=0,25-0,7 A, Uout=119 V

RELEVANT TRADEMARK (S)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

COMMENTS OR CONDITIONS ON THE CERTIFICATION
2025/04/18 Initial Certification Nil

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER