

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark to products of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – **This Certificate meets the requirements of a Recognised External Certification Scheme (RECS) including the rules of the EESS.**

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	TCI Telecomunicazioni Italia S.R.L.		
Address	Saronno (VA) Via Parma 14 Cap -- 21047 Italy		
Client ID	105895	Global-Mark File Number:	105895-011 System 1 Approval
Certification Number	GMA-506923	Revision Number	00
Certificate Standard(s)	AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product <i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme	

CERTIFICATE DATES

Certificate Issue Date	2/02/2020
Certificate Last Update Date	
Certification Expiry Date	2/02/2025

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US ZB3 BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US CASAMBI BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BLL BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BLL EX BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BI cod. 125462	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BI cod. 151462	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US MIDNIGHT BI	Vin=100-240 V 50/60 Hz,max. 0,55 A, Po=25-50 W, Io=0,35-1,05 A, Uout=90 V dc, V =48 V _o dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BILEVEL BI	Vin=100-240 V 50/60 Hz,max. 0,55 A, Po=25-50 W, Io=0,35-1,05 A, Uout=90 V dc, V _o =48 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US BILEVEL N BI	Vin=100-240 V 50/60 Hz,max. 0,55 A, Po=25-50 W, Io=0,35-1,05 A, Uout=90 V dc, V _o =48 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US PLV BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US DALI BI cod. 125464	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY US DALI BI cod. 151464	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=25-60 W, Io=0,35-1,05 A, Uout=90 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 50 BI	Vin=100-240 V 50/60 Hz,max. 0,55 A, Po=25-50 W, Io=0,35-1,05 A, Uout=90 V dc, V _o =48 V dc

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV WR BI	Vin=100-240 V 50/60 Hz,max. 0,52 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV DALI WR BI	Vin=100-240 V 50/60 Hz,max. 0,52 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV ZB3 BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV CASAMBI BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV BLL BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV BLL EX BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV BI cod. 125503A	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV BI cod. 151503	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV 1-10V S BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV PLV BI	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV DALI BI cod. 125505A	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV DALI BI cod. 151505	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-50 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV DALI 40 BI cod. 125507	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY SV DALI 40 BI cod. 151507	Vin=110-240 V 50/60 Hz,max. 0,42 A, Po=18,5-40 W, Io=0,35-1,2 A, Uout=60 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MP 50 SV BI	Vin=110-240 V 50/60 Hz,max. 0,55 A, Po=20-50 W, Io=0,35-1,05 A, Uout=60 V dc

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Suitability

Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV BI cod. 127414BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV BI cod. 151414BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV DALI BI cod. 127409BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV DALI BI cod. 151409BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV MIDNIGHT BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV BILEVEL BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY HV BILEVEL N BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc
Non declared	Power Supply for LED module - Built in	TCI TELECOMUNICAZIONI ITALIA S.R.L.	DC MAXI JOLLY STREET HV BI	Vin=110-240 V 50/60 Hz,max. 0,44 A, Po=28-60 W, Io=0,25-0,7 A, Uout=119 V dc

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

