

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250ma	350ma	500ma	700ma	900ma	1050ma	1400ma	2100ma	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US ZB3	151570	4	X		X	X	X	X	X	X	X		X			X	X						X	X			X				X
DC MAXI JOLLY SV ZB3	151572	6	X		X	X	X	X	X	X		X			X	X							X	X		X					X
PROFESSIONALE ZB3	122576	8	X		X	X	X	X	X	X		X			X	X							X	X		X					
PROFESSIONALE ZB3 BI	122577	8	X		X	X	X	X	X	X		X			X	X							X	X		X					
MINI ZB3 INTERFACE	122553	10										X	X		X	X		X		X		X	X		X	X				X	
GEWISS GWA 1501	181501	11													X										X						
GEWISS GWA 1502	181502	11													X																
GEWISS GWA 1521	181521	11													X																
GEWISS GWA 1523	181523	11													X																
GEWISS GWA 1531	181531	11													X																
GEWISS GWA 1511	181511	11													X											X					
GEWISS GWA 1512	181512	12													X											X					
GEWISS GWA 1513	181513	12													X											X					
GEWISS GWA 1514	181514	12													X											X					
GEWISS GWA 1706	181706	12													X																
ZIGBEE 3.0 TO DALI DT6-DT8 CONTROLLER	181204	13													X	X															
ZIGBEE 3.0 WIRELESS DIMMER SWITCH	181207	13													X	X										X					
ZIGBEE 3.0 LED DIMMER / SR-ZG9101CS	181208	13			X		X				X				X	X									X						
DC MAXI JOLLY US CASAMBI	127644	14	X		X	X	X	X	X	X		X			X	X							X	X		X				X	
DC MAXI JOLLY SV CASAMBI	127645	16	X		X	X	X	X	X	X		X			X	X							X	X		X				X	
PROFESSIONALE CASAMBI	127630	18	X		X	X	X	X	X	X		X			X	X								X	X		X				
PROFESSIONALE CASAMBI BI	127631	18	X		X	X	X	X	X	X		X			X	X								X	X		X				
PROFESSIONALE HC CASAMBI	127660	20	X				X	X	X	X		X			X	X								X	X		X				
PROFESSIONALE HC CASAMBI BI	127662	20	X				X	X	X	X		X			X	X								X	X		X				
PROFESSIONALE CASAMBI TW	127646	22	X			X									X	X								X	X		X				
PROFESSIONALE CASAMBI TW BI	127647	22	X			X									X	X								X	X		X				
MINI CASAMBI INTERFACE TW	127637	24													X	X	X						X		X						
MINI CASAMBI INTERFACE RGBW	127638	24													X	X	X						X		X					X	
DC 120W 24V VSTR CASAMBI	127641	26									X		X		X	X								X	X		X			X	
GA CASAMBI	127634	28	X		X	X	X				X				X									X	X		X				
GA CASAMBI	127635	28	X		X	X	X				X				X									X	X		X				
GA CASAMBI	127636	28	X		X	X	X				X				X									X	X		X				
MILANOinTRACK 31/325-700 CASAMBI	127664	29	X		X	X	X				X				X									X	X		X				
MILANOinTRACK 31/325-700 CASAMBI	127665	29	X		X	X	X				X				X									X	X		X				
MILANOinTRACK 31/325-700 CASAMBI	127666	29	X		X	X	X				X				X									X	X		X				
MILANOinTRACK 40/300-1050 CASAMBI NFC	127884	30	X		X	X	X	X	X		X				X									X	X		X				
MILANOinTRACK 40/300-1050 CASAMBI NFC	127885	30	X		X	X	X	X	X		X				X									X	X		X				
MILANOinTRACK 40/300-1050 CASAMBI NFC	127886	30	X		X	X	X	X	X		X				X									X	X		X				
CASAMBI CBU-ASD-C-3100	181220	32													X	X		X													
CASAMBI CBU-ASR-C-4423	181223	32													X	X															
CASAMBI CBU-PWM4-0-C-4027 (CE)	181221	32									X	X			X										X				X		
CASAMBI CBU-PWM4-4-C-4027 (UL)	181222	32									X	X			X										X				X		
CASAMBI CBU-TED-C-526	181224	32													X			X													
CASAMBI CBU-DCS-C-8079	181225	32													X			X													
CASAMBI XPRESS-W-C-239	181226	32																							X						
CASAMBI XPRESS-B-C-239	181227	32																							X						
CASAMBI CBU-A2D-E-11503	181228	32	X									X			X	X		X		X	X		X	X		X					
DC MAXI JOLLY US BLL	135006	34			X	X	X	X	X		X				X	X		X					X	X		X					

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US BLL EX	135020	34			X	X	X	X	X		X			X	X								X	X		X					
DC MAXI JOLLY SV BLL	135021	36			X	X	X	X	X		X			X	X								X	X		X					
DC MAXI JOLLY SV BLL EX	135022	36			X	X	X	X	X		X			X	X								X	X		X					
DC MAXI JOLLY HC BLL/2	135001	38							X	X	X	X		X	X								X	X		X					X
DC MAXI JOLLY HC BLL BI	135000	38							X	X	X	X		X	X								X	X		X					X
DC MAXI JOLLY HC BLL/2 EX	135013	38							X	X	X	X		X	X								X	X		X					X
DC MAXI JOLLY HC BLL BI EX	135011	38							X	X	X	X		X	X								X	X		X					X
PROFESSIONALE BLL	135024	40	X		X	X	X	X	X		X			X	X								X	X		X					
PROFESSIONALE BLL BI	135025	40	X		X	X	X	X	X		X			X	X								X	X		X					
PROFESSIONALE BLL EX	135026	40	X		X	X	X	X	X		X			X	X								X	X		X					
PROFESSIONALE BLL BI EX	135027	40	X		X	X	X	X	X		X			X	X								X	X		X					
MILANOinTRACK 31/325-700 BLL	135050	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 31/325-700 BLL	135051	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 31/325-700 BLL	135052	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 31/325-700 BLL PIR	135053	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 31/325-700 BLL PIR	135054	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 31/325-700 BLL PIR	135055	42			X	X	X				X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL	135056	44	X				X	X	X		X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL	135057	44	X				X	X	X		X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL	135058	44	X				X	X	X		X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL PIR	135064	44	X				X	X	X		X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL PIR	135065	44	X				X	X	X		X			X									X	X		X					
MILANOinTRACK 40/675-1050 BLL PIR	135066	44	X				X	X	X		X			X									X	X		X					
LV RGBW 500mA BLL	135002	46				X								X	X																X
LV RGBW 500mA BLL EX	135003	46				X								X	X																X
LV HR TRACK BLL 357	135018OF	48			X	X	X				X			X											X						
LV HR TRACK BLL 246	135017OF	48		X							X			X											X						
BLL DALI INTERFACE	135009	49												X				X					X		X						X
BLL DALI INTERFACE EX	135016	49												X				X					X		X						X
MINI BLL INTERFACE	135008	50												X	X								X		X						X
MINI BLL INTERFACE EX	135015	50												X	X								X		X						X
SED DCC 2CH BLL	135036	52												X											X	X					
SED DCC 2CH BLL EX	135037	52												X											X	X					
SED 4CH BLL/2	135043	53										X	X	X	X							X		X	X						
SED 4CH BLL EX/2	135044	53										X	X	X	X							X		X	X						
BEACON SENS LV BLL	135038	54												X											X						
BEACON SENS LV BLL EX	135039	54												X											X						
BLL USB DONGLE	135033	55												X											X						
MINI BLL GATEWAY	135086	55												X								X									
BLL 2CH ACTUATOR	135045	55										X	X	X	X																
BLL 2CH ACTUATOR EX	135047	55										X	X	X	X																
SWITCH 3P BLL	135081	55												X	X												X				
SWITCH 3P BLL EX	135082	55												X	X												X				
SWITCH 3P BLL	135080	55												X	X																
GATEWAY IOT 4G BLL	122547BLL	55												X																	
GATEWAY IOT BLL	122556BLL	55												X																	
BLL PIR DAYLIGHT V1	135097	56												X								X	X								
BLL PIR DAYLIGHT BI V1	135101	56												X								X			X						

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
BLL PIR DAYLIGHT V2	135098	56													X								X	X								
BLL PIR DAYLIGHT BI V2	135102	56													X								X		X							
BLL PIR DAYLIGHT V3	135099	56													X								X	X								
BLL PIR DAYLIGHT BI V3	135103	56													X								X		X							
BLL PIR DAYLIGHT V4	135100	56													X								X	X								
BLL PIR DAYLIGHT BI V4	135104	56													X								X		X							
DC 6W 150mA BULL	122604	60											X																		X	
DC 9W 250mA BULL	122599	60		X																											X	
DC 4W 350mA BULL/U	122596	60			X									X										X		X						
DC 8W 350mA BULL/U	122598	60			X									X										X		X						
DC 6W 500mA BULL/U	122602	60				X								X										X		X						
DC 6W 1200mA STC HC	127010	61										X																		X		
DC 3W 250mA STF/U	122142	62		X																				X		X						
DC 4W 350mA STF/U	122140	62			X																			X		X						
DC 3W 700mA STF/U	122144	62					X																	X		X						
DCCH 12W 250/350mA	122610	63		X	X																									X		
DCCH 7W 140/180mA	122611	63									X																			X		
DC MICRO Z	122086	64			X																									X		
DC 12W 300mA SLIM/U	122447	65									X													X		X						
DC 15W 350mA SLIM/U	122440	65			X																			X		X						
DC 14W 500mA SLIM/U	122448	65				X								X										X		X						
DC 11W 700mA SLIM/U	122441	65					X																	X		X						
DC 13W 12V SLIM/U	122444	65												X										X		X						
DC 13W 24V SLIM/U	122442	65													X									X		X						
DC 14W 350mA AR	122038	66			X																			X		X						
DC 12W 550mA AR	122039	66									X													X		X						
DC 6W 210mA BMU	122796	67									X													X		X						
DC 9W 280mA BMU	122797	67									X													X		X						
DC 12W 350mA BMU	122790	67			X																			X		X						
DC 12W 500mA BMU	122794	67				X								X										X		X						
DC 12W 700mA BMU	122792	67					X																	X		X						
DC 10W 350mA KU2	127303	68			X																			X		X						
DC 10W 700mA KU2	127302	68					X																	X		X						
DC 10W 12V KU2	127304	68												X										X		X						
DC 10W 24V KU2	127305	68													X									X		X						
DC 12W 350mA RS	122254S	69			X																			X	X		X					
DC 15W 700mA RS	122251	69					X																	X	X		X					
DC 20W 500mA NR	122250NR	69				X																		X		X						
DC 10W 24V P	122251A	69												X										X		X						
DC 8W 12V RS	122253S	69												X										X	X		X					
DC 10W 12V TW	122255	70												X										X	X		X					
DC 17W 350mA WU S	122246	71			X																			X		X						
DC 20W 500mA WU S	122248	71				X																		X		X						
DC 12W 700mA WU	122233	71					X																	X		X						
DC 17W 700mA WU	122234	71					X																	X		X						
DC 22W 1050mA WU	122236	71								X														X		X						
DC 18W 1400mA WU	122242	71								X														X		X						
STC 10/350 HPFU	127714	72			X																			X	X		X					

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	OTHER	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX
STM 6/500 HPFU	127717	73				X							X												X	X	X						
STM 8/350 HPFU	127715	73			X											X									X	X	X						
STM 10/350 HPFU	127716	73			X																			X	X	X							
DC 18W 350mA W HPF	127132	74			X																				X	X	X						
DC 16W 400mA W HPF	127133	74											X												X	X	X						
DC 20W 500mA W HPF	127134	74				X																			X	X	X						
DC 25W 600mA W HPF	127131	74											X												X	X	X						
DC 25W 700mA W HPF	127130	74					X																		X	X	X						
DC 23W 900mA W HPF	127138	74						X																	X	X	X						
DC 22W 1050mA W HPF	127136	74							X																X	X	X						
DCC 12W 500mA HPFU	127711	75				X									X									X	X	X							
DCC 12W 700mA HPFU	127712	75					X																	X	X	X							
SUPER PRO 13/300	127546N	76											X												X	X	X						
SUPER PRO 13/300 BI	127546BI	76											X												X	X	X						
SUPER PRO 16/350	127530N	76			X																				X	X	X						
SUPER PRO 16/350 BI	127531	76			X																				X	X	X						
SUPER PRO 23/500	127532N	76				X																			X	X	X						
SUPER PRO 23/500 BI	127533	76				X																			X	X	X						
SUPER PRO 32/700	127534N	76					X																		X	X	X						
SUPER PRO 32/700 BI	127535	76					X																		X	X	X						
SUPER PRO 38/900	127536N	76						X																	X	X	X						
SUPER PRO 38/900 BI	127537	76						X																	X	X	X						
SUPER PRO 42/1050	127538N	76							X																X	X	X						
SUPER PRO 42/1050 BI	127539	76							X																X	X	X						
PRO FLAT 12/250	127110	78		X																					X	X	X						
PRO FLAT 12/250 BI	127111	78		X																					X	X	X						
PRO FLAT 13/300	127112	78										X													X	X	X						
PRO FLAT 13/300 BI	127113	78										X													X	X	X						
PRO FLAT 15/350	127114	78			X																				X	X	X						
PRO FLAT 15/350 BI	127115	78			X																				X	X	X						
PRO FLAT 22/500	127116	78				X																			X	X	X						
PRO FLAT 22/500 BI	127117	78				X																			X	X	X						
PRO FLAT 30/700	127118	78					X																		X	X	X						
PRO FLAT 30/700 BI	127119	78					X																		X	X	X						
PRO FLAT 36/900	127120	78						X																	X	X	X						
PRO FLAT 36/900 BI	127121	78						X																	X	X	X						
PRO FLAT 40/1050	127122	78							X																X	X	X						
PRO FLAT 40/1050 BI	127123	78							X																X	X	X						
MSE 10/350-500	127620	80			X	X																			X	X	X						
MP 15 HPFU	127710	83		X	X							X												X	X	X							
ECO 15/350	122290	84			X																				X	X	X						
ECO 21/500	122291	84				X																			X	X	X						
ECO 27/600-650	122292	84											X												X	X	X						
ECO 32/700-750	122293	84					X						X												X	X	X						
ECO 36/800-850	122294	84											X												X	X	X						
ECO 40/900-950	122295	84						X					X												X	X	X						
ECO 44/1000-1050	122296	84							X				X												X	X	X						
ECO FLAT 10W 90/140/190/240	122281	86											X													X	X	X					

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Articolo	Code	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante		Dimming Regolazione						WIDE RANGE							
			250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60 - 120V	NOT SELV	RGB
ECO FLAT 15W 250/275/325/350	122282	86		X	X								X												X			
ECO FLAT 21W 350/400/450/500	122283	86			X	X							X												X			
ECO FLAT 30W 550/600/700/750	122284	86					X						X												X			
ECO FLAT 40W 800/900/950/1050	122285	86						X	X				X												X			
UNIVERSALE 20	122201	88		X	X	X	X						X	X										X	X			
UNIVERSALE 20 BI	122201BI	88		X	X	X	X						X	X										X	X			
UNIVERSALE 20 LC	122203	90		X	X								X	X										X	X			
UNIVERSALE 20 LC BI	122203BI	90		X	X								X	X										X	X			
UNIVERSALE 20 HC	122198	92			X	X	X	X					X	X										X	X	X		
UNIVERSALE 20 HC BI	122199	92			X	X	X	X					X	X										X	X	X		
MP 32 K2	122200	94			X	X	X	X					X	X	X									X	X	X		
MP 32 BI	122454	94			X	X	X	X					X	X	X									X	X	X		
MP 32 HV K2	122202	96		X	X	X	X						X	X										X	X	X		
MP 32 HV BI	122456	96		X	X	X	X						X	X										X	X	X		
PRO FLAT 22	127570	98		X	X	X							X											X	X			
PRO FLAT 22 BI	127571	98		X	X	X							X											X	X			
PRO FLAT 30	127572	100			X	X	X						X											X	X			
PRO FLAT 30 BI	127573	100		X	X	X	X						X											X	X			
PRO FLAT 40	127574	102			X	X	X	X	X				X											X	X			
PRO FLAT 40 BI	127575	102			X	X	X	X	X				X											X	X			
PROFESSIONALE 34	127480N	104		X	X	X	X						X											X	X			
PROFESSIONALE 34 BI	127482	104		X	X	X	X						X											X	X			
PROFESSIONALE 42	127484N	106			X	X	X	X	X				X											X	X			
PROFESSIONALE 42 BI	127486	106			X	X	X	X	X				X											X	X			
PROFESSIONALE IN 42	127693	108			X	X	X	X	X				X											X	X			
PROFESSIONALE HC	127690	110					X	X	X				X											X	X			
PROFESSIONALE HC BI	127692	110					X	X	X				X											X	X			
PROFESSIONALE IN 52	127483	112					X	X	X				X											X	X			
PROFESSIONALE SQUARE NFC	142024	114		X	X	X	X	X	X				X											X	X			
PROFESSIONALE SQUARE 120V NFC	142026	116		X	X	X	X	X	X				X											X	X			
MP 32 TC	122172	118			X	X	X	X					X	X										X	X	X		
MP 50 TC	122160	119			X	X	X	X	X				X											X	X		X	X
SMART 50	122220	120			X	X	X	X	X				X											X		X		
SMART 50 BI	122219	120			X	X	X	X	X				X											X		X		
MP 50 K3	122204	122			X	X	X	X	X				X											X	X		X	X
MP 50 BI	122460	122			X	X	X	X	X				X											X	X		X	X
MP 50 SV K3	127500	124			X	X	X	X	X				X											X	X	X		X
MP 50 SV BI	127501	124			X	X	X	X	X				X											X	X	X		X
MP 55 1400 S BI	122207BI	126							X	X			X											X	X			
MP 55 HC/2	127310	128							X	X	X	X	X											X	X	X		X
MP 55 HC BI	122208	128							X	X	X	X	X											X	X	X		X
MP 55 1400/2	127310/14	128							X	X			X											X	X	X		X
MP 55 1400 BI	122208/14	128							X	X			X											X	X	X		X
MP 55/120 HC/2	127154	130							X	X			X											X	X	X		X
MP 55/120 HC BI	127156	130							X	X			X											X	X	X		X
MP 65 H/2	127071	132			X	X	X	X	X				X											X	X		X	X
MP 65 HBI	127051	132			X	X	X	X	X				X											X	X		X	X
SMART 70	127402	134			X	X	X	X	X				X											X		X		

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	OTHER	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
SMART 70 BI	127400	134			X	X	X	X	X		X															X		X				
ATON PRO 22/125-500	127680	136			X	X	X				X															X	X					
ATON PRO 22/125-500 BI	127681	136			X	X	X				X															X	X					
ATON PRO 30/350-725	127682	138			X	X	X				X															X	X					
ATON PRO 30/350-725 BI	127683	138			X	X	X				X															X	X					
ATON PRO 40/300-1050	127684	140			X	X	X	X	X		X															X	X					
ATON PRO 40/300-1050 BI	127685	140			X	X	X	X	X		X															X	X					
ATON 30/250-700	127362	142			X	X	X	X			X															X	X					
ATON 30/250-700 BI	127360	142			X	X	X	X			X															X	X					
ATON 30/700-1400	127364	144					X	X	X	X	X															X	X					
ATON 30/700-1400 BI	127366	144					X	X	X	X	X															X	X					
SUPERSLIM	127330	146			X	X					X															X	X					
SUPERSLIM OF	127330OF	146			X	X					X															X	X					
SUPERSLIM MM	127335	147			X	X					X															X	X					
SUPERSLIM MM OF	127335OF	147			X	X					X															X	X					
SUPERSLIM HC	127336	148									X															X	X					
SUPERSLIM HC OF	127336OF	148									X															X	X					
MP 32 SLIM	123676	149			X	X	X	X			X		X												X	X	X					
MP 65/1150 SVM SLIM	127561	150			X	X	X	X			X															X	X					
MP 65/1400 SVM SLIM	127562	151			X	X	X	X	X	X	X														X	X	X					
MP 70/1400 SVM SLIM	127560	152			X	X	X	X	X	X	X															X	X					
MP 80/1400 SVM SLIM	127568	153			X	X	X	X	X	X	X															X	X					
RUS 50/350 SLIM	126112	154			X	X					X															X						X
MPSE 40/350 SLIM	127527	155			X	X					X															X						X
MPSE 40/700 SLIM	127523	156			X	X	X				X															X						X
MPSE 55/350 SLIM	127524	157			X	X					X															X						X
MPSE 55/700 SLIM	127526	158			X	X	X				X															X						X
MP 80/350 SLIM	122212	159			X	X					X															X						X
MP 80/500 SLIM	1222141	160			X	X					X															X						X
MP 80/700 SLIM	122213	161			X	X	X				X															X						X
MP 120/700 SLIM	127676	162			X	X	X				X															X						X
MPX 100/350 277V SLIM	127671	163			X	X					X															X	X					X
MPX 120/700 277V SLIM	127172	164			X	X	X				X															X	X					X
MPX 165/800 SLIM	127678	165			X	X	X				X															X	X					X
MPXM 165/800 SLIM	127720	166				X	X				X															X	X					X
DC MICRO JOLLY 6W 350mA	122426	170			X							X					X	X										X				
DC MICRO JOLLY 6W 500mA	122428	170				X						X						X	X									X				
DC 9W 350mA RD57	127342	172			X													X	X									X				
DC 9W 700mA RD57	127344	172					X											X	X									X				
MSE 10/350-500 1-10V	127624	173	X		X	X												X								X	X					
DC MINI JOLLY	125400	174		X	X	X	X	X	X		X	X	X					X	X							X	X	X				
DC MINI JOLLY	151400	174	X		X	X	X	X	X		X							X	X							X	X	X				
DC MINI JOLLY BI	125404	174		X	X	X	X	X	X		X	X	X					X	X							X	X	X				
DC MINI JOLLY BI	151404	174	X		X	X	X	X	X		X							X	X							X	X	X				
DC MINI JOLLY LC	151401	176	X		X	X					X							X	X							X	X	X				
DC MINI JOLLY LC BI	151401BI	176	X		X	X					X							X	X							X	X	X				
DC MINI JOLED	127104	178			X						X							X	X							X	X	X				
DC JOLLY US	126421	180	X	X	X	X	X	X			X	X	X					X	X						X	X	X	X				

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante											Constant voltage Tensione costante				Dimming Regolazione								12V AUX						
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	
DC JOLLY US	151421	180	X	X	X	X	X	X					X				X	X					X	X	X							
DC JOLLY US BI	126450	180		X	X	X	X	X	X				X	X	X		X	X				X	X	X	X							
DC JOLLY US BI	151450	180	X		X	X	X	X	X				X				X	X					X	X	X							
DC JOLLY HC MV	127021	182			X	X	X	X	X				X				X	X						X	X	X						
DC JOLLY HC BI	127022	182			X	X	X	X	X				X				X	X						X	X	X						
JOLLY DIN	127100	184		X	X	X	X	X				X	X	X		X	X							X	X	X						
PROFESSIONALE 1-10V	127496	186	X		X	X	X	X	X				X				X							X	X	X						
PROFESSIONALE 1-10V BI	127497	186	X		X	X	X	X	X				X				X							X	X	X						
DC MAXI JOLLY US	127411	188		X	X	X	X	X	X				X				X	X				X	X	X			X					X
DC MAXI JOLLY US	151411	188	X		X	X	X	X	X				X				X	X					X	X	X			X				X
DC MAXI JOLLY US BI	125462	188		X	X	X	X	X	X				X				X	X				X	X	X			X					X
DC MAXI JOLLY US BI	151462	188	X		X	X	X	X	X				X				X	X					X	X	X			X				X
DC MAXI JOLLY TC	123162	190			X	X	X	X	X				X				X	X					X	X	X	X						X
DC MAXI JOLLY SV	125502	192		X	X	X	X	X	X				X				X	X					X	X	X	X						X
DC MAXI JOLLY SV	151502	192	X		X	X	X	X	X				X				X	X					X	X	X	X						X
DC MAXI JOLLY SV BI	125503A	192		X	X	X	X	X	X				X				X	X					X	X	X	X						X
DC MAXI JOLLY SV BI	151503	192	X		X	X	X	X	X				X				X	X					X	X	X	X						X
DC MAXI JOLLY HV	127414	194		X	X	X	X	X					X				X	X					X	X	X			X				X
DC MAXI JOLLY HV	151414	194	X		X	X	X	X					X				X	X					X	X	X			X				X
DC MAXI JOLLY HV BI	127414BI	194		X	X	X	X	X					X				X	X					X	X	X			X				X
DC MAXI JOLLY HV BI	151414BI	194	X		X	X	X	X					X				X	X					X	X	X			X				X
DC MAXI JOLLY HC/2	123312	196								X	X	X	X				X	X					X	X	X	X						X
DC MAXI JOLLY HC BI	123415	196								X	X	X	X				X	X					X	X	X	X						X
DC MAXI JOLLY HC/2	151312	198	X							X	X	X	X				X	X					X	X	X	X						X
DC MAXI JOLLY HC BI	151415	198	X							X	X	X	X				X	X					X	X	X	X						X
DC MAXI JOLLY HC TC	123168	200								X	X	X	X				X	X					X	X	X	X						X
DC MAXI JOLLY H/2	127072	202			X	X	X	X	X				X				X	X					X	X	X	X			X			X
DC MAXI JOLLY HBI	127052	202			X	X	X	X	X				X				X	X					X	X	X	X			X			X
MSE 6/350-500 DALI	127621	204	X		X	X												X	X				X	X	X							
MSE 10/350-500 DALI	127622	204	X		X	X												X	X				X	X	X							
MSE 12/250-350 DALI	127623	204	X		X	X												X	X				X	X	X							
DC MINI JOLLY DALI	125403	206		X	X	X	X	X					X	X					X				X	X	X							
DC MINI JOLLY DALI	151403	206	X		X	X	X	X					X						X				X	X	X							
DC MINI JOLLY DALI BI	125403BI	206		X	X	X	X	X					X	X					X				X	X	X							
DC MINI JOLLY DALI BI	151403BI	206	X		X	X	X	X					X						X				X	X	X							
DC MINI JOLLY LC DALI	123395	208			X	X							X	X									X	X	X	X						
DC MINI JOLLY LC DALI BI	123396	208			X	X							X	X									X	X	X	X						
DC MINI JOLLY LC DALI	151395	210	X										X	X									X	X	X	X						
DC MINI JOLLY LC DALI BI	151396	210	X										X	X									X	X	X	X						
PRO FLAT LC DALI	127600	212	X		X	X	X						X					X	X				X	X	X							
PRO FLAT LC DALI BI	127602	212	X		X	X	X						X					X	X				X	X	X							
PRO FLAT DALI	127576	214	X		X	X	X	X					X					X	X				X	X	X							
PRO FLAT DALI BI	127577	214	X		X	X	X	X					X					X	X				X	X	X							
DC JOLLY DALI	125424	216		X	X	X	X	X					X	X	X					X			X	X	X							
DC JOLLY DALI	151424	216	X		X	X	X	X					X										X	X	X							
DC JOLLY DALI BI	125458	216		X	X	X	X	X					X	X	X					X			X	X	X							
DC JOLLY DALI BI	151458	216	X		X	X	X	X					X										X	X	X							
PROFESSIONALE IN DALI 20	127508	218	X		X	X	X						X					X	X				X	X	X							

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
PROFESSIONALE 20 DALI NFC	142011	220	X	X	X	X					X					X	X						X	X							
PROFESSIONALE 20 DALI NFC BI	142013	220	X	X	X	X					X					X	X						X	X							
PROFESSIONALE DALI	127490	222	X		X	X	X	X	X		X					X	X						X	X							
PROFESSIONALE DALI BI	127492	222	X		X	X	X	X	X		X					X	X						X	X							
PROFESSIONALE IN DALI 40	127481	224			X	X	X	X	X		X					X	X						X	X							
PROFESSIONALE DALI NFC	142010	226	X							X	X					X	X						X	X							
PROFESSIONALE DALI NFC BI	142012	226	X	X	X	X	X	X	X		X					X	X						X	X							
PROFESSIONALE SQUARE DALI NFC	142020	228	X	X	X	X	X	X	X		X					X	X						X	X							
PROFESSIONALE HC DALI	127510	230	X					X	X	X	X					X	X						X	X							
PROFESSIONALE HC DALI BI	127512	230	X					X	X	X	X					X	X						X	X							
PROFESSIONALE IN DALI 52	127485	232	X					X	X	X						X	X						X	X							
PROFESSIONALE DALI LS TC	127493	234	X		X	X	X	X	X		X					X	X						X	X							
DC MAXI JOLLY SV DALI 40	125506	236		X	X	X	X	X	X		X					X	X	X				X	X	X	X						X
DC MAXI JOLLY SV DALI 40	151506	236	X		X	X	X	X	X		X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI 40 BI	125507	236		X	X	X	X	X	X		X					X	X	X				X	X	X	X						X
DC MAXI JOLLY SV DALI 40 BI	151507	236	X		X	X	X	X	X		X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI	125504	238		X	X	X	X	X	X		X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI	151504	238	X		X	X	X	X	X		X					X	X	X					X	X	X	X					X
DC MAXI JOLLY SV DALI BI	125505A	238		X	X	X	X	X	X		X					X	X	X				X	X	X	X						X
DC MAXI JOLLY SV DALI BI	151505	238	X		X	X	X	X	X		X					X	X	X					X	X	X	X					X
DC MAXI JOLLY US DALI	127413	240		X	X	X	X	X	X		X					X	X	X				X	X	X			X				X
DC MAXI JOLLY US DALI	151413	240	X		X	X	X	X	X		X					X	X	X					X	X			X				X
DC MAXI JOLLY US DALI BI	125464	240		X	X	X	X	X	X		X					X	X	X				X	X	X			X				X
DC MAXI JOLLY US DALI BI	151464	240	X		X	X	X	X	X		X					X	X	X					X	X			X				X
DC MAXI JOLLY TC DALI	123164	242			X	X	X	X	X		X					X	X	X				X	X	X	X			X			X
DC MAXI JOLLY HV DALI	127409	244		X	X	X	X	X			X					X	X	X				X	X	X			X				X
DC MAXI JOLLY HV DALI	151409	244	X		X	X	X	X			X					X	X	X					X	X			X				X
DC MAXI JOLLY HV DALI BI	127409BI	244		X	X	X	X	X			X					X	X	X				X	X	X			X				X
DC MAXI JOLLY HV DALI BI	151409BI	244	X		X	X	X	X			X					X	X	X					X	X			X				X
DC MAXI JOLLY HC/2 DALI	123314	246							X	X	X	X				X	X	X				X	X	X	X						X
DC MAXI JOLLY HC DALI BI	123417	246							X	X	X	X				X	X	X				X	X	X	X						X
DC MAXI JOLLY HC/2 DALI	151314	248	X						X	X	X	X				X	X	X					X	X	X	X					X
DC MAXI JOLLY HC DALI BI	151417	248	X						X	X	X	X				X	X	X					X	X	X	X					X
DC MAXI JOLLY HC DALI TC	123170	250							X	X	X	X				X	X	X				X	X	X	X						X
DC MAXI JOLLY DALI H/2	127074	252			X	X	X	X	X		X					X	X	X				X	X	X			X				X
DC MAXI JOLLY DALI HBI	127054	252			X	X	X	X	X		X					X	X	X				X	X	X			X				X
MICRO MD 180	127106	254	X								X							X					X	X							
MICRO MD 180 BI	127107	254	X								X							X					X	X							
MICRO MD 250	127048	254	X	X														X					X	X							
MICRO MD 250 BI	127049	254	X	X														X					X	X							
MICRO MD 270	127108	254	X								X							X					X	X							
MICRO MD 270 BI	127109	254	X								X							X					X	X							
MICRO MD 350	127040	254	X		X													X					X	X							
MICRO MD 350 BI	127041	254	X		X													X					X	X							
MICRO MD 500	127042	254	X			X												X					X	X							
MICRO MD 500 BI	127043	254	X			X												X					X	X							
MICRO MD 700	127046	254	X				X											X					X	X							
MICRO MD 700 BI	127047	254	X				X											X					X	X							

NEW - NOVITÀ



## Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
BMU MD 250	127396	256	X	X														X						X	X					
BMU MD 350	127390	256	X		X													X						X	X					
BMU MD 500	127392	256	X			X												X						X	X					
BMU MD 700	127394	256	X				X											X						X	X					
MSE 12/350 MD	127625	258	X		X													X						X	X					
MSE 10/500 MD	127626	258	X			X												X						X	X					
MINI MD 250	127036	260	X	X														X						X	X					
MINI MD 250 BI	127037	260	X	X														X						X	X					
MINI MD 350	127030	260	X		X													X						X	X					
MINI MD 350 BI	127031	260	X		X													X						X	X					
MINI MD 500	127032	260	X			X												X						X	X					
MINI MD 500 BI	127033	260	X			X												X						X	X					
MINI MD 700	127034	260	X				X											X						X	X					
MINI MD 700 BI	127035	260	X				X											X						X	X					
MINI MD 250 LP	127444	262	X	X														X						X	X					
MINI MD 350 LP	127445	262	X		X													X						X	X					
MINI MD 500 LP	127446	262	X			X												X						X	X					
MINI MD 700 LP	127447	262	X				X											X						X	X					
PUMA MD 20	127102	264	X	X	X	X	X					X						X						X	X					
DC MINI JOLLY MD	127556	266			X	X	X	X	X			X	X	X				X						X	X					
DC MINI JOLLY MD BI	127557	266			X	X	X	X	X			X	X	X				X						X	X					
DC JOLLY MD LC	122262	268			X	X	X					X	X	X				X				X		X	X					
DC JOLLY MD	122260	270			X	X	X					X	X	X				X	X			X		X	X					
DC MAXI JOLLY HC MD	127550	272						X	X	X	X	X	X	X				X	X					X	X					
DC MAXI JOLLY HC MD BI	127552	272						X	X	X	X	X	X	X				X	X					X	X					
DC MOONLIGHT 180	122100	274										X						X						X	X					
DC MOONLIGHT 350	122091/350	274			X													X						X	X					
DC MOONLIGHT 500	122091/500	274				X												X						X	X					
DC MOONLIGHT 700	122091	274					X											X						X	X					
DC JOLLY TRT	127016	276			X	X	X					X						X						X	X					
DC 36W 350mA DMX VST	122076	278			X													X		X				X	X					X
DC 36W 350mA DMX VST BI	122077	278			X													X		X				X	X					X
DC MAXI JOLLY US MIDNIGHT	122416	281			X	X	X	X	X			X										X	X	X		X				X
DC MAXI JOLLY HV MIDNIGHT	122408	282		X	X	X	X					X										X	X	X		X				X
DC JOLLY US BILEVEL	122423	284			X	X	X	X				X	X	X								X	X	X	X					
DC JOLLY US BILEVEL N	122423N	284			X	X	X	X				X	X	X								X	X	X	X					
DC MAXI JOLLY US BILEVEL	122418	285			X	X	X	X				X										X	X	X		X				X
DC MAXI JOLLY US BILEVEL N	122418N	285			X	X	X	X				X										X	X	X		X				X
DC MAXI JOLLY HV BILEVEL	122414BL	286		X	X	X	X					X										X	X	X		X				X
DC MAXI JOLLY HV BILEVEL N	122414BLN	286		X	X	X	X					X										X	X	X		X				X
DC MAXI JOLLY HC BILEVEL BI	122415BL	287						X	X	X	X	X										X	X	X	X		X			X
DC MAXI JOLLY HC BILEVEL N BI	122415BLN	287						X	X	X	X	X										X	X	X	X		X			X
DC MINI JOLLY LC PLV	123401PLV	289		X	X							X		X										X	X	X				
DC MINI JOLLY PLV	123406	290			X	X	X	X				X	X	X								X		X	X	X				
DC MINI JOLLY PLV BI	123406BI	290			X	X	X	X				X	X	X								X		X	X	X				
DC MINI JOLLY HV PLV	123394	292		X	X	X	X					X	X	X								X		X	X	X				
DC MINI JOLLY HV PLV BI	123394BI	292		X	X	X	X					X	X	X								X		X	X	X				
DC JOLLY US PLV	125425	294			X	X	X	X				X	X	X								X		X	X	X				

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante				Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY SV PLV	125509	295			X	X	X	X	X		X						X						X	X						
DC MAXI JOLLY US PLV	123419	296			X	X	X	X	X		X						X						X	X			X			X
DC MAXI JOLLY HC PLV BI	123415PLV	297							X	X	X						X						X	X		X				X
DC MAXI JOLLY DALI TW 35	127970	298			X	X	X				X								X				X	X						
DC MAXI JOLLY DALI TW 45	127971	298			X	X	X	X			X								X				X	X						
SUPERSLIM 1-10V 230V	127464	300			X	X					X						X	X					X	X						
SUPERSLIM 1-10V 230V	151465	300	X		X	X					X						X	X					X	X						
SUPERSLIM 1-10V 110V	127466	300			X	X					X						X	X					X	X						
SUPERSLIM 1-10V 110V	151467	300			X	X					X						X	X					X	X						
DC JOLLY SLIM	123680	302			X	X	X	X			X		X				X	X			X	X	X	X						
DC JOLLY SLIM	151680	302	X		X	X	X	X			X		X				X	X			X	X	X	X						
DC MAXI JOLLY SVM 65 SLIM	126565	304		X	X	X	X	X	X	X	X						X	X					X	X		X				
DC MAXI JOLLY SVM 65 SLIM	127565	304	X		X	X	X	X	X	X	X						X	X					X	X		X				
DC MAXI JOLLY SVM 80 SLIM	126567	306		X	X	X	X	X	X	X	X						X	X					X	X		X				
DC MAXI JOLLY SVM 80 SLIM	127567	306	X		X	X	X	X	X	X	X						X	X					X	X		X				
T-LED 80/350 1-10V SLIM	127080	308	X	X	X						X						X	X					X					X		
T-LED 80/500 1-10V SLIM	127081	310	X		X	X					X						X	X					X					X		
T-LED 80/700 1-10V SLIM	127082	312	X		X	X	X				X						X	X					X					X		
SUPERSLIM DALI	127462	314			X	X					X						X	X					X	X						
SUPERSLIM DALI	151448	314	X		X	X					X						X	X					X	X						
SUPERSLIM DALI OF	127462OF	314			X	X					X						X	X					X	X						
SUPERSLIM DALI OF	151448OF	314	X		X	X					X						X	X					X	X						
SUPERFLAT SLIM DALI	127468	316			X	X					X							X					X	X						
SUPERFLAT SLIM DALI OF	127468OF	316			X	X					X							X					X	X						
ATON 30/250-700 DALI	127370	318			X	X	X	X			X						X	X					X	X		X				
ATON 30/250-700 DALI BI	127372	318			X	X	X	X			X						X	X					X	X		X				
ATON 30/250-700 DALI	151370	320	X		X	X	X	X			X						X	X					X	X		X				
ATON 30/250-700 DALI BI	151372	320	X		X	X	X	X			X						X	X					X	X		X				
DC MAXI JOLLY SVM 65 DALI SLIM	126564	322		X	X	X	X	X	X	X	X						X	X	X				X	X		X				
DC MAXI JOLLY SVM 65 DALI SLIM	127564	322	X		X	X	X	X	X	X	X						X	X	X				X	X		X				
DC MAXI JOLLY SVM 80 DALI SLIM	126566	324		X	X	X	X	X	X	X	X						X	X	X				X	X		X				
DC MAXI JOLLY SVM 80 DALI SLIM	127566	324	X		X	X	X	X	X	X	X						X	X	X				X	X		X				
T-LED 80/350 DALI SLIM 1%	127091	326		X	X						X						X	X					X					X		
T-LED 80/500 DALI SLIM	127086	328	X			X					X						X	X					X					X		
T-LED 80/700 DALI SLIM	127087	330	X		X	X	X				X						X	X					X					X		
T-LED 100/100-500 DALI D4i	127736	332	X		X	X	X				X						X	X					X					X		
R-LED 42/350 DALI SLIM	127934	334	X		X	X					X						X	X					X					X		
R-LED 80/350 DALI SLIM	127935	334	X		X	X					X						X	X					X					X		
R-LED 80/700 DALI SLIM	127936	334	X		X	X	X				X						X	X					X					X		
R-LED 110/700 DALI SLIM	127937	334	X		X	X	X				X						X	X					X					X		
R-LED 150/700 DALI SLIM	127938	334	X		X	X	X				X						X	X					X					X		
S-LED 35/350 DALI SLIM	127610	336	X		X	X					X						X	X					X					X		
S-LED 60/350 DALI SLIM	127611	336	X		X	X					X						X	X					X					X		
S-LED 60/500 DALI SLIM	127612	336	X		X	X	X				X						X	X					X					X		
S-LED 90/700 DALI SLIM	127615	336	X		X	X	X	X			X						X	X					X					X		
S-LED 100/500 DALI SLIM NFC	127613	338	X		X	X	X				X						X	X					X					X		
S-LED 150/700 DALI SLIM NFC	127614	338	X		X	X	X	X			X						X	X					X					X		
DC JOLLY SLIM HV BILEVEL	122685	340			X	X	X	X			X		X									X	X	X		X				

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC JOLLY SLIM HV BILEVEL N	122685N	340			X	X	X	X					X	X									X	X	X	X					
DC JOLLY SLIM PLV	123681	341				X	X	X					X	X			X							X	X	X					
DC MAXI JOLLY SLIM DALI TW 35	127973	342				X	X	X					X						X					X			X				
DC MAXI JOLLY SLIM DALI TW 60	127974	342				X	X	X					X						X					X			X				
SIRIO 150/200-700	127230	346			X	X	X	X					X											X				X		X	X
SIRIO 150/200-700 BI	127240	346			X	X	X	X					X											X				X		X	X
SIRIO 150/300-1050	127232	348				X	X	X	X	X			X											X				X		X	X
SIRIO 150/300-1050 BI	127242	348				X	X	X	X	X			X											X				X		X	X
SIRIO 150/700 ST2	127294	350						X					X											X				X			
SIRIO 150/1050 ST2	127295	351							X				X											X				X			
DC MAXI JOLLY STREET HV	151652CC	352	X		X	X	X	X					X				X						X	X			X			X	X
SIRIO 100	127200	354		X	X	X	X	X					X				X						X	X			X	X		X	X
SIRIO 100 BI	127210	354		X	X	X	X	X					X				X						X	X			X	X		X	X
SIRIO 120/1000-2100 BILEVEL	127350	356		X					X	X	X	X	X				X						X	X	X	X					
SIRIO 120/1000-2100 BILEVEL BI	127352	356		X					X	X	X	X	X				X						X	X	X	X					
SIRIO 150/200-700 1-10V BILEVEL	127224	358	X		X	X	X	X					X				X						X	X				X		X	X
SIRIO 150/200-700 1-10V BILEVEL BI	127225	358	X		X	X	X	X					X				X						X	X				X		X	X
SIRIO 150/300-1050 1-10V BILEVEL	127222	360	X			X	X	X	X	X			X				X						X	X				X		X	X
SIRIO 150/300-1050 1-10V BILEVEL BI	127223	360	X			X	X	X	X	X			X				X						X	X				X		X	X
MILANOinLED 20W/200-1050 1PN	145000	362	X		X	X	X	X	X	X			X										X	X	X	X					
MILANOinLED 40W/200-1050 1PN	145001	362	X		X	X	X	X	X	X			X										X	X	X	X					
MILANOinLED 75W/200-1050 1PN	145002	362	X		X	X	X	X	X	X			X										X	X	X	X		X			
MILANOinLED 110W/200-1050 1PN	145003	362	X		X	X	X	X	X	X			X										X	X	X	X		X			
MILANOinLED 165W/200-1050 1PN	145004	362	X		X	X	X	X	X	X			X										X	X	X	X		X			
MILANOinLED 60W/400-1400 1PN	145016	364	X				X	X	X	X			X										X	X			X				
MILANOinLED 100W/400-1400 1PN	145017	364	X				X	X	X	X			X										X	X			X				
MILANOinLED 150W/400-1400 1PN	145018	364	X				X	X	X	X			X										X	X			X				
MILANOinLED 200W/400-1400 1PN	145019	364	X				X	X	X	X			X										X	X			X				
MILANOinLED 20W/200-1050 4PN	145010	366	X		X	X	X	X	X	X			X						X				X	X	X	X					
MILANOinLED 40W/200-1050 4PN	145011	366	X		X	X	X	X	X	X			X						X				X	X	X	X					
MILANOinLED 75W/200-1050 4PN	145012	366	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 110W/200-1050 4PN	145013	366	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 165W/200-1050 4PN	145014PN	366	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 40W/200-1050 AD	145020	368	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 75W/200-1050 AD	145021	368	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 110W/200-1050 AD	145022	368	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
MILANOinLED 165W/200-1050 AD	145023	368	X		X	X	X	X	X	X			X						X				X	X	X	X		X			
VEGA 75/500-1400 FPD	127800	370	X			X	X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 100/600-1400 FPD	127801	370	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 150/600-1400 FPD	127802	370	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 200/600-1400 FPD	127803	370	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 75/500-1400 FPD IP67	127804	372	X			X	X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 100/600-1400 FPD IP67	127805	372	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 150/600-1400 FPD IP67	127806	372	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 200/600-1400 FPD IP67	127807	372	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 250/600-1400 FPD IP67	127808	372	X				X	X	X	X			X				X						X	X	X	X		X		X	X
VEGA 320/700-2100 FPD IP67	127809	372	X				X	X	X	X	X			X									X	X	X	X		X		X	X
DC 12W 12V UD	122740	375											X														X				

NEW - NOVITÀ

# LED choice table



## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 12W 24V UD	122742	375											X														X				
DC 7W 8V LS	122150	376																									X				
DC 10W 12V LS	122154	376										X															X				
DC 10W 24V LS	122156	376											X														X				
DC 10W 28V LS	122158	376																									X				
DC LED 12V EFU	122320	377										X											X			X					
DC LED 24V EFU	122322	377											X										X			X					
DC 70W 24V K3	122180	378											X											X	X						
DC 70W 24V K3 BI	122181	378											X											X	X						
DC 70W 48V K3	122182	378												X										X	X						
DC 70W 48V K3 BI	122183	378												X										X	X						
DC 50W 24V VST BI	122772	380											X											X	X						
DC 50W 12V VST BI	122776	380										X												X	X						
DC 50W 48V VST BI	122780	380											X											X	X						
DC 70W 24V VST BI	122770	380											X											X	X						
DC 70W 12V VST BI	122778	380										X												X	X						
DC 70W 48V VST BI	122782	380											X											X	X						
DC 150W 24V VST BI	122774	380											X											X	X						
DC 150W 48V VST BI	122784	380												X										X	X						
DC 50W 24V VST	122752	382											X											X	X						
DC 50W 12V VST	122756	382										X												X	X						
DC 50W 48V VST	122766	382												X										X	X						
DC 70W 24V VST	122750	382											X											X	X						
DC 70W 12V VST	122758	382										X												X	X						
DC 70W 48V VST	122762	382											X											X	X						
DC 150W 24V VST	122754	382											X											X	X						
DC 150W 48V VST	122764	382												X										X	X						
DC 50W 24V VSTII	122752II	384											X											X	X						
DC 50W 12V VSTII	122756II	384										X												X	X						
DC 50W 48V VSTII	122766II	384												X										X	X						
DC 70W 24V VSTII	122750II	384											X											X	X						
DC 70W 12V VSTII	122758II	384										X												X	X						
DC 70W 48V VSTII	122762II	384												X										X	X						
DC 150W 24V VSTII	122754II	384											X											X	X						
DC 50W 12V VPS LP	127902	386										X												X	X						
DC 50W 24V VPS LP	127903	386											X											X	X						
DC 75W 12V VPS LP	127904	386										X												X	X						
DC 75W 24V VPS LP	127905	386											X											X	X						
DC 60W 24V VPSD	127811	388											X										X		X						
DC 100W 24V VPSD	127812	388											X										X		X						
DC LED 10V EFUR	122319	390													X								X		X						
DC LED 12V EFUR	122321	390									X				X								X		X						
DC LED 24V EFUR	122314	390									X				X								X		X						
DC LED 28V EFUR	122316	390													X								X		X						
DC 22W 24V RGB IR	122264	392										X				X				X	X				X	X			X		
DC 80W 12V VSTR	122732	394									X				X	X				X	X			X	X			X		X	
DC 120W 24V VSTR	122730	394									X				X	X				X	X			X	X			X		X	
DC 80W 12V VSTR DALI	122733	396	X								X				X		X			X	X			X	X			X		X	

NEW - NOVITÀ

## Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 120W 12V VSTR DALI	122731	396	X											X			X	X						X	X						
DC 100W 12V VPS 1-10V	127906	398												X			X							X	X	X					
DC 100W 24V VPS 1-10V	127907	398												X			X							X	X	X					
DC 150W 12V VPS 1-10V	127908	398												X			X							X	X	X					
DC 150W 24V VPS 1-10V	127909	398												X			X							X	X	X					
DC 150W 48V VPS 1-10V	127933	398	X												X		X							X	X						
DC 200W 12V VPS 1-10V	127910	398												X			X							X	X	X					
DC 200W 24V VPS 1-10V	127911	398												X			X							X	X	X					
DC 60W 24V VPSD 0-10 V	127813	400	X											X			X							X		X					
DC 100W 24V VPSD 0-10 V	127814	400	X											X			X							X		X					
DC 45W 12V VPS MD	127912	402												X					X					X	X	X					
DC 45W 24V VPS MD	127913	402												X					X					X	X	X					
DC 80W 12V VPS MD	127914	402												X					X					X	X	X					
DC 80W 24V VPS MD	127915	402												X					X					X	X	X					
SUPERSLIM 24V	127328	405												X										X	X						
SUPERSLIM 24V OF	127328OF	405												X										X	X						
LCV 30W 24V	127820	406												X										X	X						
LCV 60W 24V	127821	406												X										X	X						
LCV 75W 24V	127822	406												X										X	X						
LCV 90W 24V	127823	406												X										X	X						
LCV 120W 24V	127824	406												X										X	X						
LCV 180W 24V	127825	406												X										X	X						
DC 30W 24V SLIM	127952	408												X										X	X						
DC 60W 24V SLIM	127950	408												X										X	X						
DC 100W 24V SLIM	127954	408												X										X	X						
DC 150W 24V SLIM	127956	408												X										X	X						
DC 70W 24V SLIM	127750	410												X										X	X						
DC 70W 48V SLIM	127751	410												X										X	X						
DC 30W 24V SLIM R	127953	412												X			X							X	X						
DC 60W 24V SLIM R	127951	412												X			X							X	X						
DC 100W 24V SLIM R	127955	412												X			X							X	X						
DC 150W 24V SLIM R	127957	412												X			X					X		X	X						
DC 70W 24V SLIM R DALI	127960	414												X			X	X		X				X	X						
DC 120W 24V SLIM RM DALI	127966	414	X											X			X			X				X	X						
DCC 12W 500mA HPFU IP54	127707	418				X								X										X		X					
DCC 12W 700mA HPFU IP54	127708	418					X																	X		X					
STCP 10/350 HPFU	127709	420			X																			X	X	X					
STMP 6/500 HPFU	127705	421				X								X										X	X	X					
STMP 8/350 HPFU	127703	421			X									X										X	X	X					
STMP 10/350 HPFU	127704	421			X																			X	X	X					
DC 10W 8V SLIM/U IP65	122430	422																						X		X					
DC 13W 12V SLIM/U IP65	122432	422												X										X		X					
DC 13W 24V SLIM/U IP65	122434	422												X										X		X					
DC 15W 350mA SLIM/U IP	122440IP	423			X																			X		X					
DC 14W 500mA SLIM/U IP	122448IP	423				X																		X		X					
DC 11W 700mA SLIM/U IP	122441IP	423					X																	X		X					
DC 13W 12V SLIM/U IP	122444IP	423												X										X		X					
DC 13W 24V SLIM/U IP	122442IP	423												X										X		X					

NEW - NOVITÀ

## Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
IPR2 12/250	152014/250	424		X																				X	X	X					
IPR2 12/250 LO	152016/250	424		X																				X	X	X					
IPR2 17/350	152014/350	424			X																			X	X	X					
IPR2 17/350 LO	152016/350	424			X																			X	X	X					
IPR2 24/500	152014/500	424				X																		X	X	X					
IPR2 24/500 LO	152016/500	424				X																		X	X	X					
IPR2 30/700	152014/700	424					X																	X	X	X					
IPR2 30/700 LO	152016/700	424					X																	X	X	X					
IPR1 25/500 SV	152001/500	426					X																	X	X	X					
IPR1 25/500 SV LO	152002/500	426					X																	X	X	X					
IPR1 35/700 SV	152001/700	426						X																X	X	X					
IPR1 35/700 SV LO	152002/700	426						X																X	X	X					
IPR1 45/900 SV	152001/900	426							X															X	X	X					
IPR1 45/900 SV LO	152002/900	426							X															X	X	X					
IPR1 52/1050 SV	152001/1050	426								X														X	X	X					
IPR1 52/1050 SV LO	152002/1050	426								X														X	X	X					
IPR1 60/1200 SV	152001/1200	426									X													X	X	X					
IPR1 60/1200 SV LO	152002/1200	426										X												X	X	X					
IPR1 70/1400 SV	152001/1400	426											X											X	X	X					
IPR1 70/1400 SV LO	152002/1400	426												X										X	X	X					
DC MINI JOLLY 16/350 IPR2	152020/350	428	X		X												X							X	X	X					
DC MINI JOLLY 20/500 IPR2	152020/500	428				X																		X	X	X					
DC MINI JOLLY 17/700 IPR2	152020/700	428					X										X							X	X	X					
DC MINI JOLLY DALI IPR2	152010	430	X	X	X	X	X				X								X					X	X	X					
DC MINI JOLLY DALI IPR2 LO	152012	430	X	X	X	X	X				X								X					X	X	X					
DC MAXI JOLLY SV DALI IPR1	152004	432	X			X	X	X	X		X									X				X	X	X					
DC MAXI JOLLY SV DALI IPR1 LO	152006	432	X			X	X	X	X		X									X				X	X	X					
DC 70W 12V ST2	122477	434										X												X	X						
DC 70W 24V ST2	122479	434											X											X	X						
DC 70W 48V ST2	122481	434												X										X	X						
DC 150W 24V ST2	122511	434													X									X	X						
DC 150W 48V ST2	122513	434														X								X	X						
DC 70W 12V ST2 CLII	122476	435										X												X	X						
DC 70W 24V ST2 CLII	122478	435															X							X	X						
DC 70W 48V ST2 CLII	122480	435																X						X	X						
DC 150W 24V ST2 CLII	122482	435																						X	X						
DC10W350mA TU - IP68	122713RES	436			X																			X		X					
DC17W700mA TU - IP68	122717RES	436					X																	X		X					
DC20W24V T - IP68	122715RES	436																								X					
LV HR 350mA	122652	440																								X					
LV HR 500mA	122654	440			X																					X					
LV HR 700mA	122656	440				X																				X					
LV Micro Z 350	122666	441					X																			X					
LV RGB 250mA	122662	442		X																					X						X
LV RGB 350mA	122660	442			X																				X						X
LV RGB 500mA	122661	442				X																			X						X
LV RGB 350mA IR	122090	444			X																				X						X
LV RGB 12/24 IR	122092	444										X	X											X							X

NEW - NOVITÀ

## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
SED 4.5A R57	120300	446										X	X		X	X									X					X
ELED HP	123023	450										X	X	X												X				
ELED HP BI	123024	450										X	X	X												X				
ELED HP/3	123023/3	450										X	X	X												X				
ELED HP/3 BI	123024/3	450										X	X	X												X				
ELED HP	123025	450										X	X	X												X				
ELED HP BI	123026	450										X	X	X												X				
ELED HP/3	123025/3	450										X	X	X												X				
ELED HP/3 BI	123026/3	450										X	X	X												X				
ELED LP	123032	452																								X				
ELED LP BI	123033	452																								X				
ELED LP/1	123034	452																								X				
ELED LP/1 BI	123036	452																								X				
ELED LP	123035	452																								X				
ELED LP BI	123037	452																								X				
ELED HP SLIM	123028	454																								X				
ELED HP/3 SLIM	123028/3	454																								X				
ELED LP 200	123017	456																												X
ELED HP 200	127018	456																												X
ELED HP 200/3	127019	456																												X
ELED LP 200	127017/NM	456																												X
ELED HP 200	127018/NM	456																												X
ELED HP 200/3	127019/NM	456																												X
ELBT	123013	460																								X				
ELBT-3	123013/3	460																								X				
ELHT	123012	462																								X				
ELHT-3	123012/3	462																								X				
UNIVERSALE 20 WR	127140	466		X	X	X	X				X	X												X	X	X				
UNIVERSALE 20 WR BI	127142	466		X	X	X	X				X	X												X	X	X				
WIDESQUARE 30/350-700/2	127162	468			X	X	X				X	X												X	X	X				
WIDESQUARE 30/350-700 BI	127164	468			X	X	X				X	X												X	X	X				
PROFESSIONALE WR	127695	470			X	X	X	X	X		X														X	X	X			
PROFESSIONALE WR BI	127696	470			X	X	X	X	X		X														X	X	X			
WIDESLIM 30/350-700	127160	472			X	X	X				X														X	X	X			
WIDESQUARE R 30/350-700/2	127166	474			X	X	X				X				X	X							X	X	X	X				
PROFESSIONALE 1-10V WR	127700	476	X		X	X	X	X	X		X														X	X	X			
PROFESSIONALE 1-10V WR BI	127702	476	X		X	X	X	X	X		X														X	X	X			
DC MAXI JOLLY SV WR	151510	478	X		X	X	X	X	X		X														X	X	X			
DC MAXI JOLLY SV DALI WR	151512	480	X		X	X	X	X	X		X														X	X	X			
US 15/350 1-10V	126160/350	482	X		X										X										X	X	X			
US 22/500 1-10V	126160/500	482	X			X									X										X	X	X			
US 24/550 1-10V	126160/550	482	X								X														X	X	X			
US 27/600 1-10V	126160/600	482	X								X														X	X	X			
US 29/650 1-10V	126160/650	482	X								X														X	X	X			
US 31/700 1-10V	126160/700	482	X					X																	X	X	X			
US 38/900 1-10V	126160/900	482	X						X																X	X	X			
US 38/1050 1-10V	126160/1050	482	X							X															X	X	X			
MILANOinTRACK 31/200-700	127893	486		X	X	X	X				X														X	X	X			

NEW - NOVITÀ

## Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
MILANOinTRACK 31/200-700	127894	486		X	X	X	X					X													X	X					
MILANOinTRACK 31/200-700	127895	486		X	X	X	X					X													X	X					
MILANOinTRACK 40/300-1050	127870	487			X	X	X	X	X			X													X	X					
MILANOinTRACK 40/300-1050	127871	487			X	X	X	X	X			X													X	X					
MILANOinTRACK 40/300-1050	127872	487			X	X	X	X	X			X													X	X					
MILANOinTRACK 40/300-1050 DALI	127873	488	X		X	X	X	X	X			X							X						X	X					
MILANOinTRACK 40/300-1050 DALI	127874	488	X		X	X	X	X	X			X							X						X	X					
MILANOinTRACK 40/300-1050 DALI	127875	488	X		X	X	X	X	X			X							X						X	X					
GA-017 PRO	127982W	489			X	X	X	X				X													X	X					
GA-017 PRO	127982G	489			X	X	X	X				X													X	X					
GA-017 PRO	127982B	489			X	X	X	X				X													X	X					
GA-016 PRO	127983W	490				X	X	X	X	X		X													X	X					
GA-016 PRO	127983G	490				X	X	X	X	X		X													X	X					
GA-016 PRO	127983B	490				X	X	X	X	X		X													X	X					
GAC-616 DALI PRO	127984W	491	X		X	X	X	X	X			X							X						X	X					
GAC-616 DALI PRO	127984G	491	X		X	X	X	X	X			X							X						X	X					
GAC-616 DALI PRO	127984B	491	X		X	X	X	X	X			X							X						X	X					
GA-016 US	127585	492				X						X													X	X					
GA-016 US	127586	492				X						X													X	X					
LV HR TRACK 357 OF	1260320F	494				X	X	X				X											X		X						
LV HR TRACK 246 OF	1260310F	494										X											X		X						
LV HR TRACK 200 OF	1260330F	494										X											X		X						
LV HR TRACK 1-10V 357 OF	1260380F	495	X		X	X	X					X						X							X						
LV HR TRACK 1-10V 246 OF	1260370F	495	X	X								X						X							X						
LV HR TRACK DALI 200 OF	126034/2000F	496	X									X								X					X						
LV HR TRACK DALI 250 OF	126034/2500F	496	X	X																X					X						
LV HR TRACK DALI 350 OF	126034/3500F	496			X															X					X						
LV HR TRACK DALI 400 OF	126034/4000F	496	X									X								X					X						
LV HR TRACK DALI 500 OF	126034/5000F	496				X														X					X						
LV HR TRACK DALI 600 OF	126034/6000F	496	X									X								X					X						
LV HR TRACK DALI 700 OF	126034/7000F	496					X													X					X						
LV HR TRACK DALI 900 OF	126034/9000F	496	X					X												X					X						
LV HR TRACK 2L 1-10V 357 OF	1260460F	498	X		X	X	X					X						X							X						
LV HR TRACK 2L 1-10V 246 OF	1260470F	498	X	X								X						X							X						
LV HR TRACK 2L DALI 200 OF	126039/2000F	499																													
LV HR TRACK 2L DALI 250 OF	126039/2500F	499																													
LV HR TRACK 2L DALI 350 OF	126039/3500F	499	X		X															X					X						
LV HR TRACK 2L DALI 400 OF	126039/4000F	499																													
LV HR TRACK 2L DALI 500 OF	126039/5000F	499	X			X														X					X						
LV HR TRACK 2L DALI 600 OF	126039/6000F	499																													
LV HR TRACK 2L DALI 700 OF	126039/7000F	499	X				X													X					X						
LV HR TRACK 2L DALI 900 OF	126039/9000F	499																													
LV HR 48 CV 1-10V OF	1260450F	500																							X						
LV HR 48 CV DALI OF	1260440F	501																							X						
MW 70 LED DIMM	119772	504																							X	X					
MW 70 LED	119773	505																							X	X					
W 105 LED	119812	506																							X	X					
W 105 LED PWM	119814	506																						X	X	X					

NEW - NOVITÀ



## Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																			
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
ETD2E9	180427	508																X															
ETDU29	180426	509																X															
SCU-EVG	180341	510														X																	
REG 1-10 V	123999L	511														X																	
DALI WEB PROGRAMMER	126500	512																	X														
DCC DALI INTERFACE	122099	514																	X								X						
SR-2400 RB	181205	516																	X				X										
SR-2400 RB-CCT	181206	516																	X				X										
SR-2309 FA-CCT	181209	517	X									X	X						X							X							
SR-2303B	181211	518	X									X	X						X							X							
SR-DA2833P-DA2	181210	519															X	X								X							
TDS U1 DALI	180429	520															X	X															
SR-2400 PS	181200	521																	X														
SR-2400 P	181202	521																	X														
BMU DMX INTERFACE	122066	522																		X													X
TOUCH PANEL DMX	180423	524																		X													X
EASY DMX	180421	525																		X													X
PRO DMX	180422A	525																		X													X
DC RVLN A	120295FF	526																								X							
DC RVLN B	120295C	526																								X							
DC RVLN C	120295	526																								X							
FM EMI FILTER	119897	528																							X								
EMI FILTER	119899	528																							X								
EMI FILTER GND	119895	528																							X								