

LED choice table



Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY US ZB3	151570	4	X		X	X	X	X	X	X	X		X			X	X							X	X			X			X
DC MAXI JOLLY SV ZB3	151572	6	X		X	X	X	X	X	X		X			X	X								X	X		X				X
PROFESSIONALE ZB3	122576	8	X		X	X	X	X	X		X			X	X									X	X						
PROFESSIONALE ZB3 BI	122577	8	X		X	X	X	X	X		X			X	X									X	X						
MINI ZB3 INTERFACE	122553	10										X	X	X	X			X				X	X	X	X					X	
GEWISS GWA 1501	181501	11												X											X						
GEWISS GWA 1502	181502	11												X																	
GEWISS GWA 1521	181521	11												X																	
GEWISS GWA 1523	181523	11												X																	
GEWISS GWA 1531	181531	11												X																	
GEWISS GWA 1511	181511	11												X											X						
GEWISS GWA 1512	181512	12												X											X						
GEWISS GWA 1513	181513	12												X											X						
GEWISS GWA 1514	181514	12												X											X						
GEWISS GWA 1706	181706	12												X																	
ZIGBEE 3.0 TO DALI DT6-DT8 CONTROLLER	181204	13												X	X																
ZIGBEE 3.0 WIRELESS DIMMER SWITCH	181207	13												X	X										X						
ZIGBEE 3.0 LED DIMMER / SR-ZG9101CS	181208	13			X		X				X			X	X										X						
DC MAXI JOLLY US CASAMBI	127644	14	X		X	X	X	X	X		X			X	X								X	X		X				X	
DC MAXI JOLLY SV CASAMBI	127645	16	X		X	X	X	X	X		X			X	X								X	X	X					X	
PROFESSIONALE CASAMBI	127630	18	X		X	X	X	X	X		X			X	X									X	X						
PROFESSIONALE CASAMBI BI	127631	18	X		X	X	X	X	X		X			X	X									X	X						
PROFESSIONALE CASAMBI NFC	127648	20	X								X			X	X									X	X						
PROFESSIONALE CASAMBI NFC BI	127649	20	X								X			X	X									X	X						
PROFESSIONALE HC CASAMBI	127660	22	X				X	X	X	X	X			X	X									X	X						
PROFESSIONALE HC CASAMBI BI	127662	22	X				X	X	X	X	X			X	X									X	X						
PROFESSIONALE CASAMBI TW	127646	24	X		X									X	X									X	X						
PROFESSIONALE CASAMBI TW BI	127647	24	X		X									X	X									X	X						
MINI CASAMBI INTERFACE TW	127637	26												X	X	X							X		X						
MINI CASAMBI INTERFACE RGBW	127638	26												X	X	X							X		X					X	
DC 120W 24V VSTR CASAMBI	127641	28									X		X	X	X									X	X					X	
GA CASAMBI	127634	30																													
GA CASAMBI	127635	30																													
GA CASAMBI	127636	30																													
MILANOinTRACK 31/325-700 CASAMBI	127664	31	X		X	X	X				X			X										X	X						
MILANOinTRACK 31/325-700 CASAMBI	127665	31	X		X	X	X				X			X										X	X						
MILANOinTRACK 31/325-700 CASAMBI	127666	31	X		X	X	X				X			X										X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127884	32	X		X	X	X	X	X		X			X										X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127885	32	X		X	X	X	X	X		X			X										X	X						
MILANOinTRACK 40/300-1050 CASAMBI	127886	32	X		X	X	X	X	X		X			X										X	X						
CASAMBI CBU-ASD-C-3100	181220	34												X	X			X													
CASAMBI CBU-ASR-C-4423	181223	34												X	X																
CASAMBI CBU-PWM4-0-C-4027 (CE)	181221	34									X	X		X										X						X	
CASAMBI CBU-PWM4-4-C-4027 (UL)	181222	34									X	X		X										X						X	
CASAMBI CBU-TED-C-526	181224	34												X				X													
CASAMBI CBU-DCS-C-8079	181225	34												X				X													
CASAMBI XPRESS-W-C-239	181226	34																							X						
CASAMBI XPRESS-B-C-239	181227	34												X	X										X						

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																				
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX		
CASAMBI CBU-A2D-E-11503	181228	34													X	X			X			X												
DC MAXI JOLLY US BLL	135006	36			X	X	X	X	X		X				X	X							X	X				X						
DC MAXI JOLLY US BLL EX	135020	36			X	X	X	X	X		X				X	X							X	X				X						
DC MAXI JOLLY SV BLL	135021	38			X	X	X	X	X		X				X	X							X	X			X							
DC MAXI JOLLY SV BLL EX	135022	38			X	X	X	X	X		X				X	X							X	X			X							
DC MAXI JOLLY HC BLL/2	135001	40								X	X	X	X		X	X							X	X			X							X
DC MAXI JOLLY HC BLL BI	135000	40								X	X	X	X		X	X							X	X			X							X
DC MAXI JOLLY HC BLL/2 EX	135013	40								X	X	X	X		X	X							X	X			X							X
DC MAXI JOLLY HC BLL BI EX	135011	40								X	X	X	X		X	X							X	X			X							X
PROFESSIONALE BLL	135024	42	X		X	X	X	X	X		X				X	X							X	X			X							
PROFESSIONALE BLL BI	135025	42	X		X	X	X	X	X		X				X	X							X	X			X							
Professionale BLL EX	135026	42	X		X	X	X	X	X		X				X	X							X	X			X							
Professionale BLL BI EX	135027	42	X		X	X	X	X	X		X				X	X							X	X			X							
MILANOinTRACK 31/325-700 BLL	135050	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 31/325-700 BLL	135051	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 31/325-700 BLL	135052	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 31/325-700 BLL PIR	135053	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 31/325-700 BLL PIR	135054	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 31/325-700 BLL PIR	135055	44			X	X	X				X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL	135056	46					X	X	X		X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL	135057	46					X	X	X		X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL	135058	46					X	X	X		X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL PIR	135064	46					X	X	X		X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL PIR	135065	46					X	X	X		X				X								X	X			X							
MILANOinTRACK 40/675-1050 BLL PIR	135066	46					X	X	X		X				X								X	X			X							
LV RGBW 500mA BLL	135002	48				X									X	X																		X
LV RGBW 500mA BLL EX	135003	48				X									X	X																		X
LV HR TRACK BLL OF	135048OF	50			X	X	X				X				X											X	X							
BLL DALI INTERFACE	135009	51													X				X				X			X								X
BLL DALI INTERFACE EX	135016	51													X				X				X			X								X
MINI BLL INTERFACE	135008	52													X	X							X			X								X
MINI BLL INTERFACE EX	135015	52													X	X							X			X								X
SED DCC 2CH BLL	135036	54													X											X	X							
SED DCC 2CH BLL EX	135037	54													X											X	X							
SED 4CH BLL/2	135043	55													X	X										X	X							X
SED 4CH BLL EX/2	135044	55													X	X										X	X							X
BLL PIR DAYLIGHT V1	135097	56													X								X											
BLL PIR DAYLIGHT BI V1	135101	56													X											X								
BLL PIR DAYLIGHT V2	135098	56													X								X											
BLL PIR DAYLIGHT BI V2	135102	56													X											X								
BLL PIR DAYLIGHT V3	135099	56													X								X											
BLL PIR DAYLIGHT BI V3	135103	56													X											X								
BLL PIR DAYLIGHT V4	135100	56													X								X											
BLL PIR DAYLIGHT BI V4	135104	56													X											X								
BLL USB DONGLE	135033	58													X											X								
MINI BLL GATEWAY White	135086	58													X											X								
MINI BLL GATEWAY Black	135086B	58													X											X								
BLL 2CH ACTUATOR	135045	58										X	X	X	X																			

NEW - NOVITÀ

Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																				
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX		
BLL 2CH ACTUATOR EX	135047	58										X	X	X	X																			
SWITCH 3P BLL	135081	58													X	X												X						
SWITCH 3P BLL EX	135082	58													X	X												X						
SWITCH 3P BLL	135080	58													X	X																		
GATEWAY IOT 4G BLL	122547BLL	58													X																			
GATEWAY IOT BLL	122556BLL	58													X																			
MINI ZD LIGHT INTERFACE	122552	60													X	X			X				X		X									
ZD LIGHT INTERFACE II ECO	122546	62													X	X							X		X									
ZD LIGHT INTERFACE II ECO M06	122560	62													X	X							X		X									
ZHAGA ZD LIGHT SOCKET	122584CC	64													X				X						X									
ZD LIGHT INTERFACE II ECO COORDINATOR	122548	65													X										X									
ZD LIGHT INTERFACE II ECO COORDINATOR M06	122562	65													X										X									
ZD 12MDIN	122564	66													X										X									
DC 6W 150mA BULL	122604	70									X																X							
DC 9W 250mA BULL	122599	70		X																							X							
DC 4W 350mA BULL/U	122596	70			X							X											X		X									
DC 8W 350mA BULL/U	122598	70			X								X										X		X									
DC 6W 500mA BULL/U	122602	70				X							X										X		X									
DC 8W 350mA STC/U	122633	71			X								X										X		X									
DC 9W 350mA STC/U	122632	71			X																		X		X									
DC 6W 500mA STC/U	122635	71				X							X										X		X									
DC 6W 1200mA STC HC	127010	72								X															X									
DC 3W 125mA STM/U	122814	73								X														X		X								
DC 6W 150mA STM/U	122799	73								X														X		X								
DC 6W 250mA STM/U	122812	73		X																				X		X								
DC 8W 350mA STM/U	122811	73			X								X										X		X									
DC 6W 500mA STM/U	122813	73				X							X										X		X									
DC 6W 700mA STM/U	122815	73					X																X		X									
DC 3W 250mA STF/U	122142	74		X																				X		X								
DC 4W 350mA STF/U	122140	74			X																			X		X								
DC 3W 700mA STF/U	122144	74					X																	X		X								
DCCH 12W 250/350mA	122610	75		X	X																					X								
DCCH 7W 140/180mA	122611	75									X																X							
DC MICRO Z	122086	76			X																						X							
DC 12W 300mA SLIM/U	122447	77									X													X		X								
DC 15W 350mA SLIM/U	122440	77			X																			X		X								
DC 14W 500mA SLIM/U	122448	77				X							X											X		X								
DC 11W 700mA SLIM/U	122441	77					X																	X		X								
DC 13W 12V SLIM/U	122444	77										X												X		X								
DC 13W 24V SLIM/U	122442	77											X											X		X								
DC 14W 350mA AR	122038	78			X																			X		X								
DC 12W 550mA AR	122039	78									X													X		X								
DC 6W 210mA BMU	122796	79									X													X		X								
DC 9W 280mA BMU	122797	79									X													X		X								
DC 12W 350mA BMU	122790	79			X																			X		X								
DC 12W 500mA BMU	122794	79				X							X											X		X								
DC 12W 700mA BMU	122792	79					X																	X		X								
DC 10W 350mA KU2	127303	80			X																			X		X								

NEW - NOVITÀ

LED choice table



Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	DALI	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 10W 700mA KU2	127302	80				X																	X		X						
DC 10W 12V KU2	127304	80										X											X		X						
DC 10W 24V KU2	127305	80										X											X		X						
DC 12W 350mA RS	122254S	81			X																	X	X		X						
DC 15W 700mA RS	122251	81					X															X	X		X						
DC 20W 500mA NR	122250NR	81				X																	X		X						
DC 10W 24V P	122251A	81											X										X		X						
DC 8W 12V RS	122253S	81										X										X	X		X						
DC 17W 350mA WU S	122246	82			X																		X		X						
DC 20W 500mA WU S	122248	82				X																	X		X						
DC 12W 700mA WU	122233	82					X																X		X						
DC 17W 700mA WU	122234	82					X																X		X						
DC 22W 1050mA WU	122236	82							X														X		X						
DC 18W 1400mA WU	122242	82								X													X		X						
BULL 9W 250mA HPFU	141133	84		X																			X	X	X						
BULL 8W 350mA HPFU	141132	84			X								X										X	X	X						
BULL 6W 500mA HPFU	141131	84				X							X										X	X	X						
STC 6W 500mA HPFU	141054	85				X							X										X	X	X						
STC 8W 350mA HPFU	141050	85			X								X										X	X	X						
STC 9W 350mA HPFU	141052	85			X																		X	X	X						
STM 9W 250mA HPFU	127719	86		X																			X	X	X						
STM 6W 500mA HPFU	127717	86				X							X										X	X	X						
STM 8W 700mA HPFU	127718	86					X						X										X	X	X						
STM 8W 350mA HPFU	127715	86			X								X										X	X	X						
STM 10W 350mA HPFU	127716	86			X																		X	X	X						
DCC 10W 250mA HPFU	127699	87		X																			X	X	X						
DCC 12W 500mA HPFU	127711	87				X																	X	X	X						
DCC 12W 700mA HPFU	127712	87					X																X	X	X						
DCC 15W 350mA HPFU	127713	87			X																		X	X	X						
DCCH 12W 250/350mA HPF	141092	88		X	X																			X	X						
DCCH 7W 140/180mA HPF	141090	88									X													X	X						
SLIM 15W 350mA HPFU	141110	89			X																		X	X	X						
SLIM 14W 500mA HPFU	141112	89				X																	X	X	X						
SLIM 11W 700mA HPFU	141114	89					X																X	X	X						
SLIM 13W 12V HPFU	141120	89										X											X	X	X						
SLIM 13W 24V HPFU	141122	89											X										X	X	X						
AR 14W 350mA HPFU	141065	90			X																		X	X	X						
AR 12W 550mA HPFU	141067	90									X		X										X	X	X						
BMU 12W 350mA HPFU	141070	91			X																		X	X	X						
BMU 12W 500mA HPFU	141072	91				X																	X	X	X						
BMU 12W 700mA HPFU	141074	91					X																X	X	X						
DC 10W 350mA KU3	127303A	92			X																		X	X	X						
DC 10W 700mA KU3	127302A	92					X																X	X	X						
DC 10W 12V KU3	127304A	92										X											X	X	X						
DC 10W 24V KU3	127305A	92											X										X	X	X						
DC 15W 350mA R HPFU	122254H	93			X																		X	X	X						
DC 20W 700mA R HPFU	122251H	93					X																X	X	X						
DC 8W 12V R HPFU	122253H	93										X											X	X	X						

NEW - NOVITÀ

Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante				Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 18W 350mA W HPF	127132	94			X																				X	X					
DC 16W 400mA W HPF	127133	94									X														X	X					
DC 20W 500mA W HPF	127134	94				X																			X	X					
DC 25W 600mA W HPF	127131	94									X														X	X					
DC 25W 700mA W HPF	127130	94					X																		X	X					
DC 23W 900mA W HPF	127138	94						X																	X	X					
DC 22W 1050mA W HPF	127136	94							X																X	X					
SUPER PRO 13/300	127546N	96									X														X	X					
SUPER PRO 13/300 BI	127546BI	96									X														X						
SUPER PRO 16/350	127530N	96			X																				X	X					
SUPER PRO 16/350 BI	127531	96			X																				X	X					
SUPER PRO 23/500	127532N	96				X																			X	X					
SUPER PRO 23/500 BI	127533	96				X																			X	X					
SUPER PRO 32/700	127534N	96					X																		X	X					
SUPER PRO 32/700 BI	127535	96					X																		X	X					
SUPER PRO 38/900	127536N	96						X																	X	X					
SUPER PRO 38/900 BI	127537	96						X																	X	X					
SUPER PRO 42/1050	127538N	96							X																X	X					
SUPER PRO 42/1050 BI	127539	96							X																X	X					
PRO FLAT 12/250	127110	98		X																					X	X					
PRO FLAT 12/250 BI	127111	98		X																					X	X					
PRO FLAT 13/300	127112	98									X														X	X					
PRO FLAT 13/300 BI	127113	98									X														X	X					
PRO FLAT 15/350	127114	98			X																				X	X					
PRO FLAT 15/350 BI	127115	98			X																				X	X					
PRO FLAT 22/500	127116	98				X																			X	X					
PRO FLAT 22/500 BI	127117	98				X																			X	X					
PRO FLAT 30/700	127118	98					X																		X	X					
PRO FLAT 30/700 BI	127119	98					X																		X	X					
PRO FLAT 36/900	127120	98						X																	X	X					
PRO FLAT 36/900 BI	127121	98						X																	X	X					
PRO FLAT 40/1050	127122	98							X																X	X					
PRO FLAT 40/1050 BI	127123	98							X																X	X					
PROFESSIONALE 2X350	142030	100			X																				X	X					
PROFESSIONALE 2X350 BI	142032	100			X																				X	X					
PROFESSIONALE 2X500	142034	102				X																			X	X					
PROFESSIONALE 2X500 BI	142036	102				X																			X	X					
MSE 10/350-500	127620	104			X	X																			X	X					
MP 15 HPFU	127710	107		X	X						X													X	X	X					
ECO 15/350	122290	108			X																				X	X					
ECO 21/500	122291	108				X																			X	X					
ECO 27/600-650	122292	108									X														X	X					
ECO 32/700-750	122293	108					X					X													X	X					
ECO 36/800-850	122294	108										X													X	X					
ECO 40/900-950	122295	108						X				X													X	X					
ECO 44/1000-1050	122296	108							X			X													X	X					
ECO FLAT 10W 90/140/190/240	122281	110									X																X				
ECO FLAT 15W 250/275/325/350	122282	110		X	X						X																X				

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante		Dimming Regolazione						OTHER										
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
ATON PRO 22/125-500 BI	127681	158			X	X	X							X													X	X			
ATON PRO 30/350-725	127682	160				X	X	X						X													X	X			
ATON PRO 30/350-725 BI	127683	160				X	X	X						X												X	X				
ATON PRO 38/150-1050 NFC	127688	162												X												X	X				
ATON PRO 38/150-1050 NFC BI	127689	162												X											X	X					
ATON PRO 40/300-1050	127684	164				X	X	X	X	X				X											X	X					
ATON PRO 40/300-1050 BI	127685	164				X	X	X	X	X				X											X	X					
ATON 30/250-700	127362	166			X	X	X	X						X											X	X					
ATON 30/250-700 BI	127360	166			X	X	X	X						X											X	X					
ATON 30/700-1400	127364	168						X	X	X	X			X											X	X					
ATON 30/700-1400 BI	127366	168						X	X	X	X			X											X	X					
SUPERSLIM	127330	170				X	X							X											X	X					
SUPERSLIM OF	127330OF	170				X	X							X											X	X					
SUPERSLIM MM	127335	171				X	X							X											X	X					
SUPERSLIM MM OF	127335OF	171				X	X							X											X	X					
SUPERSLIM HC	127336	172												X											X	X					
SUPERSLIM HC OF	127336OF	172												X											X	X					
MP 32 SLIM	123676	173			X	X	X	X						X	X									X	X	X					
DC SVM 52/300-1400 NFC	127563	174												X											X	X					
MP 65/1150 SVM SLIM	127561	176				X	X	X	X	X				X											X	X					
MP 65/1400 SVM SLIM	127562	177			X	X	X	X	X	X	X			X										X	X	X					
MP 70/1400 SVM SLIM	127560	178			X	X	X	X	X	X	X			X											X	X					
MP 80/1400 SVM SLIM	127568	179			X	X	X	X	X	X	X			X											X	X					
RUS 50/350 SLIM	126112	180			X	X								X											X				X		
MPSE 40/350 SLIM	127527	181			X	X								X											X				X		
MPSE 40/700 SLIM	127523	182				X	X	X						X											X				X		
MPSE 55/350 SLIM	127524	183			X	X								X											X				X		
MPSE 55/700 SLIM	127526	184				X	X	X						X											X				X		
MP 80/350 SLIM	122212	184			X	X								X											X				X		
MP 80/500 SLIM	122214I	186				X	X							X											X				X		
MP 80/700 SLIM	122213	187				X	X	X						X											X				X		
MP 120/700 SLIM	127676	188				X	X	X						X											X				X		
MPX 100/350 277V SLIM	127671	189			X	X								X											X	X			X		
MPX 120/700 277V SLIM	127172	190				X	X	X						X											X	X			X		
MPX 165/800 SLIM	127678	191				X	X	X						X											X	X			X		
MPXM 165/800 SLIM	127720	192					X	X						X											X	X			X		
DC MICRO JOLLY 6W 350mA	122426	196				X									X		X	X									X				
DC MICRO JOLLY 6W 500mA	122428	196					X								X		X	X									X				
DC 9W 350mA RD57 HPF	127342A	198				X									X		X	X									X				
DC 9W 350mA RD57	127342	199				X									X		X	X									X				
DC 9W 700mA RD57	127344	199						X							X		X	X									X				
MSE 10/350-500 1-10V	127624	200	X			X	X									X									X	X					
DC MINI JOLLY	125400	202		X	X	X	X	X	X	X				X	X	X		X	X						X	X	X				
DC MINI JOLLY	151400	202	X		X	X	X	X	X	X				X	X	X		X	X						X	X	X				
DC MINI JOLLY BI	125404	202		X	X	X	X	X	X	X				X	X	X		X	X						X	X	X				
DC MINI JOLLY BI	151404	202	X		X	X	X	X	X	X				X	X	X		X	X						X	X	X				
DC MINI JOLLY LC	151401	204	X		X	X								X				X	X						X	X	X				
DC MINI JOLLY LC BI	151401BI	204	X		X	X								X				X	X						X	X	X				

NEW - NOVITÀ

Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																			
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX	
DC MINI JOLED	127104	206		X							X				X	X							X	X	X								
DC JOLLY US	126421	208	X	X	X	X	X	X			X	X	X		X	X							X	X	X	X							
DC JOLLY US	151421	208	X	X	X	X	X	X			X				X	X							X	X	X	X							
DC JOLLY US BI	126450	208	X	X	X	X	X	X			X	X	X		X	X							X	X	X	X							
DC JOLLY US BI	151450	208	X	X	X	X	X	X			X				X	X							X	X	X	X							
DC JOLLY HC MV	127021	210			X	X	X	X	X		X				X	X									X	X							
DC JOLLY HC BI	127022	210			X	X	X	X	X		X				X	X									X	X							
JOLLY DIN	127100	212		X	X	X	X	X			X	X	X		X	X								X	X								
PROFESSIONALE 1-10V	127496	214	X		X	X	X	X	X		X				X									X	X								
PROFESSIONALE 1-10V BI	127497	214	X		X	X	X	X	X		X				X									X	X								
DC MAXI JOLLY US	127411	216	X	X	X	X	X	X	X		X				X	X							X	X	X		X					X	
DC MAXI JOLLY US	151411	216	X		X	X	X	X	X		X				X	X								X	X		X					X	
DC MAXI JOLLY US BI	125462	216	X		X	X	X	X	X		X				X	X							X	X	X		X					X	
DC MAXI JOLLY US BI	151462	216	X		X	X	X	X	X		X				X	X							X	X	X		X					X	
DC MAXI JOLLY TC	123162	218			X	X	X	X	X		X				X	X							X	X	X	X						X	
DC MAXI JOLLY SV	125502	220	X		X	X	X	X	X		X				X	X							X	X	X	X						X	
DC MAXI JOLLY SV	151502	220	X		X	X	X	X	X		X				X	X							X	X	X	X						X	
DC MAXI JOLLY SV BI	125503A	220	X		X	X	X	X	X		X				X	X							X	X	X	X						X	
DC MAXI JOLLY SV BI	151503	220	X		X	X	X	X	X		X				X	X							X	X	X	X						X	
DC MAXI JOLLY HV	127414	222	X	X	X	X	X				X				X	X							X	X	X		X					X	
DC MAXI JOLLY HV	151414	222	X	X	X	X	X				X				X	X							X	X	X		X					X	
DC MAXI JOLLY HV BI	127414BI	222	X	X	X	X	X				X				X	X							X	X	X		X					X	
DC MAXI JOLLY HV BI	151414BI	222	X	X	X	X	X				X				X	X							X	X	X		X					X	
DC MAXI JOLLY HC/2	123312	224							X	X	X	X			X	X							X	X	X	X						X	
DC MAXI JOLLY HC BI	123415	224							X	X	X	X			X	X							X	X	X	X						X	
DC MAXI JOLLY HC/2	151312	226	X						X	X	X	X			X	X							X	X	X	X						X	
DC MAXI JOLLY HC BI	151415	226	X						X	X	X	X			X	X							X	X	X	X						X	
DC MAXI JOLLY HC TC	123168	228							X	X	X	X			X	X							X	X	X	X						X	
DC MAXI JOLLY H/2	127072	230			X	X	X	X	X		X				X	X							X	X	X		X					X	
DC MAXI JOLLY HBI	127052	230			X	X	X	X	X		X				X	X							X	X	X		X					X	
MSE 6/350-500 DALI	127621	232	X		X	X										X		X						X	X								
MSE 10/350-500 DALI	127622	232	X		X	X										X		X						X	X								
MSE 12/250-350 DALI	127623	232	X		X	X										X		X						X	X								
DC MINI JOLLY DALI	125403	234	X	X	X	X	X				X	X						X					X	X	X								
DC MINI JOLLY DALI	151403	234	X		X	X	X	X			X							X					X	X	X								
DC MINI JOLLY DALI BI	125403BI	234	X	X	X	X	X				X	X						X					X	X	X								
DC MINI JOLLY DALI BI	151403BI	234	X	X	X	X	X				X							X					X	X	X								
DC MINI JOLLY LC DALI	151395	236																															
DC MINI JOLLY LC DALI BI	151396	236																															
PRO FLAT LC DALI	127600	238	X	X	X	X					X					X		X						X	X								
PRO FLAT LC DALI BI	127602	238	X	X	X	X					X					X		X						X	X								
PRO FLAT DALI	127576	240	X	X	X	X	X				X					X		X						X	X								
PRO FLAT DALI BI	127577	240	X	X	X	X	X				X					X		X						X	X								
PRO FLAT 38 DALI NFC	142014	242	X								X					X		X						X	X								
PRO FLAT 38 DALI NFC BI	142015	242	X								X					X		X						X	X								
DC JOLLY DALI	125424	244	X	X	X	X	X				X	X	X					X					X	X	X	X							
DC JOLLY DALI	151424	244	X		X	X	X	X			X							X					X	X	X								
DC JOLLY DALI BI	125458	244	X	X	X	X	X				X	X	X					X					X	X	X	X							

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC JOLLY DALI BI	151458	244	X	X	X	X	X							X					X					X	X	X					
JOLLY 38 DALI NFC	151080	246	X											X				X	X						X	X					
JOLLY 38 DALI DALI NFC BI	151082	246	X											X				X	X						X	X					
PROFESSIONALE IN DALI 20	127508	248	X	X	X	X								X				X	X						X	X					
PROFESSIONALE 20 DALI NFC	142011	250	X											X				X	X						X	X					
PROFESSIONALE 20 DALI NFC BI	142013	250	X											X				X	X						X	X					
PROFESSIONALE DALI	127490	252	X			X	X	X	X	X				X				X	X						X	X					
PROFESSIONALE DALI BI	127492	252	X			X	X	X	X	X				X				X	X						X	X					
PROFESSIONALE DALI NFC	142010	254	X							X				X				X	X						X	X					
PROFESSIONALE DALI NFC BI	142012	254	X	X	X	X	X	X	X	X				X				X	X						X	X					
PROFESSIONALE SQUARE DALI NFC	142020	256	X	X	X	X	X	X	X					X				X	X						X	X					
PROFESSIONALE HC DALI	127510	258	X					X	X	X	X			X				X	X						X	X					
PROFESSIONALE HC DALI BI	127512	258	X					X	X	X	X			X				X	X						X	X					
PROFESSIONALE IN DALI 40	127481	260	X			X	X	X	X	X				X				X	X						X	X					
PROFESSIONALE IN DALI 52	127485	262	X					X	X	X	X			X				X	X						X	X					
PROFESSIONALE DALI LS TC	127493	264	X			X	X	X	X	X				X				X	X						X	X					
DC MAXI JOLLY SV DALI 40	125506	266		X		X	X	X	X	X				X				X	X	X				X	X	X	X				X
DC MAXI JOLLY SV DALI 40	151506	266	X			X	X	X	X	X				X				X	X	X					X	X	X				X
DC MAXI JOLLY SV DALI 40 BI	125507	266		X		X	X	X	X	X				X				X	X	X				X	X	X	X				X
DC MAXI JOLLY SV DALI 40 BI	151507	266	X			X	X	X	X	X				X				X	X	X					X	X	X				X
DC MAXI JOLLY SV DALI	125504	268		X		X	X	X	X	X				X				X	X	X				X	X	X	X				X
DC MAXI JOLLY SV DALI	151504	268	X			X	X	X	X	X				X				X	X	X					X	X	X				X
DC MAXI JOLLY SV DALI BI	125505A	268		X		X	X	X	X	X				X				X	X	X				X	X	X	X				X
DC MAXI JOLLY SV DALI BI	151505	268	X			X	X	X	X	X				X				X	X	X					X	X	X				X
DC MAXI JOLLY US DALI	127413	270		X		X	X	X	X	X				X				X	X	X				X	X	X		X			X
DC MAXI JOLLY US DALI	151413	270	X			X	X	X	X	X				X				X	X	X					X	X		X			X
DC MAXI JOLLY US DALI BI	125464	270		X		X	X	X	X	X				X				X	X	X				X	X	X		X			X
DC MAXI JOLLY US DALI BI	151464	270	X			X	X	X	X	X				X				X	X	X					X	X		X			X
DC MAXI JOLLY TC DALI	123164	272				X	X	X	X	X				X				X	X	X				X	X	X	X				X
DC MAXI JOLLY HV DALI	127409	274		X	X	X	X	X						X				X	X	X				X	X	X		X			X
DC MAXI JOLLY HV DALI	151409	274	X			X	X	X	X					X				X	X	X					X	X		X			X
DC MAXI JOLLY HV DALI BI	127409BI	274		X	X	X	X	X						X				X	X	X				X	X	X		X			X
DC MAXI JOLLY HV DALI BI	151409BI	274	X			X	X	X	X					X				X	X	X					X	X		X			X
DC MAXI JOLLY HC/2 DALI	123314	276							X	X	X	X						X	X	X				X	X	X	X				X
DC MAXI JOLLY HC DALI BI	123417	276							X	X	X	X						X	X	X				X	X	X	X				X
DC MAXI JOLLY HC/2 DALI	151314	278	X						X	X	X	X						X	X	X					X	X	X				X
DC MAXI JOLLY HC DALI BI	151417	278	X						X	X	X	X						X	X	X					X	X	X				X
DC MAXI JOLLY HC DALI TC	123170	280							X	X	X	X						X	X	X				X	X	X	X				X
DC MAXI JOLLY DALI H/2	127074	282				X	X	X	X	X				X				X	X	X				X	X	X		X			X
DC MAXI JOLLY DALI HBI	127054	282				X	X	X	X	X				X				X	X	X				X	X	X		X			X
MICRO MD 180	127106	284	X											X					X						X	X					
MICRO MD 180 BI	127107	284	X											X					X						X	X					
MICRO MD 250	127048	284	X		X														X						X	X					
MICRO MD 250 BI	127049	284	X		X														X						X	X					
MICRO MD 270	127108	284	X											X					X						X	X					
MICRO MD 270 BI	127109	284	X											X					X						X	X					
MICRO MD 350	127040	284	X			X													X						X	X					
MICRO MD 350 BI	127041	284	X			X													X						X	X					

NEW - NOVITÀ

LED choice table



Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante				Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
MICRO MD 500	127042	284	X		X													X						X	X						
MICRO MD 500 BI	127043	284	X		X													X						X	X						
MICRO MD 700	127046	284	X			X												X						X	X						
MICRO MD 700 BI	127047	284	X			X												X						X	X						
BMU MD 250	127396	286	X	X														X						X	X						
BMU MD 350	127390	286	X		X													X						X	X						
BMU MD 500	127392	286	X			X												X						X	X						
BMU MD 700	127394	286	X				X											X						X	X						
MSE 12/350 MD	127625	288	X		X													X						X	X						
MSE 10/500 MD	127626	288	X			X												X						X	X						
MINI MD 250	127036	290	X	X														X						X	X						
MINI MD 250 BI	127037	290	X	X														X						X	X						
MINI MD 350	127030	290	X		X													X						X	X						
MINI MD 350 BI	127031	290	X		X													X						X	X						
MINI MD 500	127032	290	X			X												X						X	X						
MINI MD 500 BI	127033	290	X			X												X						X	X						
MINI MD 700	127034	290	X				X											X						X	X						
MINI MD 700 BI	127035	290	X				X											X						X	X						
MINI MD 250 LP	127444	292	X	X														X						X	X						
MINI MD 350 LP	127445	292	X		X													X						X	X						
MINI MD 500 LP	127446	292	X			X												X						X	X						
MINI MD 700 LP	127447	292	X				X											X						X	X						
PUMA MD 20	127102	294	X	X	X	X	X					X						X						X	X						
DC MINI JOLLY MD	127556	296		X	X	X	X	X				X	X	X				X						X	X						
DC MINI JOLLY MD BI	127557	296		X	X	X	X	X				X	X	X				X						X	X						
DC JOLLY MD LC	122262	298		X	X	X						X	X					X	X				X	X		X	X				
DC JOLLY MD	122260	300		X	X	X						X	X	X				X	X				X	X		X	X				
DC MAXI JOLLY HC MD	127550	302						X	X	X	X	X	X					X	X					X	X		X	X			
DC MAXI JOLLY HC MD BI	127552	302						X	X	X	X	X	X					X	X					X	X		X	X			
DC MOONLIGHT 180	122100	304										X						X						X	X		X	X			
DC MOONLIGHT 350	122091/350	304			X													X						X	X		X	X			
DC MOONLIGHT 500	122091/500	304				X												X						X	X		X	X			
DC MOONLIGHT 700	122091	304					X											X						X	X		X	X			
DC JOLLY TRT	127016	306			X	X	X					X						X						X	X		X	X			
DC 36W 350mA DMX VST	122076	308			X													X		X				X	X		X			X	
DC 36W 350mA DMX VST BI	122077	308			X													X		X				X	X		X			X	
DC MAXI JOLLY US MIDNIGHT	122416	311			X	X	X	X	X			X											X	X	X		X			X	X
DC MAXI JOLLY HV MIDNIGHT	122408	312		X	X	X	X					X											X	X	X		X			X	X
DC MINI JOLLY LC PLV	123401PLV	315		X	X							X		X				X						X	X	X					
DC MINI JOLLY PLV	123406	316			X	X	X	X				X	X	X				X						X	X	X					
DC MINI JOLLY PLV BI	123406BI	316			X	X	X	X				X	X	X				X						X	X	X					
DC MINI JOLLY HV PLV	123394	318		X	X	X	X					X	X					X						X	X	X					
DC MINI JOLLY HV PLV BI	123394BI	318		X	X	X	X					X	X					X						X	X	X					
DC JOLLY US PLV	125425	320			X	X	X	X				X	X	X				X						X	X	X					
DC MAXI JOLLY SV PLV	125509	321			X	X	X	X	X			X						X						X	X						
DC MAXI JOLLY US PLV	123419	322			X	X	X	X	X			X						X						X	X		X			X	X
DC MAXI JOLLY HC PLV BI	123415PLV	323						X	X	X	X	X						X						X	X	X				X	X
DC MAXI JOLLY DALI TW 35	127970	324			X	X	X					X								X				X	X		X				

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC MAXI JOLLY DALI TW 45	127971	324			X	X	X	X			X								X						X	X					
SUPERSLIM 1-10V 230V	127464	326			X	X					X					X	X								X	X					
SUPERSLIM 1-10V 230V	151465	326	X		X	X					X					X	X							X	X						
SUPERSLIM 1-10V 110V	127466	326			X	X					X					X	X							X	X						
SUPERSLIM 1-10V 110V	151467	326			X	X					X					X	X							X	X						
DC JOLLY SLIM	123680	328			X	X	X	X			X	X				X	X					X	X	X	X	X					
DC JOLLY SLIM	151680	328	X		X	X	X	X			X	X				X	X					X	X	X	X	X					
DC MAXI JOLLY SVM 65 SLIM	126565	330		X	X	X	X	X	X	X	X					X	X							X	X	X					
DC MAXI JOLLY SVM 65 SLIM	127565	330	X		X	X	X	X	X	X	X					X	X							X	X	X					
DC MAXI JOLLY SVM 80 SLIM	126567	332		X	X	X	X	X	X	X	X					X	X							X	X	X					
DC MAXI JOLLY SVM 80 SLIM	127567	332	X		X	X	X	X	X	X	X					X	X							X	X	X					
T-LED 80/350 1-10V SLIM	127080	334	X		X	X					X					X	X							X							X
T-LED 80/500 1-10V SLIM	127081	336	X		X	X					X					X	X							X							X
T-LED 80/700 1-10V SLIM	127082	338	X		X	X	X				X					X	X							X							X
SUPERSLIM DALI	127462	340			X	X					X						X	X						X	X						
SUPERSLIM DALI	151448	340	X		X	X					X						X	X						X	X						
SUPERSLIM DALI OF	127462OF	340			X	X					X						X	X						X	X						
SUPERSLIM DALI OF	151448OF	340	X		X	X					X						X	X						X	X						
SUPERFLAT SLIM DALI	127468	342			X	X					X							X						X	X						
SUPERFLAT SLIM DALI OF	127468OF	342			X	X					X							X						X	X						
ATON 30/250-700 DALI	151370	344	X		X	X	X	X			X						X	X						X	X						
ATON 30/250-700 DALI BI	151372	344	X		X	X	X	X			X						X	X						X	X						
ATON 38 DALI NFC	151374	346									X						X	X						X	X						
ATON 38 DALI NFC BI	151376	346									X						X	X						X	X						
DC SVM 52/300-1400 DALI NFC	151373	348									X						X	X						X	X						
DC MAXI JOLLY SVM 65 DALI SLIM	126564	350		X	X	X	X	X	X	X	X					X	X	X						X	X	X					
DC MAXI JOLLY SVM 65 DALI SLIM	127564	350	X		X	X	X	X	X	X	X					X	X	X						X	X	X					
DC MAXI JOLLY SVM 80 DALI SLIM	126566	352		X	X	X	X	X	X	X	X					X	X	X						X	X						
DC MAXI JOLLY SVM 80 DALI SLIM	127566	352	X		X	X	X	X	X	X	X					X	X	X						X	X						
T-LED 80/350 DALI SLIM 1%	127091	354		X							X						X	X						X							X
T-LED 80/500 DALI SLIM	127086	356	X			X					X						X	X						X							X
T-LED 80/700 DALI SLIM	127087	358	X		X	X	X				X						X	X						X							X
T-LED 60/80-400 DALI NFC	141180	360	X								X						X	X						X							X
T-LED 100/120-700 DALI NFC	141182	362	X								X						X	X						X							X
R-LED 42/350 DALI SLIM	127934	364	X		X	X					X						X	X						X							X
R-LED 80/350 DALI SLIM	127935	364	X		X	X					X						X	X						X							X
R-LED 80/700 DALI SLIM	127936	364	X		X	X	X				X						X	X						X							X
R-LED 110/700 DALI SLIM	127937	364	X		X	X	X				X						X	X						X							X
R-LED 150/700 DALI SLIM	127938	364	X		X	X	X				X						X	X						X							X
S-LED 35/350 DALI SLIM	127610	366	X		X	X					X						X	X						X							X
S-LED 60/350 DALI SLIM	127611	366	X		X	X					X						X	X						X							X
S-LED 60/500 DALI SLIM	127612	366	X		X	X	X				X						X	X						X							X
S-LED 90/700 DALI SLIM	127615	366	X		X	X	X	X			X						X	X						X							X
S-LED 100/500 DALI SLIM NFC	127613	368	X		X	X	X				X						X	X						X							X
S-LED 150/700 DALI SLIM NFC	127614	368	X		X	X	X	X			X						X	X						X							X
DC JOLLY SLIM PLV	123681	370			X	X	X				X	X					X							X	X	X					
DC MAXI JOLLY SLIM DALI TW 35	127973	372			X	X	X				X								X					X				X			
DC MAXI JOLLY SLIM DALI TW 60	127974	372			X	X	X				X								X					X				X			

NEW - NOVITÀ

LED choice table



Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
SIRIO 150/200-700	127230	376			X	X	X	X						X												X			X	X
SIRIO 150/200-700 BI	127240	376			X	X	X	X						X												X			X	X
SIRIO 150/300-1050	127232	378				X	X	X	X	X				X												X			X	X
SIRIO 150/300-1050 BI	127242	378				X	X	X	X	X				X												X			X	X
SIRIO 150/700 ST2	127294	380						X						X												X			X	
SIRIO 150/1050 ST2	127295	381								X				X												X			X	
DC MAXI JOLLY STREET HV	151652CC	382	X		X	X	X	X						X			X							X	X		X		X	X
MILANOinLED 20W/200-1050 1PN	145000	384	X		X	X	X	X	X	X				X								X		X	X	X				
MILANOinLED 40W/200-1050 1PN	145001	384	X		X	X	X	X	X	X				X								X		X	X	X				
MILANOinLED 75W/200-1050 1PN	145002	384	X		X	X	X	X	X	X				X								X		X	X	X		X		
MILANOinLED 110W/200-1050 1PN	145003	384	X		X	X	X	X	X	X				X								X		X	X	X		X		
MILANOinLED 165W/200-1050 1PN	145004	384	X		X	X	X	X	X	X				X								X		X	X	X		X		
MILANOinLED 60W/400-1400 1PN	145016	386	X				X	X	X	X	X			X								X		X	X	X		X		
MILANOinLED 100W/400-1400 1PN	145017	386	X				X	X	X	X	X			X								X		X	X	X		X		
MILANOinLED 150W/400-1400 1PN	145018	386	X				X	X	X	X	X			X								X		X	X	X		X		
MILANOinLED 200W/400-1400 1PN	145019	386	X				X	X	X	X	X			X								X		X	X	X		X		
MILANOinLED 20W/200-1050 4PN	145010	388	X		X	X	X	X	X	X				X					X			X		X	X	X	X			
MILANOinLED 40W/200-1050 4PN	145011	388	X		X	X	X	X	X	X				X					X			X		X	X	X	X			
MILANOinLED 75W/200-1050 4PN	145012	388	X		X	X	X	X	X	X				X					X			X		X	X	X	X			
MILANOinLED 110W/200-1050 4PN	145013	388	X		X	X	X	X	X	X				X					X			X		X	X	X	X			
MILANOinLED 165W/200-1050 4PN	145014PN	388	X		X	X	X	X	X	X				X					X			X		X	X	X	X			
MILANOinLED 40W/200-1050 AD	145020	390			X	X	X	X	X	X				X								X		X	X	X	X			
MILANOinLED 75W/200-1050 AD	145021	390			X	X	X	X	X	X				X								X		X	X	X	X			
MILANOinLED 110W/200-1050 AD	145022	390			X	X	X	X	X	X				X								X		X	X	X	X			
MILANOinLED 165W/200-1050 AD	145023	390			X	X	X	X	X	X				X								X		X	X	X	X			
ASTRO 40W/350-1050 2PN	145030	392			X	X	X	X	X	X				X								X		X	X	X	X			
ASTRO 80W/350-1050 2PN	145031	392			X	X	X	X	X	X				X								X		X	X	X	X			
ASTRO 120W/350-1050 2PN	145032	392			X	X	X	X	X	X				X								X		X	X	X	X			
ASTRO 165W/350-1050 2PN	145033	392			X	X	X	X	X	X				X								X		X	X	X	X			
ASTRO 200W/350-1050 2PN	145034	392			X	X	X	X	X	X				X								X		X	X	X	X			
VEGA 75/940-1880 FPD IP67	127848	394												X								X	X	X	X	X		X		
VEGA 105/1250-2500 FPD IP67	127830	394												X								X	X	X	X	X		X		
VEGA 150/1800-3600 FPD IP67	127831	394												X								X	X	X	X	X		X		
VEGA 200/2500-5000 FPD IP67	127832	394												X								X	X	X	X	X		X		
VEGA 240/2850-5710 FPD IP67	127833	394												X								X	X	X	X	X		X		
VEGA 320/3750-7500 FPD IP67	127862	394												X								X	X	X	X	X		X		
VEGA 75/530-1050 FPD IP67	127840	396							X					X								X	X	X	X	X		X		
VEGA 105/530-1050 FPD IP67	127841	396							X					X								X	X	X	X	X		X		
VEGA 150/530-1050 FPD IP67	127842	396							X					X								X	X	X	X	X		X		
VEGA 200/530-1050 FPD IP67	127843	396							X					X								X	X	X	X	X		X		
VEGA 240/530-1050 FPD IP67	127844	396							X					X								X	X	X	X	X		X		
VEGA 320/550-1100 FPD IP67	127845	396							X					X								X	X	X	X	X		X		
VEGA 480/5000-10000 12V FPD IP67	127866	398												X								X	X	X	X	X	X		X	X
VEGA 600/6250-12500 12V FPD IP67	127857	398												X								X	X	X	X	X	X		X	X
VEGA 600/875-1750 12V FPD IP67	127858	398												X								X	X	X	X	X	X		X	X
DC 12W 12V UD	122740	401										X															X			
DC 12W 24V UD	122742	401											X														X			
DC 7W 8V LS	122150	402																									X			

NEW - NOVITÀ

Tabella di scelta LED

Articoli Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 10W 12V LS	122154	402										X															X				
DC 10W 24V LS	122156	402											X														X				
DC 10W 28V LS	122158	402																								X					
DC LED 12V EFU	122320	403										X											X		X						
DC LED 24V EFU	122322	403											X										X		X						
EFU 12V HPFU	141125	404										X											X		X						
EFU 24V HPFU	141126	404											X										X		X						
DC 70W 24V K3	122180	406											X																		
DC 70W 24V K3 BI	122181	406											X											X	X						
DC 70W 48V K3	122182	406												X										X	X						
DC 70W 48V K3 BI	122183	406												X										X	X						
DC 50W 24V VST BI	122772	408											X											X	X						
DC 50W 12V VST BI	122776	408										X												X	X						
DC 50W 48V VST BI	122780	408												X										X	X						
DC 70W 24V VST BI	122770	408											X											X	X						
DC 70W 12V VST BI	122778	408										X												X	X						
DC 70W 48V VST BI	122782	408												X										X	X						
DC 150W 24V VST BI	122774	408											X											X	X						
DC 150W 48V VST BI	122784	408												X										X	X						
DC 50W 24V VST	122752	410											X											X	X						
DC 50W 12V VST	122756	410										X												X	X						
DC 50W 48V VST	122766	410												X										X	X						
DC 70W 24V VST	122750	410											X											X	X						
DC 70W 12V VST	122758	410										X												X	X						
DC 70W 48V VST	122762	410												X										X	X						
DC 150W 24V VST	122754	410											X											X	X						
DC 150W 48V VST	122764	410												X										X	X						
DC 50W 24V VSTII	122752II	412											X											X	X						
DC 50W 12V VSTII	122756II	412										X												X	X						
DC 50W 48V VSTII	122766II	412												X										X	X						
DC 70W 24V VSTII	122750II	412											X											X	X						
DC 70W 12V VSTII	122758II	412										X												X	X						
DC 70W 48V VSTII	122762II	412												X										X	X						
DC 150W 24V VSTII	122754II	412											X											X	X						
DC 70W 48V EM	122786	414												X										X	X						
DC 50W 12V VPS LP	127902	416										X												X	X						
DC 50W 24V VPS LP	127903	416											X											X	X						
DC 75W 12V VPS LP	127904	416										X												X	X						
DC 75W 24V VPS LP	127905	416											X											X	X						
DC 60W 24V VPSD	127811	418											X										X	X	X						
DC 100W 24V VPSD	127812	418											X										X	X	X						
DC LED 10V EFUR	122319	420													X								X		X						
DC LED 12V EFUR	122321	420										X											X		X						
DC LED 24V EFUR	122314	420											X										X		X						
DC LED 28V EFUR	122316	420													X								X		X						
EFUR 12V HPFU	141127	422										X											X	X	X						
EFUR 24V HPFU	141128	422											X										X	X	X						
DC 80W 12V VSTR	122732	424										X				X	X					X	X	X	X					X	

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione														
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV
DC 120W 24V VSTR	122730	424											X			X	X				X	X	X	X						X
DC 80W 12V VSTR DALI	122733	426										X			X	X		X					X	X						
DC 120W 12V VSTR DALI	122731	426										X			X	X		X					X	X						
DC 100W 12V VPS 1-10V	127906	428										X			X								X	X	X					
DC 100W 24V VPS 1-10V	127907	428										X			X								X	X	X					
DC 150W 12V VPS 1-10V	127908	428										X			X								X	X	X					
DC 150W 24V VPS 1-10V	127909	428										X			X								X	X	X					
DC 150W 48V VPS 1-10V	127933	428											X		X								X	X	X					
DC 200W 12V VPS 1-10V	127910	428										X			X								X	X	X					
DC 200W 24V VPS 1-10V	127911	428										X			X								X	X	X					
DC 60W 24V VPSD 0-10 V	127813	430										X			X								X	X	X					
DC 100W 24V VPSD 0-10 V	127814	430										X			X								X	X	X					
DC 45W 12V VPS MD	127912	432										X						X					X	X	X					
DC 45W 24V VPS MD	127913	432										X						X					X	X	X					
DC 80W 12V VPS MD	127914	432										X						X					X	X	X					
DC 80W 24V VPS MD	127915	432										X						X					X	X	X					
SUPERSLIM 24V	127328	435										X											X	X						
SUPERSLIM 24V OF	127328OF	435										X											X	X						
LCV 30W 24V	127820	436										X											X	X						
LCV 60W 24V	127821	436										X											X	X						
LCV 75W 24V	127822	436										X											X	X						
LCV 90W 24V	127823	436										X											X	X						
LCV 120W 24V	127824	436										X											X	X						
LCV 180W 24V	127825	436										X											X	X						
DC 30W 24V SLIM	127952	438										X											X	X						
DC 60W 24V SLIM	127950	438										X											X	X						
DC 100W 24V SLIM	127954	438										X											X	X						
DC 150W 24V SLIM	127956	438										X											X	X						
DC 70W 24V SLIM	127750	440										X											X	X						
DC 70W 48V SLIM	127751	440										X											X	X						
DC 30W 24V SLIM R	127953	442										X			X								X	X						
DC 60W 24V SLIM R	127951	442										X			X								X	X						
DC 100W 24V SLIM R	127955	442										X			X								X	X						
DC 150W 24V SLIM R	127957	442										X			X						X		X	X						
DC 70W 24V SLIM R DALI	127960	444										X			X	X		X					X	X						
DC 120W 24V SLIM RM DALI	127966	444										X			X	X		X					X	X						
STCP 6W 500mA HPFU	141060	448				X						X											X	X	X					
STCP 8W 350mA HPFU	141056	448			X							X											X	X	X					
STCP 9W 350mA HPFU	141058	448			X							X											X	X	X					
STMP 9W 250mA HPFU	127709	449		X								X											X	X	X					
STMP 6W 500mA HPFU	127705	449				X						X											X	X	X					
STMP 8W 700mA HPFU	127701	449					X					X											X	X	X					
STMP 8W 350mA HPFU	127703	449			X							X											X	X	X					
STMP 10W 350mA HPFU	127704	449			X							X											X	X	X					
DC 8W 350mA STCP/U	122806	450			X							X											X	X	X					
DC 6W 500mA STCP/U	122807	450				X						X											X	X	X					
DC 8W 350mA STMP/U	122800	451			X							X											X	X	X					
DC 6W 500mA STMP/U	122802	451			X							X											X	X	X					

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante									Constant voltage Tensione costante			Dimming Regolazione																
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 6W 700mA STMP/U	122804	451					X																	X		X					
SLIM 15W 350mA HPFU IP	141110IP	452			X																			X	X	X					
SLIM 14W 500mA HPFU IP	141112IP	452				X																		X	X	X					
SLIM 11W 700mA HPFU IP	141114IP	452					X																	X	X	X					
SLIM 13W 12V HPFU IP	141120IP	452										X												X	X	X					
SLIM 13W 24V HPFU IP	141122IP	452											X											X	X	X					
DC 10W 8V SLIM/U IP65	122430	453																						X		X					
DC 13W 12V SLIM/U IP65	122432	453										X												X		X					
DC 13W 24V SLIM/U IP65	122432	453											X											X		X					
DC 15W 350mA SLIM/U IP	122440IP	454			X																			X		X					
DC 14W 500mA SLIM/U IP	122448IP	454				X																		X		X					
DC 11W 700mA SLIM/U IP	122441IP	454					X																	X		X					
DC 13W 12V SLIM/U IP	122444IP	454										X												X		X					
DC 13W 24V SLIM/U IP	122442IP	454											X											X		X					
IPR2 12/250	152014/250	456		X																				X	X	X					
IPR2 12/250 LO	152016/250	456		X																				X	X	X					
IPR2 17/350	152014/350	456			X																			X	X	X					
IPR2 17/350 LO	152016/350	456			X																			X	X	X					
IPR2 24/500	152014/500	456				X																		X	X	X					
IPR2 24/500 LO	152016/500	456				X																		X	X	X					
IPR2 30/700	152014/700	456					X																	X	X	X					
IPR2 30/700 LO	152016/700	456					X																	X	X	X					
IPR1 25/500 SV	152001/500	458				X																		X	X	X					
IPR1 25/500 SV LO	152002/500	458				X																		X	X	X					
IPR1 35/700 SV	152001/700	458					X																	X	X	X					
IPR1 35/700 SV LO	152002/700	458					X																	X	X	X					
IPR1 45/900 SV	152001/900	458						X																X	X	X					
IPR1 45/900 SV LO	152002/900	458						X																X	X	X					
IPR1 52/1050 SV	152001/1050	458							X															X	X	X					
IPR1 52/1050 SV LO	152002/1050	458							X															X	X	X					
IPR1 60/1200 SV	152001/1200	458									X													X	X	X					
IPR1 60/1200 SV LO	152002/1200	458									X													X	X	X					
IPR1 70/1400 SV	152001/1400	458							X															X	X	X					
IPR1 70/1400 SV LO	152002/1400	458							X															X	X	X					
PRO FLAT 38 NFC IPR3	152044	460								X															X	X					
DC MINI JOLLY 16/350 IPR2	152020/350	462			X																				X	X					
DC MINI JOLLY 20/500 IPR2	152020/500	462				X																		X	X	X					
DC MINI JOLLY 17/700 IPR2	152020/700	462					X						X											X	X	X					
DC MINI JOLLY DALI IPR2	152010	464	X	X	X	X	X				X								X					X	X	X					
DC MINI JOLLY DALI IPR2 LO	152012	464	X	X	X	X	X				X								X					X	X	X					
PRO FLAT 38 DALI NFC IPR3	152040	466	X								X					X			X						X	X					
DC MAXI JOLLY SV DALI IPR1	152004	468	X			X	X	X	X		X								X					X	X	X					
DC MAXI JOLLY SV DALI IPR1 LO	152006	468	X			X	X	X	X		X								X					X	X	X					
DC 70W 12V ST2	122477	470										X													X	X					
DC 70W 24V ST2	122479	470											X												X	X					
DC 70W 48V ST2	122481	470												X											X	X					
DC 150W 24V ST2	122511	470											X												X	X					
DC 150W 48V ST2	122513	470												X											X	X					

NEW - NOVITÀ

Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione															
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
DC 70W 12V ST2 CLII	122476	471											X											X	X						
DC 70W 24V ST2 CLII	122478	471												X										X	X						
DC 70W 48V ST2 CLII	122480	471												X										X	X						
DC 150W 24V ST2 CLII	122482	471												X										X	X						
LV HR 350mA	122652	474																							X						
LV HR 500mA	122654	474			X																				X						
LV HR 700mA	122656	474				X																			X						
LV Micro Z 350	122666	475					X																		X						
LV RGB 250mA	122662	476		X																					X					X	
LV RGB 350mA	122660	476			X																				X					X	
LV RGB 500mA	122661	476				X																			X					X	
LV RGB 350mA IR	122090	478			X																X				X					X	
LV RGB 12/24 IR	122092	478											X	X							X				X					X	
SED 4.5A R57	120300	480											X	X		X	X								X					X	
ELED HP	123023	484										X	X	X												X					
ELED HP BI	123024	484										X	X	X												X					
ELED HP/3	123023/3	484										X	X	X												X					
ELED HP/3 BI	123024/3	484										X	X	X												X					
ELED HP	123025	484										X	X	X												X					
ELED HP BI	123026	484										X	X	X												X					
ELED HP/3	123025/3	484										X	X	X												X					
ELED HP/3 BI	123026/3	484										X	X	X												X					
ELED LP	123032	486																								X					
ELED LP BI	123033	486																								X					
ELED LP/1	123034	486																								X					
ELED LP/1 BI	123036	486																								X					
ELED LP	123035	486																								X					
ELED LP BI	123037	486																								X					
ELED HP SLIM	123028	488																								X					
ELED HP/3 SLIM	123028/3	488																								X					
ELED LP 200	123017	490																												X	
ELED HP 200	127018	490																												X	
ELED HP 200/3	127019	490																											X		
ELED LP 200	127017/NM	490																											X		
ELED HP 200	127018/NM	490																											X		
ELED HP 200/3	127019/NM	490																											X		
ELBT	123013	494																									X				
ELBT-3	123013/3	494																									X				
ELHT	123012	496																									X				
ELHT-3	123012/3	496																									X				
UNIVERSALE 20 WR	127140	500		X	X	X	X				X	X												X	X	X					
UNIVERSALE 20 WR BI	127142	500		X	X	X	X				X	X												X	X	X					
WIDESQUARE 30/350-700/2	127162	502			X	X	X				X	X												X	X	X					
WIDESQUARE 30/350-700 BI	127164	502			X	X	X				X	X												X	X	X					
PROFESSIONALE WR	127695	504			X	X	X	X	X		X														X	X	X				
PROFESSIONALE WR BI	127696	504			X	X	X	X	X		X														X	X	X				
WIDESLIM 30/350-700	127160	506			X	X	X				X														X	X	X				
WIDESQUARE R 30/350-700/2	127166	508			X	X	X				X				X	X					X			X	X	X	X				

NEW - NOVITÀ

Tabella di scelta LED

Articolo Article	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																	
			AM	AM + PWM	250ma	350ma	500ma	700ma	900ma	1050ma	1400ma	2100ma	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB
PROFESSIONALE 1-10V WR	127700	510	X		X	X	X	X	X	X	X													X	X	X					
PROFESSIONALE 1-10V WR BI	127702	510	X		X	X	X	X	X	X	X													X	X	X					
DC MAXI JOLLY SV WR	151510	512	X		X	X	X	X	X	X	X													X	X	X					
DC MAXI JOLLY SV DALI WR	151512	514	X		X	X	X	X	X	X	X													X	X	X					
MILANOinTRACK 21/350-500	127878W	518			X	X						X												X	X						
MILANOinTRACK 21/350-500	127878G	518			X	X						X												X	X						
MILANOinTRACK 21/350-500	127878B	518			X	X						X												X	X						
MILANOinTRACK 30/550-750	127879W	519						X				X												X	X						
MILANOinTRACK 30/550-750	127879G	519						X				X												X	X						
MILANOinTRACK 30/550-750	127879B	519						X				X												X	X						
MILANOinTRACK 40/800-1050	127880W	520							X	X		X												X	X						
MILANOinTRACK 40/800-1050	127880G	520							X	X		X												X	X						
MILANOinTRACK 40/800-1050	127880B	520							X	X		X												X	X						
MILANOinTRACK 31/200-700	127893	521		X	X	X	X					X												X	X						
MILANOinTRACK 31/200-700	127894	521		X	X	X	X					X												X	X						
MILANOinTRACK 31/200-700	127895	521		X	X	X	X					X												X	X						
MILANOinTRACK 40/300-1050	127870	522			X	X	X	X	X			X												X	X						
MILANOinTRACK 40/300-1050	127871	522			X	X	X	X	X			X												X	X						
MILANOinTRACK 40/300-1050	127872	522			X	X	X	X	X			X												X	X						
MILANOinTRACK 40/300-1050 DALI	127873	523	X		X	X	X	X	X			X							X					X	X						
MILANOinTRACK 40/300-1050 DALI	127874	523	X		X	X	X	X	X			X							X					X	X						
MILANOinTRACK 40/300-1050 DALI	127875	523	X		X	X	X	X	X			X							X					X	X						
GA-021	127985W	524		X	X	X						X												X	X						
GA-021	127985G	524		X	X	X						X												X	X						
GA-021	127985B	524		X	X	X						X												X	X						
GA-022	127986W	525					X					X												X	X						
GA-022	127986G	525					X					X												X	X						
GA-022	127986B	525					X					X												X	X						
GA-023	127987W	526					X		X			X												X	X						
GA-023	127987G	526					X		X			X												X	X						
GA-023	127987B	526					X		X			X												X	X						
GA-017 PRO	127982W	527		X	X	X	X					X												X	X						
GA-017 PRO	127982G	527		X	X	X	X					X												X	X						
GA-017 PRO	127982B	527		X	X	X	X					X												X	X						
GA-016 PRO	127983W	528			X	X	X	X	X			X												X	X						
GA-016 PRO	127983G	528			X	X	X	X	X			X												X	X						
GA-016 PRO	127983B	528			X	X	X	X	X			X												X	X						
GAC-616 DALI PRO	127984W	529	X		X	X	X	X	X			X							X					X	X						
GAC-616 DALI PRO	127984G	529	X		X	X	X	X	X			X							X					X	X						
GAC-616 DALI PRO	127984B	529	X		X	X	X	X	X			X							X					X	X						
GA-016 US	127585	530				X						X												X	X						
GA-016 US	127586	530				X						X												X	X						
LV HR TRACK 357 OF	126032OF	532			X	X	X					X											X		X						
LV HR TRACK 246 OF	126031OF	532										X											X		X						
LV HR TRACK 200 OF	126033OF	532										X											X		X						
LV TRACK 150-1050 NFC OF	126052OF	533										X													X	X					
LV HR TRACK 1-10V 357 OF	126038OF	534	X		X	X	X					X							X						X						

NEW - NOVITÀ

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante										Constant voltage Tensione costante			Dimming Regolazione																		
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60-120V	NOT SELV	RGB	12V AUX		
LV HR TRACK 1-10V 246 OF	126037OF	534	X	X								X				X									X									
LV TRACK 150-1050 0-10V NFC OF	126055OF	535										X				X									X	X								
LV HR TRACK DALI 200 OF	126034/200OF	536										X							X						X									
LV HR TRACK DALI 250 OF	126034/250OF	536		X															X						X									
LV HR TRACK DALI 350 OF	126034/350OF	536			X														X						X									
LV HR TRACK DALI 400 OF	126034/400OF	536										X							X						X									
LV HR TRACK DALI 500 OF	126034/500OF	536				X													X						X									
LV HR TRACK DALI 600 OF	126034/600OF	536										X							X						X									
LV HR TRACK DALI 700 OF	126034/700OF	536					X												X						X									
LV HR TRACK DALI 900 OF	126034/900OF	536						X											X						X									
LV TRACK 150-1050 DALI NFC OF	126056OF	537										X							X						X	X								
LV HR TRACK 2L 1-10V 357 OF	126046OF	540	X		X	X	X					X				X									X									
LV HR TRACK 2L 1-10V 246 OF	126047OF	540	X	X								X				X									X									
LV HR TRACK 2L DALI 200 OF	126039/200OF	541										X							X						X									
LV HR TRACK 2L DALI 250 OF	126039/250OF	541		X															X						X									
LV HR TRACK 2L DALI 350 OF	126039/350OF	541	X	X															X						X									
LV HR TRACK 2L DALI 400 OF	126039/400OF	541										X							X						X									
LV HR TRACK 2L DALI 500 OF	126039/500OF	541	X		X														X						X									
LV HR TRACK 2L DALI 600 OF	126039/600OF	541										X							X						X									
LV HR TRACK 2L DALI 700 OF	126039/700OF	541	X			X													X						X									
LV HR TRACK 2L DALI 900 OF	126039/900OF	541					X												X						X									
LV HR 48 CV 1-10V OF	126045OF	542														X	X								X									
LV HR 48 CV DALI OF	126044OF	543														X			X						X									
MW 70 LED DIMM	119772	546																	X					X	X									
MW 70 LED	119773	547																						X	X									
W 105 LED	119812	548																	X					X	X									
W 105 LED PWM	119814	548																	X			X		X	X									
ETD2E9	180427	550																	X															
ETDU29	180426	551																	X															
SCU-EVG	180341	552																	X															
REG 1-10 V	123999L	553																	X															
DALI WEB PROGRAMMER	126500	554																		X														
DCC DALI INTERFACE	122099	556																		X						X								
SR-2400 RB	181205	558																		X				X										
SR-2400 RB-CCT	181206	558																		X				X										
SR-2309 FA-CCT	181209	559										X	X							X					X									
SR-2309 FA-RGBW	181212	560										X	X							X					X							X		
SR-2303B	181211	561										X	X							X					X									
SR-DA2833P-DA2	181210	562																		X	X				X									
TDS U1 DALI	180429	564																		X														
SR-2400 PS	181200	565																		X														
SR-2400 P	181202	565																		X														
BMU DMX INTERFACE	122066	566																		X												X		
TOUCH PANEL DMX	180423	568																		X													X	
EASY DMX	180421	569																		X													X	
PRO DMX	180422A	569																		X													X	
DC RVLN A	120295FF	570																							X									
DC RVLN B	120295C	570																							X									
DC RVLN C	120295	570																							X									

Tabella di scelta LED

Article Articolo	Code Codice	Page - Pagina	Constant current Corrente costante								Constant voltage Tensione costante			Dimming Regolazione																					
			AM	AM + PWM	250mA	350mA	500mA	700mA	900mA	1050mA	1400mA	2100mA	OTHER CURRENT	12V	24V	48V	WIRELESS	1...10V	PUSH	IGBT - TRIAC	DALI	DMX	IR	OTHER	WIDE RANGE	PFC	LOW VOLTAGE INPUT	SELV < 60V	SELV 60 - 120V	NOT SELV	RGB	12V AUX			
FM EMI FILTER	119897	572																						X											
EMI FILTER	119899	572																						X											
EMI FILTER GND	119895	572																						X											
SURGE PROTECTION SP 230/10K	183250	573																																	
SPD GM CLI	126127	574																																	
SPD GM CLII	126128	574																																	
SPD MM CLI	126201	575																																	
SPD MM CLII	126200	575																																	
X2 F 47N	119933	576																																	