



global-mark®

# Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and authorises the certificate holder to affix the mentioned mark to products of the same type; or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>TCI Telecomunicazioni Italia S.R.L.</b>			
Address	<b>Saronno (VA) Via Parma 14 Cap - - 21047 Italy</b>			
Client ID	<b>105895</b>	Global-Mark File Number:	<b>105895-003</b>	System 1 Approval
Certification and Authorized Mark Number	<b>GMA-505612-EA</b>	Revision Number	<b>00</b>	
Certification Standard(s)	<b>AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.</b>			
Type of Certification	<b>Electrical Safety Product</b>	Scheme	<b>Global-Mark Electrical Product Safety Certification Scheme</b>	

## CERTIFICATE DATES

Certificate Issue Date	<b>27/06/2019</b>
Certificate Last Update Date	
Certification Expiry Date	<b>27/06/2024</b>

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ



# Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 700	Input: 220-240 V, 50/60 Hz Output: 0,7 A, Pout max. 10 W, Uout=25 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 500	Input: 220-240 V, 50/60 Hz Output: 0,5 A, Pout max. 10 W, Uout=35 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 350	Input: 220-240 V, 50/60 Hz Output: 0,35 A, Pout max. 10 W, Uout=35 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 270	Input: 220-240 V, 50/60 Hz Output: 0,27 A, Pout max. 10 W, Uout=50 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 250	Input: 220-240 V, 50/60 Hz Output: 0,25 A, Pout max. 7 W, Uout=35 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MICRO MD 180	Input: 220-240 V, 50/60 Hz Output: 0,18 A, Pout max. 6 W, Uout=50 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 250	Input: 220-240 V, 50/60 Hz Output: 0,25 A, Pout max. 12,5 W, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 250 LP	Input: 220-240 V, 50/60 Hz Output: 0,25 A, Pout max. 12,5 W, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 350	Input: 220-240 V, 50/60 Hz Output: 0,35 A, Pout max. 18 W, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 350 LP	Input: 220-240 V, 50/60 Hz Output: 0,35 A, Pout max. 18 W, Uout=59 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 500	Input: 220-240 V, 50/60 Hz Output: 0,5 A, Pout max. 20 W, Uout=50 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 500 LP	Input: 220-240 V, 50/60 Hz Output: 0,5 A, Pout max. 20 W, Uout=50 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 700	Input: 220-240 V, 50/60 Hz Output: 0,7 A, Pout max. 20 W, Uout=50 V
Power Supply or Charger	Power Supply for LED module	TCI TELECOMUNICAZIONI ITALIA S.R.L.	MINI MD 700 LP	Input: 220-240 V, 50/60 Hz Output: 0,7 A, Pout max. 20 W, Uout=50 V

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



global-mark®


# Certificate of Conformity

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Nil

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ

